

Healer Products Certificates of Analysis (COA)

Dear Healer Patron,

We are committed to producing high quality, clean, and accurately labeled cannabis products to help you feel your best. As you'll see in the following pages, we invest in the most thorough testing available in our region, not just for the content of medicinal components, but also for the absence of pesticides, toxic solvents, heavy metals, and microbiological contaminants.

To be transparent and earn your trust, our third-party laboratory certificates of analysis are attached.

Having previously owned and participated in a cannabis analytic laboratory for several years, I understand the inherent challenges related to reproducibility, calibration, and validation with peer laboratories. In the cannabis analytic industry, potency results are considered accurate within 10% deviation from the actual value. That's why after Healer performs its own internal analytics, we send samples of our bulk extracts and final products to at least one third-party lab, and sometimes two.

If you have any questions about the data on the following pages, we'd love to hear from you. Thank you for choosing Healer and taking a powerful step for your good health.

Sincerely,

Dr. Dustin Sulak

Tuti-Sulle

CANNABINOIDS

Cannabinoid	Concentration	Tota	l Mg	
	mg/g	Per	Per	
		Pump	Bottle	
TOTAL	23.336	23.336	991.78	
CBC	0.533	0.533	22.65	
CBCA	0.452	0.452	19.21	
CBD	11.4	11.4	481.08	
CBDA	10.2	10.2	433.5	
CBDV				
CBDVA				
CBG				
CBGA				
CBL				
CBLA				
CBN				
CBNA				
Δ^8 -THC				
Δ^9 -THC	0.472	0.472	20.06	
Δ^{10} -THC				
EXO-THC				
THCA	0.279	0.279	11.86	
THCV				
THCVA				
3 rd Party Tested By:	Nova Analytic Lab	S		
3 rd Party Testing ID:	WPH.L.21-003-CANN NAL-210802-002			

PESTICIDES

TEST	RESULT
Bifenthrin	Pass-None Detected
Cyfluthrin	Pass-None Detected
Daminozide	Pass-None Detected
Etoxazole	Pass-None Detected
Imazalil	Pass-None Detected
Myclobutanil	Pass-None Detected
Spiromesifen	Pass-None Detected
Trifloxystrobin	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	WPH.L.21.003-CONT
	NAL-210802-003

HEAVY METALS

TEST	RESULTS
Arsenic	Pass-None Detected
Cadmium	Pass-None Detected
Lead	Pass-None Detected
Mercury	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	WPH.L.21.003-CONT
	NAL-210802-003

Healer Topical Hydrogel Cream

Batch ID: WPH.L.21.003



Product Type:

1:1 CBD/CBDA Topical Hydrogel Cream Whole Plant Hemp (850mg in 42.5g/1.5oz)

Product Expiration Date:

08/02/2023

COA Issue Date:

08/17/2021

Ingredients: Purified Water, Organic MCT
Coconut Oil, 3% Menthol, Copaiba Balsam oil,
MOFGA Certified Clean Maine Industrial Hemp
<0.3% THC, D-Limonene, gel (isohexadecane
polysorbate 80 sodium acrylate,
acryloyldimethyl taurate copolymer), Traces of
Ethyl Alcohol (Ethanol).

Strains: Lifter, Silver Haze, Sour Space Candy, Hawaiian Haze

3rd Party Lab Results Attached





CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

WPH.L.21.003-CANN (TOPICAL) // PRODUCED: AUG 04, 2021

CLIENT: HEALER HEMP LLC // BATCH: PASSED AS MAINE INDUSTRIAL HEMP



BATCH NO.: WPH.L.21.003

MATRIX: TOPICAL

SAMPLE ID: NAL-210802-002 COLLECTED ON: AUG 02, 2021 RECEIVED ON: AUG 02, 2021 SAMPLE SIZE: 5.788 G SAMPLED BY: SARAH CHRIST

RECEIVED BY: ANDREW PATTERSON

PACKAGE SIZE: 42.5 G

CBD:	1.14 %
CBDA:	1.02 %
TOTAL CANNABINOIDS:	2.33 %

MANUFACTURER INFO

MANUFACTURER HEALER HEMPILC

119 ORION ST BRUNSWICK, MAINE 04011

LICENSE

MEDICINAL - CAREGIVER

CGR26424

BATCH	RESULT:	PASSED	AS	MAINE	INDUSTRIAL
HEMP					

POTENCY PAS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: AUG 02, 2021 // ANALYSIS: AUG 03, 2021

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
CBC		0.0533 %	0.533 mg/g	0.00245/0.0123	N/A
CBCA		0.0452 %	0.452 mg/g	0.00245/0.0123	N/A
CBD		1.14 %	11.4 mg/g	0.00245/0.0123	N/A
CBDA		1.02 %	10.2 mg/g	0.00245/0.0123	N/A
CBDV		ND	ND	0.00245/0.0123	N/A
CBDVA		ND	ND	0.00245/0.0123	N/A
CBG		ND	ND	0.00245/0.0123	N/A
CBGA		ND	ND	0.00245/0.0123	N/A
CBL		ND	ND	0.00245/0.0123	N/A
CBLA		ND	ND	0.00245/0.0123	N/A
CBN		ND	ND	0.00245/0.0123	N/A
CBNA		ND	ND	0.00245/0.0123	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
Δ ⁸ -THC		ND	ND	0.00245/0.0123	N/A
Δ ⁹ -THC	0	.0472 %	0.472 mg/g	0.00245/0.0123	N/A
Δ ¹⁰ -ΤΗC		ND	ND	0.00245/0.0123	N/A
EXO-THC		ND	ND	0.00245/0.0123	N/A
THCA	0	.0279 %	0.279 mg/g	0.00245/0.0123	N/A
THCV		ND	ND	0.00245/0.0123	N/A
THCVA		ND	ND	0.00245/0.0123	N/A
TOTAL THC **	0	.0717 %	0.717 mg/g		N/A
TOTAL CBD **		2.03 %	20.3 mg/g		N/A
CBD/PKG		485 mg			N/A
Δ ⁹ -THC/PKG		20.1 mg			N/A

** TOTAL THC = (THCA X 0.877) + THC

** TOTAL CBD = (CBDA X 0.877) + CBD

Reported on an as received basis

 $1000 \mu g/g = 1 mg/g$



RESULTS CERTIFIED BY:

BARRY CHAFFIN COO, NOVA ANALYTIC LABS AUG 04, 2021

Bol

RESULTS CERTIFIED BY:

GREG NEWLAND CSO, NOVA ANALYTIC LABS

AUG 04, 2021

RESULTS CERTIFIED BY: CHRIS ALTOMARE

CHRIS ALTOMARE CEO, NOVA ANALYTIC LABS AUG 04, 2021

Chushopter Fur

https://lims.tagleaf.com/coa_/WzACV3OO4f

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE CHEMT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.



CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

WPH.L.21.003-CONT (TOPICAL) // PRODUCED: AUG 04, 2021

CLIENT: HEALER HEMP LLC // BATCH: PASSED AS MAINE INDUSTRIAL HEMP



BATCH NO.: WPH.L.21.003

MATRIX: TOPICAL

SAMPLE ID: NAL-210802-003 COLLECTED ON: AUG 02, 2021 RECEIVED ON: AUG 02, 2021 SAMPLE SIZE: 11.4 G

SAMPLED BY: SARAH CHRIST

RECEIVED BY: ANDREW PATTERSON

5 %
5 %
9 %

MANUFACTURER INFO

MANUFACTURER

HEALER HEMP LLC 119 ORION ST BRUNSWICK, MAINE 04011

LICENSE CGR26424

MEDICINAL - CAREGIVER

BATCH	RESULT:	PASSED	AS	MAINE	INDUSTRIAL	
HEMP						

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: AUG 02, 2021 // ANALYSIS: AUG 02, 2021

^MFOR ACCURATE CANNABINOID DATA SEE ABOVE TEST WPH:L:.21.003-CANN FALL

CBC	0.0555 %	0.555 mg/g	0.00159/0.00/93	N/A	CBNA	ND	ND	0.00159/0.00/93	N/A
CBCA	0.0544 %	0.544 mg/g	0.00159/0.00793	N/A	Δ ⁸ -ΤΗC	ND	ND	0.00159/0.00793	N/A
CBD	1.15 %	11.5 mg/g	0.00159/0.00793	N/A	Δ ⁹ -ΤΗ C	0.0492 %	0.492 mg/g	0.00159/0.00793	N/A
CBDA	1.05 %	10.5 mg/g	0.00159/0.00793	N/A	Δ ¹⁰ -ΤΗ C	ND	ND	0.00159/0.00793	N/A
CBDV	ND	ND	0.00159/0.00793	N/A	EXO-THC	ND	ND	0.00159/0.00793	N/A
CBDVA	ND	ND	0.00159/0.00793	N/A	THCA	0.0286 %	0.286 mg/g	0.00159/0.00793	N/A
CBG	ND	ND	0.00159/0.00793	N/A	THCV	ND	ND	0.00159/0.00793	N/A
CBGA	ND	ND	0.00159/0.00793	N/A	THCVA	ND	ND	0.00159/0.00793	N/A
CBL	ND	ND	0.00159/0.00793	N/A	TOTAL THC **	0.0743 %	0.743 mg/g		N/A
CBLA	ND	ND	0.00159/0.00793	N/A	TOTAL CBD **	2.07 %	20.7 mg/g		N/A
CRN	ND	ND	0.00150/0.00703	NI/A					

** TOTAL THC = (THCA X 0.877) + THC

** TOTAL CBD = (CBDA X 0.877) + CBD

Reported on an as received basis

 $1000 \mu g/g = 1 mg/g$

RESULTS CERTIFIED BY: BARRY CHAFFIN

COO, NOVA ANALYTIC LABS

AUG 04, 2021

B. A.

RESULTS CERTIFIED BY:

GREG NEWLAND CSO, NOVA ANALYTIC LABS

AUG 04, 2021

RESULTS CERTIFIED BY: CHRIS ALTOMARE

CEO, NOVA ANALYTIC LABS AUG 04, 2021

https://lims.tagleaf.com/coa_/3b5e3c8QdY

PES.1: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-MS/MS PREPARATION: AUG 04, 2021 // ANALYSIS: AUG 04, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
IMAZALIL		ND	50.8/153	N/A	DAMINOZIDE		ND	254/763	N/A
ETOXAZOLE		ND	50.8/153	N/A	MYCLOBUTANIL		ND	50.8/153	N/A
BIFENTHRIN		ND	50.8/153	N/A	SPIROMESIFEN		ND	50.8/153	N/A
CYFLUTHRIN		ND	254/763	N/A	TRIFLOXYSTROB-		ND	50.8/153	N/A
					IN		ND	50.8/153	N/A

HME.1: HEAVY METALS BY ICP-MS PREPARATION: AUG 02, 2021 // ANALYSIS: AUG 02, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	10000 μg/kg	N D	173/518	N/A	CADMIUM	5000 μg/kg	N D	173/432	N/A
ARSENIC	1000 μg/kg	N D	173/432	N/A	MERCURY	1000 μg/kg	N D	173/346	N/A

^{*} FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE CHIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT

