



Healer Products Certificates of Analysis (COA)

Dear Healer Patron,

We are committed to producing high quality, clean, and accurately labeled cannabis products to help you feel your best. As you'll see in the following pages, we invest in the most thorough testing available in our region, not just for the content of medicinal components, but also for the absence of pesticides, toxic solvents, heavy metals, and microbiological contaminants.

To be transparent and earn your trust, our third-party laboratory certificates of analysis are attached.

Having previously owned and participated in a cannabis analytic laboratory for several years, I understand the inherent challenges related to reproducibility, calibration, and validation with peer laboratories. In the cannabis analytic industry, potency results are considered accurate within 10% deviation from the actual value. That's why after Healer performs its own internal analytics, we send samples of our bulk extracts and final products to at least one third-party lab, and sometimes two.

If you have any questions about the data on the following pages, we'd love to hear from you. Thank you for choosing Healer and taking a powerful step for your good health.

Sincerely,

Dr. Dustin Sulak

CANNABINOIDS

Cannabinoid	Concentration mg/ml
TOTAL	50.548
CBC	
CBCA	1.900
CBD	7.840
CBDA	38.100
CBDV	
CBDVA	
CBG	
CBGA	0.990
CBL	
CBLA	
CBN	
CBNA	
Δ^8 -THC	
Δ^9 -THC	0.698
Δ^{10} -THC	
EXO-THC	
THCA	1.02
THCV	
THCVA	
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	WPA.T.21.003-CANN NAL-210923-022

Product Type:
CBDA Tincture

Product Expiration Date:
09/28/2023

COA Issue Date:
09/28/2021

Ingredients: Organic MCT
Coconut Oil, MOFGA Certified
Clean Maine Industrial Hemp
<0.3% THC, Traces of Ethyl
Alcohol (Ethanol).

Strains: Lifter, Silver Haze, Sour
Space Candy, Hawaiian Haze

Whole Plant CBDA Drops

Batch ID: WPA.T.21.003



RESIDUAL SOLVENTS

TEST	RESULTS
Ethanol	Pass-3530µg/g Detected (3.53mg/g)
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	WPA.T.21.003-CONT NAL-210923-024

*For full list of solvents see attached

MICROBIOLOGICAL CONTAMINANTS

TEST	RESULTS
Enterobacter	Pass-None Detected
Coliform	Pass-None Detected
Aerobic Bacteria	Pass-None Detected
Yeast and Mold	Pass-None Detected
Salmonella	Pass-None Detected
E.Coli	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	WPA.T.21.003-CONT NAL-210923-024

HEAVY METALS

TEST	RESULTS
Arsenic	Pass-None Detected
Cadmium	Pass-None Detected
Lead	Pass-None Detected
Mercury	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	WPA.T.21.003-CONT NAL-210923-024

PESTICIDES

TEST	RESULT
Bifenthrin	Pass-None Detected
Cyfluthrin	Pass-None Detected
Daminozide	Pass-None Detected
Etioazole	Pass-None Detected
Imazalil	Pass-None Detected
Myclobutanil	Pass-None Detected
Spiromesifen	Pass-None Detected
Trifloxystrobin	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	H.21-002BINARY NAL-210318-007

*Concentrated Formula Tested

TERPENES

Terpene	Concentration mg/ml
TOTAL	1.718
PERCENT BY Wt	0.184%
β -Caryophyllene	0.526
α -Humulene	0.171
D-Limonene	
α -Pinene	0.217
β -Myrcene	0.808
β -Pinene	
Linalool	
Camphene	
α -Bisabolol	
γ -Terpinene	
Terpinolene	
P-Cymene	
Isopulegol	
Geraniol	
Cis-Nerolidol	
Eucalyptol	
Δ^3 -Carene	
Caryophyllene Oxide	
β -Ocimene	
α -Terpinene	
α -Ocimene	
Trans-Nerolidol	
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	WPA.T.21.003-TERP NAL-210923-023

*Data Converted from mg/g to mg/ml using
density of 0.9338g/ml taken from
WPA.T.21.003-CANN (NAL-210923-022)

**3rd Party
Lab Results
Attached**




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

WPA.T.21.003-CANN (TINCTURE) // PRODUCED: SEP 23, 2021

CLIENT: HEALER HEMP LLC // BATCH: PASSED AS MAINE INDUSTRIAL HEMP



BATCH NO.: WPA.T.21.003
MATRIX: TINCTURE
DENSITY: 0.9338 g/ml
SAMPLE ID: NAL-210923-022
COLLECTED ON: SEP 23, 2021
RECEIVED ON: SEP 23, 2021
SAMPLE SIZE: 4.875 G
SAMPLED BY: SARAH CHRIST
RECEIVED BY: DEVIN DUTRISAC

CANNABINOID OVERVIEW

CBDA:	4.08 %
CBD:	0.840 %
TOTAL CANNABINOIDS:	5.41 %

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011
LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED AS MAINE INDUSTRIAL HEMP

POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: SEP 23, 2021 // ANALYSIS: SEP 23, 2021

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC	< LOQ	< LOQ	< LOQ	0.0999/0.500	N/A
CBCA	0.203 %	1.90 mg/ml	1.90 mg/ml	0.0999/0.500	N/A
CBD	0.840 %	7.84 mg/ml	7.84 mg/ml	0.0999/0.500	N/A
CBDA	4.08 %	38.1 mg/ml	38.1 mg/ml	0.0999/0.500	N/A
CBDV	ND	ND	ND	0.0999/0.500	N/A
CBDVA	< LOQ	< LOQ	< LOQ	0.0999/0.500	N/A
CBG	< LOQ	< LOQ	< LOQ	0.0999/0.500	N/A
CBGA	0.106 %	0.990 mg/ml	0.990 mg/ml	0.0999/0.500	N/A
CBL	ND	ND	ND	0.0999/0.500	N/A
CBLA	ND	ND	ND	0.0999/0.500	N/A
CBN	ND	ND	ND	0.0999/0.500	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBNA		ND	ND	0.0999/0.500	N/A
Δ ⁸ -THC		ND	ND	0.0999/0.500	N/A
Δ ⁹ -THC	0.0747 %	0.698 mg/ml	0.698 mg/ml	0.0999/0.500	N/A
Δ ¹⁰ -THC		ND	ND	0.0999/0.500	N/A
EXO-THC		ND	ND	0.0999/0.500	N/A
THCA	0.109 %	1.02 mg/ml	1.02 mg/ml	0.0999/0.500	N/A
THCV		ND	ND	0.0999/0.500	N/A
THCVA		ND	ND	0.0999/0.500	N/A
TOTAL THC **	0.170 %	1.59 mg/ml	1.59 mg/ml		N/A
TOTAL CBD **	4.42 %	41.3 mg/ml	41.3 mg/ml		N/A

** TOTAL THC = (THCA X 0.877) + THC
 ** TOTAL CBD = (CBDA X 0.877) + CBD
 Reported on an as received basis
 1000 µg/g = 1 mg/g



RESULTS CERTIFIED BY:
 BARRY CHAFFIN
 COO, NOVA ANALYTIC LABS
 SEP 23, 2021



RESULTS CERTIFIED BY:
 GREG NEWLAND
 CSO, NOVA ANALYTIC LABS
 SEP 23, 2021



RESULTS CERTIFIED BY:
 CHRIS ALTOMARE
 CEO, NOVA ANALYTIC LABS
 SEP 23, 2021



https://lims.tagleaf.com/coa/_asbKK9MiDP

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

WPA.T.21.003-TERP (TINCTURE) // PRODUCED: SEP 24, 2021

CLIENT: HEALER HEMP LLC // BATCH: PASSED AS MAINE INDUSTRIAL HEMP



BATCH NO.: WPA.T.21.003
MATRIX: TINCTURE
SAMPLE ID: NAL-210923-023
COLLECTED ON: SEP 23, 2021
RECEIVED ON: SEP 23, 2021
SAMPLE SIZE: 3.842 G
SAMPLED BY: SARAH CHRIST
RECEIVED BY: DEVIN DUTRISAC



NOVA ANALYTIC LABS
 Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011
LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED AS MAINE INDUSTRIAL HEMP

TERPENES TESTED

TERPENES BY HEADSPACE GC-MS PREPARATION: SEP 24, 2021 // ANALYSIS: SEP 24, 2021

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
TOTAL TERPENES	0.184 %	1.84 mg/g		N/A
CAMPHENE	ND	ND	0.0916/0.183	N/A
GERANIOL	ND	ND	0.0916/0.183	N/A
LINALOOL	ND	ND	0.0916/0.183	N/A
P-CYME	ND	ND	0.0916/0.183	N/A
EUCALYPTOL	ND	ND	0.0916/0.183	N/A
ISOPULEGOL	ND	ND	0.0916/0.183	N/A
D-LIMONENE	< LOQ	< LOQ	0.0916/0.183	N/A
TERPINOLENE	ND	ND	0.0916/0.183	N/A
β-PINENE	< LOQ	< LOQ	0.0916/0.183	N/A
α-PINENE	0.0232 %	0.232 mg/g	0.0916/0.183	N/A
β-MYRCENE	0.0865 %	0.865 mg/g	0.0916/0.183	N/A

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
β-OCIMENE	ND	ND	0.0458/0.0916	N/A
α-OCIMENE	< LOQ	< LOQ	0.0458/0.0916	N/A
CIS-NEROLIDOL	ND	ND	0.0916/0.183	N/A
Δ³-CARENE	ND	ND	0.0916/0.183	N/A
α-HUMULENE	0.0183 %	0.183 mg/g	0.0916/0.183	N/A
α-BISABOLOL	< LOQ	< LOQ	0.0916/0.183	N/A
α-TERPINENE	ND	ND	0.0916/0.183	N/A
γ-TERPINENE	ND	ND	0.0916/0.183	N/A
TRANS-NEROLIDOL	< LOQ	< LOQ	0.0916/0.183	N/A
β-CARYOPHYLLENE	0.0563 %	0.563 mg/g	0.0916/0.183	N/A
CARYOPHYLLENE OXIDE	ND	ND	0.0916/0.183	N/A



RESULTS CERTIFIED BY:
 BARRY CHAFFIN
 COO, NOVA ANALYTIC LABS
 SEP 24, 2021



RESULTS CERTIFIED BY:
 GREG NEWLAND
 CSO, NOVA ANALYTIC LABS
 SEP 24, 2021



RESULTS CERTIFIED BY:
 CHRIS ALTOMARE
 CEO, NOVA ANALYTIC LABS
 SEP 24, 2021



https://lims.tagleaf.com/coa/_YluTXFIff1

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

WPA.T.21.003-CONT (TINCTURE) // PRODUCED: SEP 28, 2021

CLIENT: HEALER HEMP LLC // BATCH: PASSED AS MAINE INDUSTRIAL HEMP



BATCH NO.: WPA.T.21.003
MATRIX: TINCTURE
SAMPLE ID: NAL-210923-024
COLLECTED ON: SEP 23, 2021
RECEIVED ON: SEP 23, 2021
SAMPLE SIZE: 6.656 G
SAMPLED BY: SARAH CHRIST
RECEIVED BY: DEVIN DUTRISAC



NOVA ANALYTIC LABS
 Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011
LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED AS MAINE INDUSTRIAL HEMP

METALS	TESTED
MICROBIAL	TESTED
SOLVENTS	TESTED

RSOL.1: RESIDUAL SOLVENTS, POISONS AND TOXINS BY HEADSPACE GC-MS
PREPARATION: SEP 24, 2021 // ANALYSIS: SEP 24, 2021

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
BUTANE	5000 µg/g	ND	7.91/15.8	N/A
HEXANE	290 µg/g	ND	7.91/15.8	N/A
ACETONE	5000 µg/g	ND	3.95/7.91	N/A
BENZENE	1 µg/g	ND	0.395/0.791	N/A
ETHANOL	5000 µg/g	3530	7.91/15.8	N/A
HEPTANE	5000 µg/g	ND	7.91/15.8	N/A
PENTANE	5000 µg/g	ND	7.91/15.8	N/A
PROPANE	5000 µg/g	ND	7.91/15.8	N/A
TOLUENE	890 µg/g	ND	7.91/15.8	N/A
METHANOL	3000 µg/g	ND	7.91/15.8	N/A
O-XYLENE	2170 µg/g	ND	1.98/3.95	N/A

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLOROFORM	1 µg/g	ND	0.395/0.791	N/A
ETHYL ETHER	5000 µg/g	ND	7.91/15.8	N/A
ACETONITRILE	410 µg/g	ND	3.95/7.91	N/A
ETHYL ACETATE	5000 µg/g	ND	7.91/15.8	N/A
ETHYLENE OXIDE	1 µg/g	ND	0.395/0.791	N/A
P- AND M-XYLENE	2170 µg/g	ND	0.791/1.58	N/A
ISOPROPYL ALCOHOL	5000 µg/g	ND	7.91/15.8	N/A
TRICHLOROETHYLENE	1 µg/g	ND	0.395/0.791	N/A
1,2-DICHLOROETHANE	1 µg/g	ND	0.395/0.791	N/A
METHYLENE CHLORIDE	1 µg/g	ND	0.395/0.791	N/A



RESULTS CERTIFIED BY:
 BARRY CHAFFIN
 COO, NOVA ANALYTIC LABS
 SEP 28, 2021



RESULTS CERTIFIED BY:
 GREG NEWLAND
 CSO, NOVA ANALYTIC LABS
 SEP 28, 2021



RESULTS CERTIFIED BY:
 CHRIS ALTOMARE
 CEO, NOVA ANALYTIC LABS
 SEP 28, 2021



<https://lims.tagleaf.com/coa/x4fbjFDUr2>

HME.1: HEAVY METALS BY ICP-MS
PREPARATION: SEP 27, 2021 // ANALYSIS: SEP 27, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 µg/kg	ND	32.2/96.6	N/A
ARSENIC	1500 µg/kg	ND	32.2/80.5	N/A

MIC.3: TOTAL COLIFORM BY MOST PROBABLE NUMBER
PREPARATION: SEP 24, 2021 // ANALYSIS: SEP 25, 2021

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
COLIFORMS	1000 CFU/g	ND	100/100	N/A

MIC.6: TOTAL ENTEROBACTER BY MOST PROBABLE NUMBER
PREPARATION: SEP 24, 2021 // ANALYSIS: SEP 25, 2021

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
ENTEROBACTERIACEAE	1000 CFU/g	ND	100/100	N/A

TOTAL AEROBIC BACTERIA BY MOST PROBABLE NUMBER
PREPARATION: SEP 24, 2021 // ANALYSIS: SEP 25, 2021

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
AEROBIC BACTERIA	100000 CFU/g	ND	100/100	N/A

MIC.5: SALMONELLA BY PCR
PREPARATION: SEP 24, 2021 // ANALYSIS: SEP 27, 2021

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
SALMONELLA SPP.	Any amt in 1 gram	ND	1.00/1.00	N/A


MIC.4: PATHOGENIC E. COLI BY PCR
PREPARATION: SEP 24, 2021 // ANALYSIS: SEP 27, 2021

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
ESCHERICHIA COLI	Any amt in 1 gram	ND	1.00/1.00	N/A

TOTAL YEAST AND MOLD BY MOST PROBABLE NUMBER
PREPARATION: SEP 24, 2021 // ANALYSIS: SEP 27, 2021

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
YEAST & MOLD	10000 CFU/g	ND	100/100	N/A

PRODUCT IMAGES



* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.21-002PEST (TINCTURE) // PRODUCED: JUL 28, 2021

CLIENT: HEALER HEMP LLC // BATCH: PASSED AS MAINE INDUSTRIAL HEMP



BATCH NO.: H.21-002
MATRIX: TINCTURE
SAMPLE ID: NAL-210722-075
COLLECTED ON: JUL 22, 2021
RECEIVED ON: JUL 22, 2021
SAMPLE SIZE: 3.383 G
RECEIVED BY: ANDREW PATTERSON



NOVA ANALYTIC LABS
 Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011
LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED AS MAINE INDUSTRIAL HEMP

PESTICIDES TESTED

PES.1: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-MS/MS
PREPARATION: JUL 27, 2021 // ANALYSIS: JUL 27, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
IMAZALIL		ND	2.40/4.79	N/A	DAMINOZIDE		ND	24.0/24.0	N/A
ETOXAZOLE		ND	2.40/4.79	N/A	MYCLOBUTANIL		ND	1.20/4.79	N/A
BIFENTHRIN		ND	2.40/4.79	N/A	SPIROMESIFEN		ND	2.40/4.79	N/A
CYFLUTHRIN		ND	24.0/24.0	N/A	TRIFLOXYSTROBIN		ND	1.20/4.79	N/A



RESULTS CERTIFIED BY:
 BARRY CHAFFIN
 COO, NOVA ANALYTIC LABS
 JUL 28, 2021



RESULTS CERTIFIED BY:
 GREG NEWLAND
 CSO, NOVA ANALYTIC LABS
 JUL 28, 2021



RESULTS CERTIFIED BY:
 CHRIS ALTOMARE
 CEO, NOVA ANALYTIC LABS
 JUL 28, 2021



https://lims.tagleaf.com/coa_mJTrZN5k4K

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT