



## Healer Products Certificates of Analysis (COA)

Dear Healer Patron,

We are committed to producing high quality, clean, and accurately labeled cannabis products to help you feel your best. As you'll see in the following pages, we invest in the most thorough testing available in our region, not just for the content of medicinal components, but also for the absence of pesticides, toxic solvents, heavy metals, and microbiological contaminants.

To be transparent and earn your trust, our third-party laboratory certificates of analysis are attached.

Having previously owned and participated in a cannabis analytic laboratory for several years, I understand the inherent challenges related to reproducibility, calibration, and validation with peer laboratories. In the cannabis analytic industry, potency results are considered accurate within 10% deviation from the actual value. That's why after Healer performs its own internal analytics, we send samples of our bulk extracts and final products to at least one third-party lab, and sometimes two.

If you have any questions about the data on the following pages, we'd love to hear from you. Thank you for choosing Healer and taking a powerful step for your good health.

Sincerely,

Dr. Dustin Sulak

## CANNABINOIDS

| Cannabinoid                       | Concentration                  |              |
|-----------------------------------|--------------------------------|--------------|
|                                   | mg/g                           | mg/Capsule   |
| <b>TOTAL</b>                      | <b>34.47</b>                   | <b>12.08</b> |
| CBC                               | 1.99                           | 0.70         |
| CBCA                              | 0.30                           | 0.11         |
| CBD                               | 2.39                           | 0.84         |
| CBDA                              | 1.66                           | 0.58         |
| CBDV                              |                                |              |
| CBDVA                             |                                |              |
| CBG                               | 23.40                          | 8.19         |
| CBGA                              | 4.36                           | 1.53         |
| CBL                               |                                |              |
| CBLA                              |                                |              |
| CBN                               |                                |              |
| CBNA                              |                                |              |
| $\Delta^8$ -THC                   |                                |              |
| $\Delta^9$ -THC                   | 0.37                           | 0.13         |
| $\Delta^{10}$ -THC                |                                |              |
| EXO-THC                           |                                |              |
| THCA                              |                                |              |
| THCV                              |                                |              |
| THCVA                             |                                |              |
| 3 <sup>rd</sup> Party Tested By:  | Nova Analytic Labs             |              |
| 3 <sup>rd</sup> Party Testing ID: | CBG.C.22.001<br>NAL-220722-010 |              |

\*<LOQ = Compound present in detectable amounts below the limit of quantitation for data reporting.

### Product Type:

CBG Capsules

### Batch ID:

CBG.C.22.001

### Product Expiration Date:

July 31, 2024

### COA Issue Date:

August 01, 2022

**Ingredients:** Organic MCT Coconut Oil, MOFGA Certified Clean Maine Industrial Hemp <0.3% THC, Traces of Ethyl Alcohol (Ethanol), Pharmaceutical Grade Syloid (Amorphous Silicon-Dioxide), Vegetarian HPMC Capsules

**Strains:** White CBG, Stem Cell CBG, Lifter, Hawaiian Haze, Suver Haze, Sour Space Candy

# Whole Plant Hemp CBG Capsules

Batch ID: CBG.C.22.001



## Healer

### RESIDUAL SOLVENTS

| TEST                              | RESULTS                              |
|-----------------------------------|--------------------------------------|
| Ethanol                           | Pass-1010µg/g<br>Detected (1.01mg/g) |
| 3 <sup>rd</sup> Party Tested By:  | Nova Analytic Labs                   |
| 3 <sup>rd</sup> Party Testing ID: | CBG.C.22.001-Solv<br>NAL-220727-040  |

\*For full list of solvents see attached

### MICROBIOLOGICAL CONTAMINANTS

| TEST                              | RESULTS                              |
|-----------------------------------|--------------------------------------|
| Enterobacter                      | Pass-None Detected                   |
| Coliform                          | Pass-None Detected                   |
| Aerobic Bacteria                  | Pass-None Detected                   |
| Yeast and Mold                    | Pass-None Detected                   |
| Salmonella                        | Pass-None Detected                   |
| E.Coli                            | Pass-None Detected                   |
| 3 <sup>rd</sup> Party Tested By:  | Nova Analytic Labs                   |
| 3 <sup>rd</sup> Party Testing ID: | CBG.C.22.001-Micro<br>NAL-220727-035 |

### HEAVY METALS

| TEST                              | RESULTS                              |
|-----------------------------------|--------------------------------------|
| Arsenic                           | Pass-None Detected                   |
| Cadmium                           | Pass-None Detected                   |
| Lead                              | Pass- <LOQ                           |
| Mercury                           | Pass-None Detected                   |
| 3 <sup>rd</sup> Party Tested By:  | Nova Analytic Labs                   |
| 3 <sup>rd</sup> Party Testing ID: | CBG.C.22.001-Metal<br>NAL-220727-036 |

\*<LOQ = Compound present in detectable amounts below the limit of quantitation for data reporting

### PESTICIDES

| TEST                              | RESULT                              |
|-----------------------------------|-------------------------------------|
| Bifenthrin                        | Pass-None Detected                  |
| Cyfluthrin                        | Pass-None Detected                  |
| Daminozide                        | Pass-None Detected                  |
| Etoxazole                         | Pass-None Detected                  |
| Imazalil                          | Pass-None Detected                  |
| Myclobutanil                      | Pass-None Detected                  |
| Spiromesifen                      | Pass-None Detected                  |
| Trifloxystrobin                   | Pass-None Detected                  |
| 3 <sup>rd</sup> Party Tested By:  | Nova Analytic Labs                  |
| 3 <sup>rd</sup> Party Testing ID: | CBG.C.22.001-Pest<br>NAL-220727-039 |

## TERPENES

| Terpene                           | Concentration                       |              |
|-----------------------------------|-------------------------------------|--------------|
|                                   | mg/g                                | mg/Capsule   |
| <b>TOTAL</b>                      | <b>0.544</b>                        | <b>0.191</b> |
| β-Caryophyllene                   | 0.390                               | 0.137        |
| α-Humulene                        | 0.099                               | 0.035        |
| D-Limonene                        |                                     |              |
| α-Pinene                          |                                     |              |
| β-Myrcene                         | <LOQ                                | <LOQ         |
| β-Pinene                          |                                     |              |
| Linalool                          |                                     |              |
| Camphene                          |                                     |              |
| α-Bisabolol                       | 0.055                               | 0.019        |
| γ-Terpinene                       |                                     |              |
| Terpinolene                       |                                     |              |
| P-Cymene                          |                                     |              |
| Isopulegol                        |                                     |              |
| Geraniol                          |                                     |              |
| Cis-Nerolidol                     |                                     |              |
| Eucalyptol                        |                                     |              |
| Δ <sup>3</sup> -Carene            |                                     |              |
| Caryophyllene Oxide               | <LOQ                                | <LOQ         |
| β-Ocimene                         |                                     |              |
| α-Terpinene                       |                                     |              |
| α-Ocimene                         |                                     |              |
| Trans-Nerolidol                   |                                     |              |
| 3 <sup>rd</sup> Party Tested By:  | Nova Analytic Labs                  |              |
| 3 <sup>rd</sup> Party Testing ID: | CBG.C.22.001-Terp<br>NAL-220727-038 |              |

\*<LOQ = Compound present in detectable amounts below the limit of quantitation for data reporting.

### MYCOTOXINS

| TEST                              | RESULTS                             |
|-----------------------------------|-------------------------------------|
| Aflatoxin B1, B2, G1, G2          | Pass-None Detected                  |
| Ochratoxin A                      | Pass- None Detected                 |
| 3 <sup>rd</sup> Party Tested By:  | Nova Analytic Labs                  |
| 3 <sup>rd</sup> Party Testing ID: | CBG.C.22.001-Myco<br>NAL-220727-037 |

**3<sup>rd</sup> Party  
Lab Results  
Attached**



# CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

**CBG.C.22.001-CANN (EDIBLE SOLID) // PRODUCED: JUL 25, 2022**

**CLIENT: HEALER HEMP LLC // BATCH: PASSED**



**BATCH NO.:** CBG.C.22.001  
**MATRIX:** EDIBLE SOLID  
**SAMPLE ID:** NAL-220722-010  
**COLLECTED ON:** JUL 22, 2022  
**RECEIVED ON:** JUL 22, 2022  
**SAMPLE SIZE:** 1.668 G  
**SAMPLED BY:** SARAH CHRIST  
**RECEIVED BY:** ANNIE MATNEY  
**SERVING SIZE:** 0.35 G

## CANNABINOID OVERVIEW

**CBG:** 8.19 mg/srv  
**CBGA:** 1.53 mg/srv  
**TOTAL CANNABINOIDS:** 12.1 mg/srv

## MANUFACTURER INFO

**MANUFACTURER**  
 HEALER HEMP LLC  
 119 ORION ST  
 BRUNSWICK, MAINE 04011  
**LICENSE**  
 CGR26424  
 MEDICINAL - CAREGIVER

## BATCH RESULT: PASSED

**POTENCY** PASS

## CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: JUL 25, 2022 // ANALYSIS: JUL 25, 2022

| ANALYTE | LIMIT | AMT      | AMT        | LOD/LOQ (%)     | PASS/FAIL |
|---------|-------|----------|------------|-----------------|-----------|
| CBC     |       | 0.199 %  | 1.99 mg/g  | 0.00166/0.00830 | N/A       |
| CBCA    |       | 0.0301 % | 0.301 mg/g | 0.00166/0.00830 | N/A       |
| CBD     |       | 0.239 %  | 2.39 mg/g  | 0.00166/0.00830 | N/A       |
| CBDA    |       | 0.166 %  | 1.66 mg/g  | 0.00166/0.00830 | N/A       |
| CBDV    |       | ND       | ND         | 0.00166/0.00830 | N/A       |
| CBDVA   |       | ND       | ND         | 0.00166/0.00830 | N/A       |
| CBG     |       | 2.34 %   | 23.4 mg/g  | 0.0199/0.0996   | N/A       |
| CBGA    |       | 0.436 %  | 4.36 mg/g  | 0.00166/0.00830 | N/A       |
| CBL     |       | ND       | ND         | 0.00166/0.00830 | N/A       |
| CBLA    |       | ND       | ND         | 0.00166/0.00830 | N/A       |
| CBN     |       | ND       | ND         | 0.00166/0.00830 | N/A       |
| CBNA    |       | ND       | ND         | 0.00166/0.00830 | N/A       |

| ANALYTE                 | LIMIT    | AMT        | AMT | LOD/LOQ (%)     | PASS/FAIL |
|-------------------------|----------|------------|-----|-----------------|-----------|
| Δ <sup>8</sup> -THC     |          | ND         | ND  | 0.00166/0.00830 | N/A       |
| Δ <sup>8</sup> -THCA    |          | ND         | ND  | 0.00166/0.00830 | N/A       |
| Δ <sup>9</sup> -THC     | 0.0370 % | 0.370 mg/g |     | 0.00166/0.00830 | N/A       |
| Δ <sup>10</sup> -THC    |          | ND         | ND  | 0.00166/0.00830 | N/A       |
| EXO-THC                 |          | ND         | ND  | 0.00166/0.00830 | N/A       |
| THCA                    |          | ND         | ND  | 0.00166/0.00830 | N/A       |
| THCV                    |          | ND         | ND  | 0.00166/0.00830 | N/A       |
| THCVA                   |          | ND         | ND  | 0.00166/0.00830 | N/A       |
| TOTAL THC**             | 0.0370 % | 0.370 mg/g |     |                 | N/A       |
| TOTAL CBD**             | 0.385 %  | 3.85 mg/g  |     |                 | N/A       |
| CBD/SRV                 | 0.840 mg |            |     |                 | N/A       |
| Δ <sup>9</sup> -THC/SRV | 0.130 mg |            |     |                 | PASS      |

\*\* TOTAL CBD = (CBDA X 0.877) + CBD

\*\* TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g




**RESULTS CERTIFIED BY:**  
 BARRY CHAFFIN  
 COO, NOVA ANALYTIC LABS  
 JUL 25, 2022



**RESULTS CERTIFIED BY:**  
 GREG NEWLAND  
 CSO, NOVA ANALYTIC LABS  
 JUL 25, 2022



**RESULTS CERTIFIED BY:**  
 CHRIS ALTOMARE  
 CEO, NOVA ANALYTIC LABS  
 JUL 25, 2022



[https://lims.tagleaf.com/coa/\\_/GwNIR85WAR](https://lims.tagleaf.com/coa/_/GwNIR85WAR)

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

**END OF REPORT**

# CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

**CBG.C.22.001-TERP (EDIBLE SOLID) // PRODUCED: JUL 29, 2022**

**CLIENT: HEALER HEMP LLC // BATCH: PASSED**



**BATCH NO.:** CBG.C.22.001  
**MATRIX:** EDIBLE SOLID  
**SAMPLE ID:** NAL-220727-038  
**COLLECTED ON:** JUL 27, 2022  
**RECEIVED ON:** JUL 27, 2022  
**SAMPLE SIZE:** 2.219 G  
**SAMPLED BY:** ANNA KUPEL  
**RECEIVED BY:** ANNIE MATNEY



**NOVA ANALYTIC LABS**  
 Tomorrow's Testing, Today.

## MANUFACTURER INFO

**MANUFACTURER**  
 HEALER HEMP LLC  
 119 ORION ST  
 BRUNSWICK, MAINE 04011  
**LICENSE**  
 CGR26424  
 MEDICINAL - CAREGIVER

## BATCH RESULT: PASSED

**TERPENES** TESTED

## TERPENES BY HEADSPACE GC-MS PREPARATION: JUL 28, 2022 // ANALYSIS: JUL 28, 2022

| ANALYTE               | AMT      | AMT        | LOD/LOQ (mg/g) | PASS/FAIL |
|-----------------------|----------|------------|----------------|-----------|
| <b>TOTAL TERPENES</b> | 0.0544 % | 0.544 mg/g |                | N/A       |
| <b>CAMPHENE</b>       | ND       | ND         | 0.0197/0.0393  | N/A       |
| <b>GERANIOL</b>       | ND       | ND         | 0.0197/0.0393  | N/A       |
| <b>LINALOOL</b>       | ND       | ND         | 0.0197/0.0393  | N/A       |
| <b>P-CYMENE</b>       | ND       | ND         | 0.0197/0.0393  | N/A       |
| <b>EUCALYPTOL</b>     | ND       | ND         | 0.0197/0.0393  | N/A       |
| <b>ISOPULEGOL</b>     | ND       | ND         | 0.0197/0.0393  | N/A       |
| <b>D-LIMONENE</b>     | ND       | ND         | 0.0197/0.0393  | N/A       |
| <b>TERPINOLENE</b>    | ND       | ND         | 0.0197/0.0393  | N/A       |
| <b>β-PINENE</b>       | ND       | ND         | 0.0197/0.0393  | N/A       |
| <b>α-PINENE</b>       | ND       | ND         | 0.0197/0.0393  | N/A       |
| <b>β-MYRCENE</b>      | < LOQ    | < LOQ      | 0.0197/0.0393  | N/A       |


| ANALYTE                     | AMT       | AMT         | LOD/LOQ (mg/g) | PASS/FAIL |
|-----------------------------|-----------|-------------|----------------|-----------|
| <b>β-OCIMENE</b>            | ND        | ND          | 0.00983/0.0197 | N/A       |
| <b>α-OCIMENE</b>            | ND        | ND          | 0.00983/0.0197 | N/A       |
| <b>CIS-NEROLIDOL</b>        | ND        | ND          | 0.0197/0.0393  | N/A       |
| <b>Δ<sup>3</sup>-CARENE</b> | ND        | ND          | 0.0197/0.0393  | N/A       |
| <b>α-HUMULENE</b>           | 0.00988 % | 0.0988 mg/g | 0.0197/0.0393  | N/A       |
| <b>α-BISABOLOL</b>          | 0.00547 % | 0.0547 mg/g | 0.0197/0.0393  | N/A       |
| <b>α-TERPINENE</b>          | ND        | ND          | 0.0197/0.0393  | N/A       |
| <b>γ-TERPINENE</b>          | ND        | ND          | 0.0197/0.0393  | N/A       |
| <b>TRANS-NEROLIDOL</b>      | ND        | ND          | 0.0197/0.0393  | N/A       |
| <b>β-CARYOPHYLLENE</b>      | 0.0390 %  | 0.390 mg/g  | 0.0197/0.0393  | N/A       |
| <b>CARYOPHYLLENE OXIDE</b>  | < LOQ     | < LOQ       | 0.0197/0.0393  | N/A       |




**RESULTS CERTIFIED BY:**  
 BARRY CHAFFIN  
 COO, NOVA ANALYTIC LABS  
 JUL 29, 2022



**RESULTS CERTIFIED BY:**  
 GREG NEWLAND  
 CSO, NOVA ANALYTIC LABS  
 JUL 29, 2022



**RESULTS CERTIFIED BY:**  
 CHRIS ALTOMARE  
 CEO, NOVA ANALYTIC LABS  
 JUL 29, 2022



[https://lims.tagleaf.com/coa/\\_4jLgzTmqp](https://lims.tagleaf.com/coa/_4jLgzTmqp)

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

**END OF REPORT**

## CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

**CBG.C.22.001-SOLV (EDIBLE SOLID) // PRODUCED: JUL 29, 2022**

**CLIENT: HEALER HEMP LLC // BATCH: PASSED**



**BATCH NO.:** CBG.C.22.001  
**MATRIX:** EDIBLE SOLID  
**SAMPLE ID:** NAL-220727-040  
**COLLECTED ON:** JUL 27, 2022  
**RECEIVED ON:** JUL 27, 2022  
**SAMPLE SIZE:** 1.325 G  
**SAMPLED BY:** ANNA KUPEL  
**RECEIVED BY:** ANNIE MATNEY



**NOVA ANALYTIC LABS**  
 Tomorrow's Testing, Today.

### MANUFACTURER INFO

**MANUFACTURER**  
 HEALER HEMP LLC  
 119 ORION ST  
 BRUNSWICK, MAINE 04011

**LICENSE**  
 CGR26424  
 MEDICINAL - CAREGIVER

**BATCH RESULT:** PASSED

**SOLVENTS** TESTED

**RSOL.1: RESIDUAL SOLVENTS, POISONS AND TOXINS BY HEADSPACE GC-MS**  
**PREPARATION: JUL 28, 2022 // ANALYSIS: JUL 28, 2022**

| ANALYTE  | LIMIT     | AMT (µg/g) | LOD/LOQ (µg/g) | PASS/FAIL |
|----------|-----------|------------|----------------|-----------|
| BUTANE   | 5000 µg/g | ND         | 0.948/2.37     | N/A       |
| HEXANE   | 290 µg/g  | ND         | 0.948/2.37     | N/A       |
| ACETONE  | 5000 µg/g | ND         | 47.4/94.8      | N/A       |
| BENZENE  | 1 µg/g    | ND         | 0.474/0.948    | N/A       |
| ETHANOL  | 5000 µg/g | 1010       | 19.0/47.4      | N/A       |
| HEPTANE  | 5000 µg/g | ND         | 9.48/19.0      | N/A       |
| PENTANE  | 5000 µg/g | ND         | 47.4/94.8      | N/A       |
| PROPANE  | 5000 µg/g | ND         | 19.0/37.9      | N/A       |
| TOLUENE  | 890 µg/g  | ND         | 4.74/9.48      | N/A       |
| METHANOL | 3000 µg/g | ND         | 47.4/94.8      | N/A       |
| O-XYLENE | 2170 µg/g | ND         | 9.48/19.0      | N/A       |

| ANALYTE            | LIMIT     | AMT (µg/g) | LOD/LOQ (µg/g) | PASS/FAIL |
|--------------------|-----------|------------|----------------|-----------|
| CHLOROFORM         | 1 µg/g    | ND         | 0.474/0.948    | N/A       |
| ETHYL ETHER        | 5000 µg/g | ND         | 9.48/19.0      | N/A       |
| ACETONITRILE       | 410 µg/g  | ND         | 47.4/94.8      | N/A       |
| ETHYL ACETATE      | 5000 µg/g | ND         | 9.48/19.0      | N/A       |
| ETHYLENE OXIDE     | 1 µg/g    | ND         | 0.474/0.948    | N/A       |
| P- AND M-XYLENE    | 2170 µg/g | ND         | 19.0/37.9      | N/A       |
| ISOPROPYL ALCOHOL  | 5000 µg/g | ND         | 47.4/94.8      | N/A       |
| TRICHLOROETHYLENE  | 1 µg/g    | ND         | 0.474/0.948    | N/A       |
| 1,2-DICHLOROETHANE | 1 µg/g    | ND         | 0.474/0.948    | N/A       |
| METHYLENE CHLORIDE | 1 µg/g    | ND         | 0.474/0.948    | N/A       |




**RESULTS CERTIFIED BY:**  
 BARRY CHAFFIN  
 COO, NOVA ANALYTIC LABS  
 JUL 29, 2022



**RESULTS CERTIFIED BY:**  
 GREG NEWLAND  
 CSO, NOVA ANALYTIC LABS  
 JUL 29, 2022



**RESULTS CERTIFIED BY:**  
 CHRIS ALTOMARE  
 CEO, NOVA ANALYTIC LABS  
 JUL 29, 2022



[https://lims.tagleaf.com/coa/\\_xmOloHiKjk](https://lims.tagleaf.com/coa/_xmOloHiKjk)

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

**END OF REPORT**

## CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

**CBG.C.22.001-MICRO (EDIBLE SOLID) // PRODUCED: AUG 01, 2022**

**CLIENT: HEALER HEMP LLC // BATCH: PASSED**



**BATCH NO.:** CBG.C.22.001  
**MATRIX:** EDIBLE SOLID  
**SAMPLE ID:** NAL-220727-035  
**COLLECTED ON:** JUL 27, 2022  
**RECEIVED ON:** JUL 27, 2022  
**SAMPLE SIZE:** 2.619 G  
**SAMPLED BY:** ANNA KUPEL  
**RECEIVED BY:** ANNIE MATNEY



**NOVA ANALYTIC LABS**  
Tomorrow's Testing, Today.

### MANUFACTURER INFO

**MANUFACTURER**  
HEALER HEMP LLC  
119 ORION ST  
BRUNSWICK, MAINE 04011

**LICENSE**  
CGR26424  
MEDICINAL - CAREGIVER

**BATCH RESULT:** PASSED

**MICROBIAL** TESTED



**RESULTS CERTIFIED BY:**  
BARRY CHAFFIN  
COO, NOVA ANALYTIC LABS  
AUG 01, 2022

**RESULTS CERTIFIED BY:**  
GREG NEWLAND  
CSO, NOVA ANALYTIC LABS  
AUG 01, 2022

**RESULTS CERTIFIED BY:**  
CHRIS ALTOMARE  
CEO, NOVA ANALYTIC LABS  
AUG 01, 2022

[https://lims.tagleaf.com/coa\\_/9kZ42V8D0I](https://lims.tagleaf.com/coa_/9kZ42V8D0I)

MIC.5: SALMONELLA BY PCR  
PREPARATION: JUL 27, 2022 // ANALYSIS: JUL 28, 2022

| ANALYTE         | LIMIT             | AMT (CFU/g) | LOD/LOQ (CFU/g) | PASS/FAIL |
|-----------------|-------------------|-------------|-----------------|-----------|
| SALMONELLA SPP. | Any amt in 1 gram | ND          | 1.00/1.00       | N/A       |

MIC.4: PATHOGENIC E. COLI BY PCR  
PREPARATION: JUL 27, 2022 // ANALYSIS: JUL 28, 2022

| ANALYTE          | LIMIT             | AMT (CFU/g) | LOD/LOQ (CFU/g) | PASS/FAIL |
|------------------|-------------------|-------------|-----------------|-----------|
| ESCHERICHIA COLI | Any amt in 1 gram | ND          | 1.00/1.00       | N/A       |

MIC.3: TOTAL COLIFORM BY MOST PROBABLE NUMBER  
PREPARATION: JUL 27, 2022 // ANALYSIS: JUL 28, 2022

| ANALYTE   | LIMIT      | AMT (CFU/g) | LOD/LOQ (CFU/g) | PASS/FAIL |
|-----------|------------|-------------|-----------------|-----------|
| COLIFORMS | 1000 CFU/g | ND          | 100/100         | N/A       |

MIC.6: TOTAL ENTEROBACTER BY MOST PROBABLE NUMBER  
PREPARATION: JUL 27, 2022 // ANALYSIS: JUL 28, 2022

| ANALYTE            | LIMIT      | AMT (CFU/g) | LOD/LOQ (CFU/g) | PASS/FAIL |
|--------------------|------------|-------------|-----------------|-----------|
| ENTEROBACTERIACEAE | 1000 CFU/g | ND          | 100/100         | N/A       |

TOTAL AEROBIC BACTERIA BY MOST PROBABLE NUMBER  
PREPARATION: JUL 27, 2022 // ANALYSIS: JUL 28, 2022

| ANALYTE          | LIMIT        | AMT (CFU/g) | LOD/LOQ (CFU/g) | PASS/FAIL |
|------------------|--------------|-------------|-----------------|-----------|
| AEROBIC BACTERIA | 100000 CFU/g | ND          | 100/100         | N/A       |

TOTAL YEAST AND MOLD BY MOST PROBABLE NUMBER  
PREPARATION: JUL 27, 2022 // ANALYSIS: JUL 30, 2022

| ANALYTE      | LIMIT       | AMT (CFU/g) | LOD/LOQ (CFU/g) | PASS/FAIL |
|--------------|-------------|-------------|-----------------|-----------|
| YEAST & MOLD | 10000 CFU/g | ND          | 100/100         | N/A       |

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT



## CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

**CBG.C.22.001-MYCO (EDIBLE SOLID) // PRODUCED: JUL 28, 2022**

**CLIENT: HEALER HEMP LLC // BATCH: PASSED**



**BATCH NO.:** CBG.C.22.001  
**MATRIX:** EDIBLE SOLID  
**SAMPLE ID:** NAL-220727-037  
**COLLECTED ON:** JUL 27, 2022  
**RECEIVED ON:** JUL 27, 2022  
**SAMPLE SIZE:** 1.763 G  
**SAMPLED BY:** ANNA KUPEL  
**RECEIVED BY:** ANNIE MATNEY



**NOVA ANALYTIC LABS**  
Tomorrow's Testing, Today.

### MANUFACTURER INFO

**MANUFACTURER**  
HEALER HEMP LLC  
119 ORION ST  
BRUNSWICK, MAINE 04011

**LICENSE**  
CGR26424  
MEDICINAL - CAREGIVER

**BATCH RESULT:** PASSED

**MYCOTOXINS** TESTED

**MYC.1: MYCOTOXINS BY LC-HRMS**  
**PREPARATION: JUL 27, 2022 // ANALYSIS: JUL 28, 2022**

| ANALYTE      | LIMIT | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL |
|--------------|-------|-------------|-----------------|-----------|
| AFLATOXIN B1 |       | ND          | 0.114/0.341     | N/A       |
| AFLATOXIN B2 |       | ND          | 0.341/0.568     | N/A       |
| AFLATOXIN G1 |       | ND          | 0.114/0.341     | N/A       |

| ANALYTE      | LIMIT | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL |
|--------------|-------|-------------|-----------------|-----------|
| AFLATOXIN G2 |       | ND          | 0.114/0.568     | N/A       |
| OCHRATOXIN A |       | ND          | 0.227/0.681     | N/A       |



**RESULTS CERTIFIED BY:**  
BARRY CHAFFIN  
COO, NOVA ANALYTIC LABS  
JUL 28, 2022

**RESULTS CERTIFIED BY:**  
GREG NEWLAND  
CSO, NOVA ANALYTIC LABS  
JUL 28, 2022

**RESULTS CERTIFIED BY:**  
CHRIS ALTOMARE  
CEO, NOVA ANALYTIC LABS  
JUL 28, 2022

[https://lims.tagleaf.com/coa\\_/0dyciBvOFi](https://lims.tagleaf.com/coa_/0dyciBvOFi)

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

**END OF REPORT**

## CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

**CBG.C.22.001-METALS (EDIBLE SOLID) // PRODUCED: JUL 28, 2022**

**CLIENT: HEALER HEMP LLC // BATCH: PASSED**



**BATCH NO.:** CBG.C.22.001  
**MATRIX:** EDIBLE SOLID  
**SAMPLE ID:** NAL-220727-036  
**COLLECTED ON:** JUL 27, 2022  
**RECEIVED ON:** JUL 27, 2022  
**SAMPLE SIZE:** 1.319 G  
**SAMPLED BY:** ANNA KUPEL  
**RECEIVED BY:** ANNIE MATNEY



**NOVA ANALYTIC LABS**  
Tomorrow's Testing, Today.

### MANUFACTURER INFO

**MANUFACTURER**  
HEALER HEMP LLC  
119 ORION ST  
BRUNSWICK, MAINE 04011

**LICENSE**  
CGR26424  
MEDICINAL - CAREGIVER

### BATCH RESULT: PASSED

**METALS** TESTED

### HME.1: HEAVY METALS BY ICP-MS PREPARATION: JUL 27, 2022 // ANALYSIS: JUL 28, 2022

| ANALYTE | LIMIT      | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL |
|---------|------------|-------------|-----------------|-----------|
| LEAD    | 500 µg/kg  | < LOQ       | 11.2/33.5       | N/A       |
| ARSENIC | 1500 µg/kg | ND          | 11.2/28.0       | N/A       |

| ANALYTE | LIMIT      | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL |
|---------|------------|-------------|-----------------|-----------|
| CADMIUM | 500 µg/kg  | ND          | 11.2/28.0       | N/A       |
| MERCURY | 3000 µg/kg | ND          | 11.2/22.4       | N/A       |



**RESULTS CERTIFIED BY:**  
BARRY CHAFFIN  
COO, NOVA ANALYTIC LABS  
JUL 28, 2022

**RESULTS CERTIFIED BY:**  
GREG NEWLAND  
CSO, NOVA ANALYTIC LABS  
JUL 28, 2022

**RESULTS CERTIFIED BY:**  
CHRIS ALTOMARE  
CEO, NOVA ANALYTIC LABS  
JUL 28, 2022

[https://lims.tagleaf.com/coa\\_/ESG21Rihgu](https://lims.tagleaf.com/coa_/ESG21Rihgu)

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

**END OF REPORT**

## CERTIFICATE OF ANALYSIS

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

**CBG.C.22.001-PEST (EDIBLE SOLID) // PRODUCED: JUL 29, 2022**

**CLIENT: HEALER HEMP LLC // BATCH: PASSED**



**BATCH NO.:** CBG.C.22.001  
**MATRIX:** EDIBLE SOLID  
**SAMPLE ID:** NAL-220727-039  
**COLLECTED ON:** JUL 27, 2022  
**RECEIVED ON:** JUL 27, 2022  
**SAMPLE SIZE:** 1.75 G  
**SAMPLED BY:** ANNA KUPEL  
**RECEIVED BY:** ANNIE MATNEY



**NOVA ANALYTIC LABS**  
Tomorrow's Testing, Today.

### MANUFACTURER INFO

**MANUFACTURER**  
HEALER HEMP LLC  
119 ORION ST  
BRUNSWICK, MAINE 04011

**LICENSE**  
CGR26424  
MEDICINAL - CAREGIVER

**BATCH RESULT:** PASSED

**PESTICIDES** TESTED

**PST.2: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS**  
**PREPARATION: JUL 29, 2022 // ANALYSIS: JUL 29, 2022**

| ANALYTE    | LIMIT      | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL | ANALYTE           | LIMIT      | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL |
|------------|------------|-------------|-----------------|-----------|-------------------|------------|-------------|-----------------|-----------|
| NALED      | 500 µg/kg  | ND          | 176/176         | N/A       | METHIOCARB        | 200 µg/kg  | ND          | 176/176         | N/A       |
| OXAMYL     | 1000 µg/kg | ND          | 176/176         | N/A       | ACEQUINOCYL       | 2000 µg/kg | ND          | 176/176         | N/A       |
| PHOSMET    | 200 µg/kg  | ND          | 176/176         | N/A       | ACETAMIPRID       | 200 µg/kg  | ND          | 176/176         | N/A       |
| ACEPHATE   | 400 µg/kg  | ND          | 176/176         | N/A       | ETHOPROPHOS       | 200 µg/kg  | ND          | 176/176         | N/A       |
| ALDICARB   | 400 µg/kg  | ND          | 176/176         | N/A       | FLUDIOXONIL       | 400 µg/kg  | ND          | 176/176         | N/A       |
| BOSCALID   | 400 µg/kg  | ND          | 176/176         | N/A       | HEXYTHIAZOX       | 1000 µg/kg | ND          | 176/176         | N/A       |
| CARBARYL   | 200 µg/kg  | ND          | 176/176         | N/A       | PRALLETHRIN       | 200 µg/kg  | ND          | 176/176         | N/A       |
| DIAZINON   | 200 µg/kg  | ND          | 176/176         | N/A       | SPIROXAMINE       | 400 µg/kg  | ND          | 176/176         | N/A       |
| FIPRONIL   | 400 µg/kg  | ND          | 176/176         | N/A       | THIACLOPRID       | 200 µg/kg  | ND          | 176/176         | N/A       |
| IMAZALIL   | 200 µg/kg  | ND          | 176/176         | N/A       | AZOXYSTROBIN      | 200 µg/kg  | ND          | 176/176         | N/A       |
| METHOMYL   | 400 µg/kg  | ND          | 176/176         | N/A       | CHLORFENAPYR      | 1000 µg/kg | ND          | 176/235         | N/A       |
| PROPOXUR   | 200 µg/kg  | ND          | 176/176         | N/A       | CHLORPYRIFOS      | 200 µg/kg  | ND          | 176/176         | N/A       |
| SPINOSAD   | 200 µg/kg  | ND          | 176/176         | N/A       | CLOFENTEZINE      | 200 µg/kg  | ND          | 176/176         | N/A       |
| ABAMECTIN  | 500 µg/kg  | ND          | 176/176         | N/A       | CYPERMETHRIN      | 1000 µg/kg | ND          | 588/1180        | N/A       |
| ETOXAZOLE  | 200 µg/kg  | ND          | 176/176         | N/A       | IMIDACLOPRID      | 400 µg/kg  | ND          | 176/176         | N/A       |
| MGK-264 I  |            | ND          | 176/176         | N/A       | MYCLOBUTANIL      | 200 µg/kg  | ND          | 176/176         | N/A       |
| MALATHION  | 200 µg/kg  | ND          | 176/176         | N/A       | SPIROMESIFEN      | 200 µg/kg  | ND          | 176/176         | N/A       |
| METALAXYL  | 200 µg/kg  | ND          | 176/176         | N/A       | TEBUCONAZOLE      | 400 µg/kg  | ND          | 176/176         | N/A       |
| PYRIDABEN  | 200 µg/kg  | ND          | 176/176         | N/A       | THIAMETHOXAM      | 200 µg/kg  | ND          | 176/176         | N/A       |
| BIFENAZATE | 200 µg/kg  | ND          | 176/176         | N/A       | FENPYROXIMATE     | 400 µg/kg  | ND          | 176/176         | N/A       |
| BIFENTHRIN | 200 µg/kg  | ND          | 176/176         | N/A       | PACLOBUTRAZOL     | 400 µg/kg  | ND          | 176/176         | N/A       |
| CARBOFURAN | 200 µg/kg  | ND          | 176/176         | N/A       | PROPICONAZOLE     | 400 µg/kg  | ND          | 235/235         | N/A       |
| CYFLUTHRIN | 1000 µg/kg | ND          | 588/1180        | N/A       | SPIROTETRAMAT     | 200 µg/kg  | ND          | 176/176         | N/A       |
| DAMINOZIDE | 1000 µg/kg | ND          | 588/1180        | N/A       | PERMETHRIN CIS    |            | ND          | 176/176         | N/A       |
| DICHLORVOS | 1000 µg/kg | ND          | 176/176         | N/A       | KRESOXIM-METHYL   | 400 µg/kg  | ND          | 176/176         | N/A       |
| DIMETHOATE | 200 µg/kg  | ND          | 176/176         | N/A       | TRIFLOXYSTROBIN   | 200 µg/kg  | ND          | 176/176         | N/A       |
| ETOXENPROX | 200 µg/kg  | ND          | 176/176         | N/A       | PARATHION-METHYL  | 200 µg/kg  | ND          | 176/176         | N/A       |
| FENOXYCARB | 200 µg/kg  | ND          | 176/176         | N/A       | PERMETHRIN TRANS  |            | ND          | 176/176         | N/A       |
| FLONICAMID | 1000 µg/kg | ND          | 176/176         | N/A       | PIPERONYLBUTOXIDE | 2000 µg/kg | ND          | 176/176         | N/A       |
| MGK-264 II |            | ND          | 176/176         | N/A       |                   |            |             |                 |           |



RESULTS CERTIFIED BY:  
BARRY CHAFFIN  
COO, NOVA ANALYTIC LABS  
JUL 29, 2022

RESULTS CERTIFIED BY:  
GREG NEWLAND  
CSO, NOVA ANALYTIC LABS  
JUL 29, 2022

RESULTS CERTIFIED BY:  
CHRIS ALTOMARE  
CEO, NOVA ANALYTIC LABS  
JUL 29, 2022

[https://lims.tagleaf.com/coa\\_/q5Uyn77QrA](https://lims.tagleaf.com/coa_/q5Uyn77QrA)

## NOTES

DAN HUGHES  
JUL 29, 2022

**PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS**  
ANALYSIS FOR NALED AND CLOFENTEZINE ARE QUALITATIVE ONLY. ANY NUMBER INDICATES DETECTION AND ACTUAL CONCENTRATION SHOULD NOT BE INTERPRETED QUANTITATIVELY.

*\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

**END OF REPORT**

