



Healer Products Certificates of Analysis (COA)

Dear Healer Patron,

We are committed to producing high quality, clean, and accurately labeled cannabis products to help you feel your best. As you'll see in the following pages, we invest in the most thorough testing available in our region, not just for the content of medicinal components, but also for the absence of pesticides, toxic solvents, heavy metals, and microbiological contaminants.

To be transparent and earn your trust, our third-party laboratory certificates of analysis are attached.

Having previously owned and participated in a cannabis analytic laboratory for several years, I understand the inherent challenges related to reproducibility, calibration, and validation with peer laboratories. In the cannabis analytic industry, potency results are considered accurate within 10% deviation from the actual value. That's why after Healer performs its own internal analytics, we send samples of our bulk extracts and final products to at least one third-party lab, and sometimes two.

If you have any questions about the data on the following pages, we'd love to hear from you. Thank you for choosing Healer and taking a powerful step for your good health.

Sincerely,

Dr. Dustin Sulak

CANNABINOIDS	
Cannabinoid	Concentration mg/ml
TOTAL	47.36
CBC	0.45
CBCA	1.94
CBD	1.22
CBDA	21.20
CBDV	
CBDVA	0.10
CBG	1.39
CBGA	20.10
CBL	
CBLA	
CBN	
CBNA	
Δ ⁸ -THC	
Δ ⁸ -THCA	
Δ ⁹ -THC	
Δ ¹⁰ -THC	
EXO-THC	
THCA	0.96
THCV	
THCVA	
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	HA.T.23.001-Cann NAL-230320-028

*<LOQ = Compound present in detectable amounts below the limit of quantitation for data reporting.

Product Type:
1:1 CBDA:CBGA

Product Expiration Date:
March 29, 2025

COA Issue Date:
March 30, 2023

Ingredients:
Organic MCT Coconut Oil,
Organic Maine Hemp <0.3%
THC, Traces of Ethyl Alcohol
(Ethanol)


Strains:
Sour Space Candy, Hawaiian
Haze, Cake Berry, Super Haze,
Lifter, Sour G

CBDA/CBGA

Hemp Acidic

Drops

Batch ID: HA.T.23.001



Healer

RESIDUAL SOLVENTS

TEST	RESULTS
Ethanol	Pass- 4610 µg/g Detected (4.61 mg/g)
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	HA.T.23.001-Solv NAL-230323-058

*For full list of solvents see attached

MICROBIOLOGICAL CONTAMINANTS

TEST	RESULTS
Enterobacter	Pass-None Detected
Coliform	Pass-None Detected
Aerobic Bacteria	Pass-None Detected
Yeast and Mold	Pass-None Detected
Salmonella	Pass-None Detected
E.Coli	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	HA.T.23.001-Micro NAL-230323-060

HEAVY METALS	
TEST	RESULTS
Arsenic	Pass- None Detected
Cadmium	Pass-None Detected
Lead	Pass-None Detected
Mercury	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	H.22.008.A-Metal (NAL-230111-100) H.23.001-Metals (NAL-230224-056)
Concentrated formula tested	

PESTICIDES	
TEST	RESULT
Bifenthrin	Pass-None Detected
Cyfluthrin	Pass-None Detected
Daminozide	Pass-None Detected
Etoxazole	Pass-None Detected
Imazalil	Pass-None Detected
Myclobutanil	Pass-None Detected
Spiromesifen	Pass-None Detected
Trifloxystrobin	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	H.22.008.A-Pest (NAL-230111-101) H.23.001-Pest (NAL-230224-055)
Concentrated formula tested	

TERPENES	
Terpene	Concentration mg/ml
TOTAL	1.547
PERCENT BY Wt	0.165%
β-Caryophyllene	0.384
α-Humulene	0.084
D-Limonene	0.096
α-Pinene	0.145
β-Myrcene	0.671
β-Pinene	0.095
Linalool	<LOQ
Camphene	
α-Bisabolol	<LOQ
γ-Terpinene	
Terpinolene	0.047
P-Cymene	
Isopulegol	
Geraniol	
Cis-Nerolidol	
Eucalyptol	
Δ ³ -Carene	
Caryophyllene Oxide	
β-Ocimene	
α-Terpinene	
α-Ocimene	0.025
Trans-Nerolidol	
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	HA.T.23.001-Terps NAL-230323-061

*<LOQ = Compound present in detectable amounts below the limit of quantitation for data reporting.
 **Results converted from mg/g to mg/ml using density 0.94 g/ml from Cannabinoid Analysis HA.T.23.001-Cann (NAL-230320-028)

Mycotoxins	
TEST	RESULTS
Aflatoxins B1, B2, G1, G2	Pass-None Detected
Ochratoxin A	Pass- None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	HA.T.23.001-Myco NAL-230323-059

3rd Party
Lab Results
Attached




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

HA.T.23.001-CANN (TINCTURE) // PRODUCED: MAR 22, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: HA,T,23,001
MATRIX: TINCTURE
DENSITY: 0.94 g/ml
SAMPLE ID: NAL-230320-028
COLLECTED ON: MAR 20, 2023
RECEIVED ON: MAR 20, 2023
SAMPLE SIZE: 2.974 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: NICHOLAS CHAMBERLAIN

CANNABINOID OVERVIEW

CBDA:	2.25 %
CBGA:	2.14 %
TOTAL CANNABINOIDS:	5.03 %

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: MAR 21, 2023 // ANALYSIS: MAR 21, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC		0.0481 %	0.452 mg/ml	0.0200/0.0996	N/A
CBCA		0.206 %	1.94 mg/ml	0.0200/0.0996	N/A
CBD		0.130 %	1.22 mg/ml	0.0200/0.0996	N/A
CBDA		2.25 %	21.2 mg/ml	0.200/0.996	N/A
CBDV		ND	ND	0.0200/0.0996	N/A
CBDVA		0.0106 %	0.0996 mg/ml	0.0200/0.0996	N/A
CBG		0.148 %	1.39 mg/ml	0.0200/0.0996	N/A
CBGA		2.14 %	20.1 mg/ml	0.200/0.996	N/A
CBL		ND	ND	0.0200/0.0996	N/A
CBLA		ND	ND	0.0200/0.0996	N/A
CBN		ND	ND	0.0200/0.0996	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBNA		ND	ND	0.0200/0.0996	N/A
Δ ⁸ -THC		ND	ND	0.0200/0.0996	N/A
Δ ⁸ -THCA		ND	ND	0.0200/0.0996	N/A
Δ ⁹ -THC		ND	ND	0.0200/0.0996	N/A
Δ ¹⁰ -THC		ND	ND	0.0200/0.0996	N/A
EXO-THC		ND	ND	0.0200/0.0996	N/A
THCA	0.102 %	0.959 mg/ml		0.0200/0.0996	N/A
THCV		ND	ND	0.0200/0.0996	N/A
THCVA		ND	ND	0.0200/0.0996	N/A
TOTAL THC**	0.0895 %	0.841 mg/ml			N/A
TOTAL CBD**	2.10 %	19.7 mg/ml			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD
** TOTAL THC = (THCA X 0.877) + THC
Reported on an as received basis
1000 µg/g = 1 mg/g



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 22, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 22, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 22, 2023

https://lims.tagleaf.com/coa/_mJYoxzIAvR

NOTES

ZACHARY SMITH
MAR 22, 2023

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

HA.T.23.001-TERPS (TINCTURE) // PRODUCED: MAR 30, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: HA.T.23.001
MATRIX: TINCTURE
SAMPLE ID: NAL-230323-061
COLLECTED ON: MAR 23, 2023
RECEIVED ON: MAR 23, 2023
SAMPLE SIZE: 1.682 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: CLARA ELIZABETH LUND



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

TERPENES TESTED

TERPENES BY HEADSPACE GC-MS PREPARATION: MAR 28, 2023 // ANALYSIS: MAR 29, 2023

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
TOTAL TERPENES	0.165 %	1.65 mg/g		N/A
CAMPHENE	ND	ND	0.0213/0.0426	N/A
GERANIOL	ND	ND	0.0213/0.0426	N/A
LINALOOL	< LOQ	< LOQ	0.0213/0.0426	N/A
P-CYME	ND	ND	0.0213/0.0426	N/A
EUCALYPTOL	ND	ND	0.0213/0.0426	N/A
ISOPULEGOL	ND	ND	0.0213/0.0426	N/A
D-LIMONENE	0.0102 %	0.102 mg/g	0.0213/0.0426	N/A
TERPINOLENE	0.00501 %	0.0501 mg/g	0.0213/0.0426	N/A
β-PINENE	0.0101 %	0.101 mg/g	0.0213/0.0426	N/A
α-PINENE	0.0154 %	0.154 mg/g	0.0213/0.0426	N/A
β-MYRCENE	0.0714 %	0.714 mg/g	0.0213/0.0426	N/A

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
β-OCIMENE	ND	ND	0.0106/0.0213	N/A
α-OCIMENE	0.00268 %	0.0268 mg/g	0.0106/0.0213	N/A
CIS-NEROLIDOL	ND	ND	0.0213/0.0426	N/A
Δ³-CARENE	ND	ND	0.0213/0.0426	N/A
α-HUMULENE	0.00898 %	0.0898 mg/g	0.0213/0.0426	N/A
α-BISABOLOL	< LOQ	< LOQ	0.0213/0.0426	N/A
α-TERPINENE	ND	ND	0.0213/0.0426	N/A
γ-TERPINENE	ND	ND	0.0213/0.0426	N/A
TRANS-NEROLIDOL	ND	ND	0.0213/0.0426	N/A
β-CARYOPHYLLENE	0.0408 %	0.408 mg/g	0.0213/0.0426	N/A
CARYOPHYLLENE OXIDE	ND	ND	0.0213/0.0426	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 30, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 30, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 30, 2023

https://lims.tagleaf.com/coa/_bWr6su9C6t

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

HA.T.23.001-SOLV (TINCTURE) // PRODUCED: MAR 27, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: HA.T.23.001
MATRIX: TINCTURE
SAMPLE ID: NAL-230323-058
COLLECTED ON: MAR 23, 2023
RECEIVED ON: MAR 23, 2023
SAMPLE SIZE: 2.327 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: CLARA ELIZABETH LUND



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

SOLVENTS TESTED

RSOL.1: RESIDUAL SOLVENTS, POISONS AND TOXINS BY HEADSPACE GC-MS PREPARATION: MAR 23, 2023 // ANALYSIS: MAR 23, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
BUTANE	5000 µg/g	ND	1.19/2.98	N/A
HEXANE	290 µg/g	ND	1.19/2.98	N/A
ACETONE	5000 µg/g	ND	59.5/119	N/A
BENZENE	1 µg/g	ND	0.595/1.19	N/A
ETHANOL	5000 µg/g	4610	23.8/59.5	N/A
HEPTANE	5000 µg/g	ND	11.9/23.8	N/A
PENTANE	5000 µg/g	ND	59.5/119	N/A
PROPANE	5000 µg/g	ND	23.8/47.6	N/A
TOLUENE	890 µg/g	ND	5.95/11.9	N/A
METHANOL	3000 µg/g	ND	59.5/119	N/A
O-XYLENE	2170 µg/g	ND	11.9/23.8	N/A

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
CHLOROFORM	1 µg/g	ND	0.595/1.19	N/A
ETHYL ETHER	5000 µg/g	ND	11.9/23.8	N/A
ACETONITRILE	410 µg/g	ND	59.5/119	N/A
ETHYL ACETATE	5000 µg/g	ND	11.9/23.8	N/A
ETHYLENE OXIDE	1 µg/g	ND	0.595/1.19	N/A
P- AND M-XYLENE	2170 µg/g	< LOQ	23.8/47.6	N/A
ISOPROPYL ALCOHOL	5000 µg/g	ND	59.5/119	N/A
TRICHLOROETHYLENE	1 µg/g	ND	0.595/1.19	N/A
1,2-DICHLOROETHANE	1 µg/g	ND	0.595/1.19	N/A
METHYLENE CHLORIDE	1 µg/g	ND	0.595/1.19	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 27, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 27, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 27, 2023

https://lims.tagleaf.com/coa/_9Ps5rvn6qg

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

HA.T.23.001-MICRO (TINCTURE) // PRODUCED: MAR 28, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: HA.T.23.001
MATRIX: TINCTURE
SAMPLE ID: NAL-230323-060
COLLECTED ON: MAR 23, 2023
RECEIVED ON: MAR 23, 2023
SAMPLE SIZE: 1.852 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: CLARA ELIZABETH LUND



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

MICROBIAL TESTED



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 28, 2023



RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 28, 2023



RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 28, 2023



https://lims.tagleaf.com/coa_/KyJn3AUgVG

MIC.3: TOTAL COLIFORM BY MOST PROBABLE NUMBER
PREPARATION: MAR 24, 2023 // ANALYSIS: MAR 25, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
COLIFORMS	1000 CFU/g	ND	100/100	N/A

MIC.6: TOTAL ENTEROBACTER BY MOST PROBABLE NUMBER
PREPARATION: MAR 24, 2023 // ANALYSIS: MAR 25, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
ENTEROBACTERIACEAE	1000 CFU/g	ND	100/100	N/A

TOTAL AEROBIC BACTERIA BY MOST PROBABLE NUMBER
PREPARATION: MAR 24, 2023 // ANALYSIS: MAR 25, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
AEROBIC BACTERIA	100000 CFU/g	ND	100/100	N/A

TOTAL YEAST AND MOLD BY MOST PROBABLE NUMBER
PREPARATION: MAR 24, 2023 // ANALYSIS: MAR 27, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
YEAST & MOLD	10000 CFU/g	ND	100/100	N/A

MIC.5: SALMONELLA BY PCR
PREPARATION: MAR 24, 2023 // ANALYSIS: MAR 28, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
SALMONELLA SPP.	Any amt in 1 gram	ND	1.00/1.00	N/A

MIC.4: PATHOGENIC E. COLI BY PCR
PREPARATION: MAR 24, 2023 // ANALYSIS: MAR 28, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	1.00/1.00	N/A

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

HA.T.23.001-MYCO (TINCTURE) // PRODUCED: MAR 29, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: HA.T.23.001
MATRIX: TINCTURE
SAMPLE ID: NAL-230323-059
COLLECTED ON: MAR 23, 2023
RECEIVED ON: MAR 23, 2023
SAMPLE SIZE: 2.274 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: CLARA ELIZABETH LUND



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

MYCOTOXINS TESTED

MYC.1: MYCOTOXINS BY LC-HRMS

PREPARATION: MAR 28, 2023 // ANALYSIS: MAR 28, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.246/0.738	N/A
AFLATOXIN B2		ND	0.738/1.23	N/A
AFLATOXIN G1		ND	0.246/0.738	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN G2		ND	0.246/1.23	N/A
OCHRATOXIN A		ND	0.492/1.48	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 29, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 29, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 29, 2023

<https://lims.tagleaf.com/coa/KiDmDkOyRQ>

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.22.008.A-METAL (TINCTURE) // PRODUCED: JAN 13, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.22.008.A
MATRIX: TINCTURE
SAMPLE ID: NAL-230111-100
COLLECTED ON: JAN 11, 2023
RECEIVED ON: JAN 11, 2023
SAMPLE SIZE: 2.974 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ZACHARY SMITH



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

METALS TESTED

HME.1: HEAVY METALS BY ICP-MS PREPARATION: JAN 12, 2023 // ANALYSIS: JAN 13, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 µg/kg	ND	33.8/101	N/A
ARSENIC	1500 µg/kg	ND	33.8/84.6	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
CADMIUM	500 µg/kg	ND	33.8/84.6	N/A
MERCURY	3000 µg/kg	ND	33.8/67.7	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
JAN 13, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
JAN 13, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
JAN 13, 2023

https://lims.tagleaf.com/coa_/ZYtDbft0UC

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.22.008.A-PEST (TINCTURE) // PRODUCED: JAN 16, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.22.008.A
MATRIX: TINCTURE
SAMPLE ID: NAL-230111-101
COLLECTED ON: JAN 11, 2023
RECEIVED ON: JAN 11, 2023
SAMPLE SIZE: 3.126 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ZACHARY SMITH



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

PESTICIDES TESTED

: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS
PREPARATION: JAN 12, 2023 // ANALYSIS: JAN 13, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
NALED	500 µg/kg	ND	143/191	N/A
OXAMYL	1000 µg/kg	ND	143/477	N/A
PHOSMET	200 µg/kg	ND	143/143	N/A
ACEPHATE	400 µg/kg	ND	143/191	N/A
ALDICARB	400 µg/kg	ND	143/191	N/A
BOSCALID	400 µg/kg	ND	143/191	N/A
CARBARYL	200 µg/kg	ND	143/143	N/A
DIAZINON	200 µg/kg	ND	143/143	N/A
FIPRONIL	400 µg/kg	ND	143/191	N/A
IMAZALIL	200 µg/kg	ND	143/143	N/A
METHOMYL	400 µg/kg	ND	143/191	N/A
PROPOXUR	200 µg/kg	ND	143/143	N/A
SPINOSAD	200 µg/kg	ND	143/143	N/A
ABAMECTIN	500 µg/kg	ND	143/191	N/A
ETOXAZOLE	200 µg/kg	ND	143/143	N/A
MGK-264 I		ND	87.3/87.3	N/A
MALATHION	200 µg/kg	ND	143/143	N/A
METALAXYL	200 µg/kg	ND	143/143	N/A
PYRIDABEN	200 µg/kg	ND	143/143	N/A
BIFENAZATE	200 µg/kg	ND	143/143	N/A
BIFENTHRIN	200 µg/kg	ND	143/143	N/A
CARBOFURAN	200 µg/kg	ND	143/143	N/A
CYFLUTHRIN	1000 µg/kg	ND	143/477	N/A
DAMINOZIDE	1000 µg/kg	ND	143/477	N/A
DICHLORVOS	1000 µg/kg	ND	143/477	N/A
DIMETHOATE	200 µg/kg	ND	143/143	N/A
ETOFENPROX	400 µg/kg	ND	143/191	N/A
FENOXYCARB	200 µg/kg	ND	143/143	N/A
FLONICAMID	1000 µg/kg	ND	143/477	N/A
MGK-264 II		ND	55.8/55.8	N/A
METHIOCARB	200 µg/kg	ND	143/143	N/A
ACEQUINOCYL	2000 µg/kg	ND	143/954	N/A
ACETAMIPRID	200 µg/kg	ND	143/143	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
ETHOPROPHOS	200 µg/kg	ND	143/143	N/A
FLUDIOXONIL	400 µg/kg	ND	143/191	N/A
HEXYTHIAZOX	1000 µg/kg	ND	143/477	N/A
PRALLETHRIN	200 µg/kg	ND	143/143	N/A
SPIROXAMINE	400 µg/kg	ND	143/191	N/A
THIACLOPRID	200 µg/kg	ND	143/143	N/A
AZOXYSTROBIN	200 µg/kg	ND	143/143	N/A
CHLORFENAPYR	1000 µg/kg	ND	143/477	N/A
CHLORPYRIFOS	200 µg/kg	ND	143/143	N/A
CLOFENTEZINE	200 µg/kg	ND	143/143	N/A
CYPERMETHRIN	1000 µg/kg	ND	143/477	N/A
IMIDACLOPRID	400 µg/kg	ND	143/191	N/A
MYCLOBUTANIL	200 µg/kg	ND	143/143	N/A
SPIROMESIFEN	200 µg/kg	ND	143/143	N/A
TEBUCONAZOLE	400 µg/kg	ND	143/191	N/A
THIAMETHOXAM	200 µg/kg	ND	143/143	N/A
FENPYROXIMATE	400 µg/kg	ND	143/191	N/A
PACLOBUTRAZOL	400 µg/kg	ND	143/191	N/A
PROPICONAZOLE	400 µg/kg	ND	143/191	N/A
SPIROTETRAMAT	200 µg/kg	ND	143/143	N/A
PERMETHRIN CIS		ND	61.5/61.5	N/A
KRESOXIM-METHYL	400 µg/kg	ND	143/191	N/A
TRIFLOXYSTROBIN	200 µg/kg	ND	143/143	N/A
PARATHION-METHYL	200 µg/kg	ND	143/143	N/A
PERMETHRIN TRANS		ND	81.6/81.6	N/A
PIPERONYLBUTOXIDE	2000 µg/kg	ND	143/954	N/A

CHLORANTRANIL-IPROLE	200 µg/kg	ND	143/143	N/A
PYRETHRINS CINERIN I		ND	95.3/95.3	N/A
PYRETHRINS CINERIN II		ND	97.3/97.3	N/A
PYRETHRINS JASMOLIN I		ND	77.3/77.3	N/A
PYRETHRINS JASMOLIN II		ND	60.1/60.1	N/A
PYRETHRINS PYRETHRIN I		ND	444/444	N/A
PYRETHRINS PYRETHRIN II		ND	262/262	N/A



RESULTS CERTIFIED BY:
 BARRY CHAFFIN
 COO, NOVA ANALYTIC LABS
 JAN 16, 2023

RESULTS CERTIFIED BY:
 GREG NEWLAND
 CSO, NOVA ANALYTIC LABS
 JAN 16, 2023

RESULTS CERTIFIED BY:
 CHRIS ALTOMARE
 CEO, NOVA ANALYTIC LABS
 JAN 16, 2023

https://lims.tagleaf.com/coa_/8yjY55zNf2

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.001-METALS (TINCTURE) // PRODUCED: MAR 01, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.23.001
MATRIX: TINCTURE
SAMPLE ID: NAL-230224-056
COLLECTED ON: FEB 24, 2023
RECEIVED ON: FEB 24, 2023
SAMPLE SIZE: 4.011 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: KAYLIN KEITH



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

METALS TESTED

HME.1: HEAVY METALS BY ICP-MS
PREPARATION: FEB 28, 2023 // ANALYSIS: MAR 01, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 µg/kg	ND	33.3/100	N/A
ARSENIC	1500 µg/kg	ND	33.3/83.3	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
CADMIUM	500 µg/kg	ND	33.3/83.3	N/A
MERCURY	3000 µg/kg	ND	33.3/66.6	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 01, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 01, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 01, 2023

https://lims.tagleaf.com/coa_/7jM0BIsiKW

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.001-PEST (TINCTURE) // PRODUCED: MAR 01, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.23.001
MATRIX: TINCTURE
SAMPLE ID: NAL-230224-055
COLLECTED ON: FEB 24, 2023
RECEIVED ON: FEB 24, 2023
SAMPLE SIZE: 4.016 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: KAYLIN KEITH



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

PESTICIDES TESTED

: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS
PREPARATION: FEB 28, 2023 // ANALYSIS: FEB 28, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
NALED	500 µg/kg	ND	147/196	N/A
OXAMYL	1000 µg/kg	ND	147/490	N/A
PHOSMET	200 µg/kg	ND	147/147	N/A
ACEPHATE	400 µg/kg	ND	147/196	N/A
ALDICARB	400 µg/kg	ND	147/196	N/A
BOSCALID	400 µg/kg	ND	147/196	N/A
CARBARYL	200 µg/kg	ND	147/147	N/A
DIAZINON	200 µg/kg	ND	147/147	N/A
FIPRONIL	400 µg/kg	ND	147/196	N/A
IMAZALIL	200 µg/kg	ND	147/147	N/A
METHOMYL	400 µg/kg	ND	147/196	N/A
PROPOXUR	200 µg/kg	ND	147/147	N/A
SPINOSAD	200 µg/kg	ND	147/147	N/A
ABAMECTIN	500 µg/kg	ND	147/196	N/A
ETOXAZOLE	200 µg/kg	ND	147/147	N/A
MGK-264 I		ND	89.6/89.6	N/A
MALATHION	200 µg/kg	ND	147/147	N/A
METALAXYL	200 µg/kg	ND	147/147	N/A
PYRIDABEN	200 µg/kg	ND	147/147	N/A
BIFENAZATE	200 µg/kg	ND	147/147	N/A
BIFENTHRIN	200 µg/kg	ND	147/147	N/A
CARBOFURAN	200 µg/kg	ND	147/147	N/A
CYFLUTHRIN	1000 µg/kg	ND	147/490	N/A
DAMINOZIDE	1000 µg/kg	ND	147/490	N/A
DICHLORVOS	1000 µg/kg	ND	147/490	N/A
DIMETHOATE	200 µg/kg	ND	147/147	N/A
ETOFENPROX	400 µg/kg	ND	147/196	N/A
FENOXYCARB	200 µg/kg	ND	147/147	N/A
FLONICAMID	1000 µg/kg	ND	147/490	N/A
MGK-264 II		ND	57.3/57.3	N/A
METHIOCARB	200 µg/kg	ND	147/147	N/A
ACEQUINOCYL	2000 µg/kg	ND	147/979	N/A
ACETAMIPRID	200 µg/kg	ND	147/147	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
ETHOPROPHOS	200 µg/kg	ND	147/147	N/A
FLUDIOXONIL	400 µg/kg	ND	147/196	N/A
HEXYTHIAZOX	1000 µg/kg	ND	147/490	N/A
PRALLETHRIN	200 µg/kg	ND	147/147	N/A
SPIROXAMINE	400 µg/kg	ND	147/196	N/A
THIACLOPRID	200 µg/kg	ND	147/147	N/A
AZOXYSTROBIN	200 µg/kg	ND	147/147	N/A
CHLORFENAPYR	1000 µg/kg	ND	147/490	N/A
CHLORPYRIFOS	200 µg/kg	ND	147/147	N/A
CLOFENTEZINE	200 µg/kg	ND	147/147	N/A
CYPERMETHRIN	1000 µg/kg	ND	147/490	N/A
IMIDACLOPRID	400 µg/kg	ND	147/196	N/A
MYCLOBUTANIL	200 µg/kg	ND	147/147	N/A
SPIROMESIFEN	200 µg/kg	ND	147/147	N/A
TEBUCONAZOLE	400 µg/kg	ND	147/196	N/A
THIAMETHOXAM	200 µg/kg	ND	147/147	N/A
FENPYROXIMATE	400 µg/kg	ND	147/196	N/A
PACLOBUTRAZOL	400 µg/kg	ND	147/196	N/A
PROPICONAZOLE	400 µg/kg	ND	147/196	N/A
SPIROTETRAMAT	200 µg/kg	ND	147/147	N/A
PERMETHRIN CIS		ND	63.2/63.2	N/A
KRESOXIM-METHYL	400 µg/kg	ND	147/196	N/A
TRIFLOXYSTROBIN	200 µg/kg	ND	147/147	N/A
PARATHION-METHYL	200 µg/kg	ND	147/147	N/A
PERMETHRIN TRANS		ND	83.7/83.7	N/A
PIPERONYLBUTOXIDE	2000 µg/kg	ND	147/979	N/A

CHLORANTRANIL-IPROLE	200 µg/kg	ND	147/147	N/A
PYRETHRINS CINERIN I		ND	97.8/97.8	N/A
PYRETHRINS CINERIN II		ND	99.9/99.9	N/A
PYRETHRINS JASMOLIN I		ND	79.3/79.3	N/A
PYRETHRINS JASMOLIN II		ND	61.7/61.7	N/A
PYRETHRINS PYRETHRIN I		ND	455/455	N/A
PYRETHRINS PYRETHRIN II		ND	269/269	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 01, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 01, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 01, 2023

https://lims.tagleaf.com/coa_/r0YEEYzHpOi

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT

