



Healer Products Certificates of Analysis (COA)

Dear Healer Patron,

We are committed to producing high quality, clean, and accurately labeled cannabis products to help you feel your best. As you'll see in the following pages, we invest in the most thorough testing available in our region, not just for the content of medicinal components, but also for the absence of pesticides, toxic solvents, heavy metals, and microbiological contaminants.

To be transparent and earn your trust, our third-party laboratory certificates of analysis are attached.

Having previously owned and participated in a cannabis analytic laboratory for several years, I understand the inherent challenges related to reproducibility, calibration, and validation with peer laboratories. In the cannabis analytic industry, potency results are considered accurate within 10% deviation from the actual value. That's why after Healer performs its own internal analytics, we send samples of our bulk extracts and final products to at least one third-party lab, and sometimes two.

If you have any questions about the data on the following pages, we'd love to hear from you. Thank you for choosing Healer and taking a powerful step for your good health.

Sincerely,

Dr. Dustin Sulak

CANNABINOIDS

Cannabinoid	Concentration mg/ml
TOTAL	52.08
CBC	2.57
CBCA	0.39
CBD	0.81
CBDA	2.56
CBDV	
CBDVA	
CBG	38.80
CBGA	6.54
CBL	
CBLA	
CBN	
CBNA	
Δ^8 -THC	
Δ^9 -THC	0.41
Δ^{10} -THC	
EXO-THC	
THCA	
THCV	
THCVA	
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	CBG.T.23.001-Cann NAL-230315-009

*<LOQ = Compound present in detectable amounts below the limit of quantitation for data reporting.

Product Type:

6:1 CBG:CBGA Tincture

Product Expiration Date:

March 29, 2025

COA Issue Date:

March 30, 2023

Ingredients:

Organic MCT Coconut Oil,
Organic Maine Hemp <0.3%
THC, Traces of Ethyl Alcohol
(Ethanol).

Strains:

Stem Cell CBG, White CBG,
Sour G, Suver Haze, Sour Space
Candy, Lifter, Special Sauce,

Whole Plant

Hemp CBG Drops

Batch ID: CBG.T.23.001



TEST	RESULTS
Ethanol	Pass- <LOQ
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	CBG.T.23.001-Solv NAL-230320-031

*For full list of solvents see attached

MICROBIOLOGICAL CONTAMINANTS

TEST	RESULTS
Enterobacter	Pass-None Detected
Coliform	Pass-None Detected
Aerobic Bacteria	Pass-None Detected
Yeast and Mold	Pass-None Detected
Salmonella	Pass-None Detected
E.Coli	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	CBG.T.23.001-Micro NAL-230320-032

HEAVY METALS

TEST	RESULTS
Arsenic	Pass- LOQ
Cadmium	Pass-None Detected
Lead	Pass-None Detected
Mercury	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	H.23.001-Metals (NAL-230224-056) H.21-001-MT (NAL-210507-007) H.22.008.A-Metal (NAL-230111-100)

PESTICIDES

TEST	RESULT
Bifenthrin	Pass-None Detected
Cyfluthrin	Pass-None Detected
Daminozide	Pass-None Detected
Etoxazole	Pass-None Detected
Imazalil	Pass-None Detected
Myclobutanil	Pass-None Detected
Spiromesifen	Pass-None Detected
Trifloxystrobin	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	H.23.001-Pest (NAL-230224-055) H.21-001-Pest (NAL-210702-015) H.22.008.A-Pest (NAL-230111-101)

TERPENES

Terpene	Concentration mg/ml
TOTAL	0.797
PERCENT BY Wt	0.084%
β -Caryophyllene	0.500
α -Humulene	0.110
D-Limonene	0.043
α -Pinene	<LOQ
β -Myrcene	0.086
β -Pinene	
Linalool	
Camphene	
α -Bisabolol	0.058
γ -Terpinene	
Terpinolene	
P-Cymene	
Isopulegol	
Geraniol	
Cis-Nerolidol	
Eucalyptol	
Δ^3 -Carene	
Caryophyllene Oxide	
β -Ocimene	
α -Terpinene	
α -Ocimene	
Trans-Nerolidol	
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	CBG.T.23.001-Terps NAL-230315-030

*<LOQ = Compound present in detectable amounts below the limit of quantitation for data reporting.

**Results converted from mg/g to mg/ml using density 0.9506 from Cannabinoid Analysis

Mycotoxins

TEST	RESULTS
Aflatoxins B1, B2, G1, G2	Pass-None Detected
Ochratoxin A	Pass- None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	CBG.T.23.001-Myco NAL-230320-029

3rd Party Lab

Results Attached




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

CBG.T.23.001-CANN (TINCTURE) // PRODUCED: MAR 17, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: CBG.T.23.001
MATRIX: TINCTURE
DENSITY: 0.9506 g/ml
SAMPLE ID: NAL-230315-009
COLLECTED ON: MAR 15, 2023
RECEIVED ON: MAR 15, 2023
SAMPLE SIZE: 2.42 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: KAYLIN KEITH

CANNABINOID OVERVIEW

CBG: 4.08 %
CBGA: 0.688 %
TOTAL CANNABINOIDS: 5.48 %

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011
LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: MAR 15, 2023 // ANALYSIS: MAR 15, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC		0.270 %	2.57 mg/ml	0.0200/0.0998	N/A
CBCA		0.0415 %	0.394 mg/ml	0.0200/0.0998	N/A
CBD		0.0856 %	0.814 mg/ml	0.0200/0.0998	N/A
CBDA		0.269 %	2.56 mg/ml	0.0200/0.0998	N/A
CBDV		ND	ND	0.0200/0.0998	N/A
CBDVA		ND	ND	0.0200/0.0998	N/A
CBG		4.08 %	38.8 mg/ml	0.200/0.998	N/A
CBGA		0.688 %	6.54 mg/ml	0.0200/0.0998	N/A
CBL		ND	ND	0.0200/0.0998	N/A
CBLA		ND	ND	0.0200/0.0998	N/A
CBN		ND	ND	0.0200/0.0998	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBNA		ND	ND	0.0200/0.0998	N/A
Δ ⁸ -THC		ND	ND	0.0200/0.0998	N/A
Δ ⁸ -THCA		ND	ND	0.0200/0.0998	N/A
Δ ⁹ -THC	0.0431 %	0.410 mg/ml		0.0200/0.0998	N/A
Δ ¹⁰ -THC		ND	ND	0.0200/0.0998	N/A
EXO-THC		ND	ND	0.0200/0.0998	N/A
THCA		ND	ND	0.0200/0.0998	N/A
THCV		ND	ND	0.0200/0.0998	N/A
THCVA		ND	ND	0.0200/0.0998	N/A
TOTAL THC**	0.0431 %	0.410 mg/ml			N/A
TOTAL CBD**	0.322 %	3.06 mg/ml			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD
 ** TOTAL THC = (THCA X 0.877) + THC
 Reported on an as received basis
 1000 µg/g = 1 mg/g



RESULTS CERTIFIED BY:
 BARRY CHAFFIN
 COO, NOVA ANALYTIC LABS
 MAR 17, 2023



RESULTS CERTIFIED BY:
 GREG NEWLAND
 CSO, NOVA ANALYTIC LABS
 MAR 17, 2023



RESULTS CERTIFIED BY:
 CHRIS ALTOMARE
 CEO, NOVA ANALYTIC LABS
 MAR 17, 2023



https://lims.tagleaf.com/coa/_8yywAeA7IG

NOTES

ZACHARY SMITH
 MAR 17, 2023

POTENCY & CANNABINOID PROFILE BY HPLC-UV
 THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

CBG.T.23.001-TERPS (TINCTURE) // PRODUCED: MAR 30, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: CBG.T.23.001
MATRIX: TINCTURE
SAMPLE ID: NAL-230320-030
COLLECTED ON: MAR 20, 2023
RECEIVED ON: MAR 20, 2023
SAMPLE SIZE: 5.402 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: NICHOLAS CHAMBERLAIN



NOVA ANALYTIC LABS
 Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011

LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

TERPENES TESTED

TERPENES BY HEADSPACE GC-MS PREPARATION: MAR 28, 2023 // ANALYSIS: MAR 28, 2023

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
TOTAL TERPENES	0.0838 %	0.838 mg/g		N/A
CAMPHENE	ND	ND	0.0214/0.0429	N/A
GERANIOL	ND	ND	0.0214/0.0429	N/A
LINALOOL	ND	ND	0.0214/0.0429	N/A
P-CYME	ND	ND	0.0214/0.0429	N/A
EUCALYPTOL	ND	ND	0.0214/0.0429	N/A
ISOPULEGOL	ND	ND	0.0214/0.0429	N/A
D-LIMONENE	0.00449 %	0.0449 mg/g	0.0214/0.0429	N/A
TERPINOLENE	ND	ND	0.0214/0.0429	N/A
β-PINENE	ND	ND	0.0214/0.0429	N/A
α-PINENE	< LOQ	< LOQ	0.0214/0.0429	N/A
β-MYRCENE	0.00906 %	0.0906 mg/g	0.0214/0.0429	N/A


ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
β-OCIMENE	ND	ND	0.0107/0.0214	N/A
α-OCIMENE	ND	ND	0.0107/0.0214	N/A
CIS-NEROLIDOL	ND	ND	0.0214/0.0429	N/A
Δ³-CARENE	ND	ND	0.0214/0.0429	N/A
α-HUMULENE	0.0116 %	0.116 mg/g	0.0214/0.0429	N/A
α-BISABOLOL	0.00605 %	0.0605 mg/g	0.0214/0.0429	N/A
α-TERPINENE	ND	ND	0.0214/0.0429	N/A
γ-TERPINENE	ND	ND	0.0214/0.0429	N/A
TRANS-NEROLIDOL	ND	ND	0.0214/0.0429	N/A
β-CARYOPHYLLENE	0.0526 %	0.526 mg/g	0.0214/0.0429	N/A
CARYOPHYLLENE OXIDE	ND	ND	0.0214/0.0429	N/A




RESULTS CERTIFIED BY:
 BARRY CHAFFIN
 COO, NOVA ANALYTIC LABS
 MAR 30, 2023



RESULTS CERTIFIED BY:
 GREG NEWLAND
 CSO, NOVA ANALYTIC LABS
 MAR 30, 2023



RESULTS CERTIFIED BY:
 CHRIS ALTOMARE
 CEO, NOVA ANALYTIC LABS
 MAR 30, 2023



https://lims.tagleaf.com/coa_/Olkv7rgqck

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

CBG.T.23.001-MYCO (TINCTURE) // PRODUCED: MAR 24, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: CBG.T.23.001
MATRIX: TINCTURE
SAMPLE ID: NAL-230320-029
COLLECTED ON: MAR 20, 2023
RECEIVED ON: MAR 20, 2023
SAMPLE SIZE: 2.708 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: NICHOLAS CHAMBERLAIN



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

MYCOTOXINS TESTED

MYC.1: MYCOTOXINS BY LC-HRMS PREPARATION: MAR 23, 2023 // ANALYSIS: MAR 23, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.240/0.719	N/A
AFLATOXIN B2		ND	0.719/1.20	N/A
AFLATOXIN G1		ND	0.240/0.719	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN G2		ND	0.240/1.20	N/A
OCHRATOXIN A		ND	0.479/1.44	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 24, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 24, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 24, 2023

https://lims.tagleaf.com/coa/_baE6YAZSgL

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

CBG.T.23.001-SOLV (TINCTURE) // PRODUCED: MAR 27, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: CBG.T.23.001
MATRIX: TINCTURE
SAMPLE ID: NAL-230320-031
COLLECTED ON: MAR 20, 2023
RECEIVED ON: MAR 20, 2023
SAMPLE SIZE: 2.794 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: NICHOLAS CHAMBERLAIN



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

SOLVENTS TESTED

RSOL.1: RESIDUAL SOLVENTS, POISONS AND TOXINS BY HEADSPACE GC-MS
PREPARATION: MAR 23, 2023 // ANALYSIS: MAR 23, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
BUTANE	5000 µg/g	ND	2.58/6.46	N/A	CHLOROFORM	1 µg/g	ND	1.29/2.58	N/A
HEXANE	290 µg/g	ND	2.58/6.46	N/A	ETHYL ETHER	5000 µg/g	ND	25.8/51.7	N/A
ACETONE	5000 µg/g	ND	129/258	N/A	ACETONITRILE	410 µg/g	ND	129/258	N/A
BENZENE	1 µg/g	ND	1.29/2.58	N/A	ETHYL ACETATE	5000 µg/g	ND	25.8/51.7	N/A
ETHANOL	5000 µg/g	< LOQ	51.7/129	N/A	ETHYLENE OXIDE	1 µg/g	ND	1.29/2.58	N/A
HEPTANE	5000 µg/g	ND	25.8/51.7	N/A	P- AND M-XYLENE	2170 µg/g	< LOQ	51.7/103	N/A
PENTANE	5000 µg/g	ND	129/258	N/A	ISOPROPYL ALCOHOL	5000 µg/g	ND	129/258	N/A
PROPANE	5000 µg/g	ND	51.7/103	N/A	TRICHLOROETHYLENE	1 µg/g	ND	1.29/2.58	N/A
TOLUENE	890 µg/g	ND	12.9/25.8	N/A	1,2-DICHLOROETHANE	1 µg/g	ND	1.29/2.58	N/A
METHANOL	3000 µg/g	ND	129/258	N/A	METHYLENE CHLORIDE	1 µg/g	ND	1.29/2.58	N/A
O-XYLENE	2170 µg/g	ND	25.8/51.7	N/A					



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 27, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 27, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 27, 2023

https://lims.tagleaf.com/coa_/EqR7hlsvt0

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

CBG.T.23.001-MICRO (TINCTURE) // PRODUCED: MAR 24, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: CBG.T.23.001
MATRIX: TINCTURE
SAMPLE ID: NAL-230320-032
COLLECTED ON: MAR 20, 2023
RECEIVED ON: MAR 20, 2023
SAMPLE SIZE: 2.995 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: NICHOLAS CHAMBERLAIN



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

MICROBIAL TESTED



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 24, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 24, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 24, 2023

https://lims.tagleaf.com/coa_/pOw0Qctfmy

MIC.3: TOTAL COLIFORM BY MOST PROBABLE NUMBER
PREPARATION: MAR 20, 2023 // ANALYSIS: MAR 21, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
COLIFORMS	1000 CFU/g	ND	100/100	N/A

MIC.6: TOTAL ENTEROBACTER BY MOST PROBABLE NUMBER
PREPARATION: MAR 20, 2023 // ANALYSIS: MAR 21, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
ENTEROBACTERIACEAE	1000 CFU/g	ND	100/100	N/A

TOTAL AEROBIC BACTERIA BY MOST PROBABLE NUMBER
PREPARATION: MAR 20, 2023 // ANALYSIS: MAR 21, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
AEROBIC BACTERIA	100000 CFU/g	ND	100/100	N/A

MIC.5: SALMONELLA BY PCR
PREPARATION: MAR 20, 2023 // ANALYSIS: MAR 22, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
SALMONELLA SPP.	Any amt in 1 gram	ND	1.00/1.00	N/A

MIC.4: PATHOGENIC E. COLI BY PCR
PREPARATION: MAR 20, 2023 // ANALYSIS: MAR 22, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	1.00/1.00	N/A

TOTAL YEAST AND MOLD BY MOST PROBABLE NUMBER
PREPARATION: MAR 20, 2023 // ANALYSIS: MAR 23, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
YEAST & MOLD	10000 CFU/g	ND	100/100	N/A

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.001-METALS (TINCTURE) // PRODUCED: MAR 01, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.23.001
MATRIX: TINCTURE
SAMPLE ID: NAL-230224-056
COLLECTED ON: FEB 24, 2023
RECEIVED ON: FEB 24, 2023
SAMPLE SIZE: 4.011 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: KAYLIN KEITH



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

METALS TESTED

HME.1: HEAVY METALS BY ICP-MS
PREPARATION: FEB 28, 2023 // ANALYSIS: MAR 01, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 µg/kg	ND	33.3/100	N/A
ARSENIC	1500 µg/kg	ND	33.3/83.3	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
CADMIUM	500 µg/kg	ND	33.3/83.3	N/A
MERCURY	3000 µg/kg	ND	33.3/66.6	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 01, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 01, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 01, 2023

https://lims.tagleaf.com/coa_/7jM0BIsiKW

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.001-PEST (TINCTURE) // PRODUCED: MAR 01, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.23.001
MATRIX: TINCTURE
SAMPLE ID: NAL-230224-055
COLLECTED ON: FEB 24, 2023
RECEIVED ON: FEB 24, 2023
SAMPLE SIZE: 4.016 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: KAYLIN KEITH



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

PESTICIDES TESTED

: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS
PREPARATION: FEB 28, 2023 // ANALYSIS: FEB 28, 2023


ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
NALED	500 µg/kg	ND	147/196	N/A	ETHOPROPHOS	200 µg/kg	ND	147/147	N/A
OXAMYL	1000 µg/kg	ND	147/490	N/A	FLUDIOXONIL	400 µg/kg	ND	147/196	N/A
PHOSMET	200 µg/kg	ND	147/147	N/A	HEXYTHIAZOX	1000 µg/kg	ND	147/490	N/A
ACEPHATE	400 µg/kg	ND	147/196	N/A	PRALLETHRIN	200 µg/kg	ND	147/147	N/A
ALDICARB	400 µg/kg	ND	147/196	N/A	SPIROXAMINE	400 µg/kg	ND	147/196	N/A
BOSCALID	400 µg/kg	ND	147/196	N/A	THIACLOPRID	200 µg/kg	ND	147/147	N/A
CARBARYL	200 µg/kg	ND	147/147	N/A	AZOXYSTROBIN	200 µg/kg	ND	147/147	N/A
DIAZINON	200 µg/kg	ND	147/147	N/A	CHLORFENAPYR	1000 µg/kg	ND	147/490	N/A
FIPRONIL	400 µg/kg	ND	147/196	N/A	CHLORPYRIFOS	200 µg/kg	ND	147/147	N/A
IMAZALIL	200 µg/kg	ND	147/147	N/A	CLOFENTEZINE	200 µg/kg	ND	147/147	N/A
METHOMYL	400 µg/kg	ND	147/196	N/A	CYPERMETHRIN	1000 µg/kg	ND	147/490	N/A
PROPOXUR	200 µg/kg	ND	147/147	N/A	IMIDACLOPRID	400 µg/kg	ND	147/196	N/A
SPINOSAD	200 µg/kg	ND	147/147	N/A	MYCLOBUTANIL	200 µg/kg	ND	147/147	N/A
ABAMECTIN	500 µg/kg	ND	147/196	N/A	SPIROMESIFEN	200 µg/kg	ND	147/147	N/A
ETOXAZOLE	200 µg/kg	ND	147/147	N/A	TEBUCONAZOLE	400 µg/kg	ND	147/196	N/A
MGK-264 I		ND	89.6/89.6	N/A	THIAMETHOXAM	200 µg/kg	ND	147/147	N/A
MALATHION	200 µg/kg	ND	147/147	N/A	FENPYROXIMATE	400 µg/kg	ND	147/196	N/A
METALAXYL	200 µg/kg	ND	147/147	N/A	PACLOBUTRAZOL	400 µg/kg	ND	147/196	N/A
PYRIDABEN	200 µg/kg	ND	147/147	N/A	PROPICONAZOLE	400 µg/kg	ND	147/196	N/A
BIFENAZATE	200 µg/kg	ND	147/147	N/A	SPIROTETRAMAT	200 µg/kg	ND	147/147	N/A
BIFENTHRIN	200 µg/kg	ND	147/147	N/A	PERMETHRIN CIS		ND	63.2/63.2	N/A
CARBOFURAN	200 µg/kg	ND	147/147	N/A	KRESOXIM-METHYL	400 µg/kg	ND	147/196	N/A
CYFLUTHRIN	1000 µg/kg	ND	147/490	N/A	TRIFLOXYSTROBIN	200 µg/kg	ND	147/147	N/A
DAMINOZIDE	1000 µg/kg	ND	147/490	N/A	PARATHION-METHYL	200 µg/kg	ND	147/147	N/A
DICHLORVOS	1000 µg/kg	ND	147/490	N/A	PERMETHRIN TRANS		ND	83.7/83.7	N/A
DIMETHOATE	200 µg/kg	ND	147/147	N/A	PIPERONYLBUTOXIDE	2000 µg/kg	ND	147/979	N/A
ETOXENPROX	400 µg/kg	ND	147/196	N/A					
FENOXYCARB	200 µg/kg	ND	147/147	N/A					
FLONICAMID	1000 µg/kg	ND	147/490	N/A					
MGK-264 II		ND	57.3/57.3	N/A					
METHIOCARB	200 µg/kg	ND	147/147	N/A					
ACEQUINOCYL	2000 µg/kg	ND	147/979	N/A					
ACETAMIPRID	200 µg/kg	ND	147/147	N/A					

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.21-001 MT (EXTRACT) // PRODUCED: MAY 10, 2021

CLIENT: HEALER HEMP LLC // BATCH: PASSED AS MAINE INDUSTRIAL HEMP



BATCH NO.: H.21-001
MATRIX: EXTRACT
SAMPLE ID: NAL-210507-007
COLLECTED ON: MAY 07, 2021
RECEIVED ON: MAY 07, 2021
SAMPLE SIZE: 5.452 GRAMS
RECEIVED BY: ANDREW PATTERSON



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED AS MAINE INDUSTRIAL HEMP

METALS TESTED

HME.1: HEAVY METALS BY ICP-MS PREPARATION: MAY 10, 2021 // ANALYSIS: MAY 10, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 µg/kg	ND	20.1/60.2	N/A
ARSENIC	200 µg/kg	< LOQ	20.1/50.1	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
CADMIUM	200 µg/kg	ND	20.1/50.1	N/A
MERCURY	100 µg/kg	ND	20.1/40.1	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAY 10, 2021

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAY 10, 2021

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAY 10, 2021

https://lims.tagleaf.com/coa_/ZDgj5hE2d1

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.21-001 PESTICIDE TEST (TINCTURE) // PRODUCED: JUL 06, 2021

CLIENT: HEALER HEMP LLC // BATCH: PASSED AS MAINE INDUSTRIAL HEMP



BATCH NO.: H.21-001
MATRIX: TINCTURE
SAMPLE ID: NAL-210702-015
COLLECTED ON: JUL 02, 2021
RECEIVED ON: JUL 02, 2021
SAMPLE SIZE: 3.936 G



NOVA ANALYTIC LABS
 Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011

LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED AS MAINE INDUSTRIAL HEMP

PESTICIDES TESTED

PES.1: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-MS/MS
PREPARATION: JUL 02, 2021 // ANALYSIS: JUL 02, 2021

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
IMAZALIL		ND	2.86/5.72	N/A	DAMINOZIDE		ND	28.6/28.6	N/A
ETOXAZOLE		ND	2.86/5.72	N/A	MYCLOBUTANIL		ND	1.43/5.72	N/A
BIFENTHRIN		ND	2.86/5.72	N/A	SPIROMESIFEN		ND	2.86/5.72	N/A
CYFLUTHRIN		ND	28.6/28.6	N/A	TRIFLOXYSTROB-IN		ND	1.43/5.72	N/A



RESULTS CERTIFIED BY:
 BARRY CHAFFIN
 COO, NOVA ANALYTIC LABS
 JUL 06, 2021



RESULTS CERTIFIED BY:
 GREG NEWLAND
 CSO, NOVA ANALYTIC LABS
 JUL 06, 2021



RESULTS CERTIFIED BY:
 CHRIS ALTOMARE
 CEO, NOVA ANALYTIC LABS
 JUL 06, 2021



https://lims.tagleaf.com/coa_sVTqDHmMyf

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT

CHLORANTRANIL-IPROLE	200 µg/kg	ND	147/147	N/A
PYRETHRINS CINERIN I		ND	97.8/97.8	N/A
PYRETHRINS CINERIN II		ND	99.9/99.9	N/A
PYRETHRINS JASMOLIN I		ND	79.3/79.3	N/A
PYRETHRINS JASMOLIN II		ND	61.7/61.7	N/A
PYRETHRINS PYRETHRIN I		ND	455/455	N/A
PYRETHRINS PYRETHRIN II		ND	269/269	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 01, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 01, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 01, 2023

https://lims.tagleaf.com/coa_/r0YEEYzHpOi

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.22.008.A-PEST (TINCTURE) // PRODUCED: JAN 16, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.22.008.A
MATRIX: TINCTURE
SAMPLE ID: NAL-230111-101
COLLECTED ON: JAN 11, 2023
RECEIVED ON: JAN 11, 2023
SAMPLE SIZE: 3.126 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ZACHARY SMITH



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

PESTICIDES TESTED

: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS
PREPARATION: JAN 12, 2023 // ANALYSIS: JAN 13, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
NALED	500 µg/kg	ND	143/191	N/A
OXAMYL	1000 µg/kg	ND	143/477	N/A
PHOSMET	200 µg/kg	ND	143/143	N/A
ACEPHATE	400 µg/kg	ND	143/191	N/A
ALDICARB	400 µg/kg	ND	143/191	N/A
BOSCALID	400 µg/kg	ND	143/191	N/A
CARBARYL	200 µg/kg	ND	143/143	N/A
DIAZINON	200 µg/kg	ND	143/143	N/A
FIPRONIL	400 µg/kg	ND	143/191	N/A
IMAZALIL	200 µg/kg	ND	143/143	N/A
METHOMYL	400 µg/kg	ND	143/191	N/A
PROPOXUR	200 µg/kg	ND	143/143	N/A
SPINOSAD	200 µg/kg	ND	143/143	N/A
ABAMECTIN	500 µg/kg	ND	143/191	N/A
ETOXAZOLE	200 µg/kg	ND	143/143	N/A
MGK-264 I		ND	87.3/87.3	N/A
MALATHION	200 µg/kg	ND	143/143	N/A
METALAXYL	200 µg/kg	ND	143/143	N/A
PYRIDABEN	200 µg/kg	ND	143/143	N/A
BIFENAZATE	200 µg/kg	ND	143/143	N/A
BIFENTHRIN	200 µg/kg	ND	143/143	N/A
CARBOFURAN	200 µg/kg	ND	143/143	N/A
CYFLUTHRIN	1000 µg/kg	ND	143/477	N/A
DAMINOZIDE	1000 µg/kg	ND	143/477	N/A
DICHLORVOS	1000 µg/kg	ND	143/477	N/A
DIMETHOATE	200 µg/kg	ND	143/143	N/A
ETOFENPROX	400 µg/kg	ND	143/191	N/A
FENOXYCARB	200 µg/kg	ND	143/143	N/A
FLONICAMID	1000 µg/kg	ND	143/477	N/A
MGK-264 II		ND	55.8/55.8	N/A
METHIOCARB	200 µg/kg	ND	143/143	N/A
ACEQUINOCYL	2000 µg/kg	ND	143/954	N/A
ACETAMIPRID	200 µg/kg	ND	143/143	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
ETHOPROPHOS	200 µg/kg	ND	143/143	N/A
FLUDIOXONIL	400 µg/kg	ND	143/191	N/A
HEXYTHIAZOX	1000 µg/kg	ND	143/477	N/A
PRALLETHRIN	200 µg/kg	ND	143/143	N/A
SPIROXAMINE	400 µg/kg	ND	143/191	N/A
THIACLOPRID	200 µg/kg	ND	143/143	N/A
AZOXYSTROBIN	200 µg/kg	ND	143/143	N/A
CHLORFENAPYR	1000 µg/kg	ND	143/477	N/A
CHLORPYRIFOS	200 µg/kg	ND	143/143	N/A
CLOFENTEZINE	200 µg/kg	ND	143/143	N/A
CYPERMETHRIN	1000 µg/kg	ND	143/477	N/A
IMIDACLOPRID	400 µg/kg	ND	143/191	N/A
MYCLOBUTANIL	200 µg/kg	ND	143/143	N/A
SPIROMESIFEN	200 µg/kg	ND	143/143	N/A
TEBUCONAZOLE	400 µg/kg	ND	143/191	N/A
THIAMETHOXAM	200 µg/kg	ND	143/143	N/A
FENPYROXIMATE	400 µg/kg	ND	143/191	N/A
PACLOBUTRAZOL	400 µg/kg	ND	143/191	N/A
PROPICONAZOLE	400 µg/kg	ND	143/191	N/A
SPIROTETRAMAT	200 µg/kg	ND	143/143	N/A
PERMETHRIN CIS		ND	61.5/61.5	N/A
KRESOXIM-METHYL	400 µg/kg	ND	143/191	N/A
TRIFLOXYSTROBIN	200 µg/kg	ND	143/143	N/A
PARATHION-METHYL	200 µg/kg	ND	143/143	N/A
PERMETHRIN TRANS		ND	81.6/81.6	N/A
PIPERONYLBUTOXIDE	2000 µg/kg	ND	143/954	N/A

CHLORANTRANIL-IPROLE	200 µg/kg	ND	143/143	N/A
PYRETHRINS CINERIN I		ND	95.3/95.3	N/A
PYRETHRINS CINERIN II		ND	97.3/97.3	N/A
PYRETHRINS JASMOLIN I		ND	77.3/77.3	N/A
PYRETHRINS JASMOLIN II		ND	60.1/60.1	N/A
PYRETHRINS PYRETHRIN I		ND	444/444	N/A
PYRETHRINS PYRETHRIN II		ND	262/262	N/A



RESULTS CERTIFIED BY:
 BARRY CHAFFIN
 COO, NOVA ANALYTIC LABS
 JAN 16, 2023

RESULTS CERTIFIED BY:
 GREG NEWLAND
 CSO, NOVA ANALYTIC LABS
 JAN 16, 2023

RESULTS CERTIFIED BY:
 CHRIS ALTOMARE
 CEO, NOVA ANALYTIC LABS
 JAN 16, 2023

https://lims.tagleaf.com/coa_/8yjY55zNf2

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.22.008.A-METAL (TINCTURE) // PRODUCED: JAN 13, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.22.008.A
MATRIX: TINCTURE
SAMPLE ID: NAL-230111-100
COLLECTED ON: JAN 11, 2023
RECEIVED ON: JAN 11, 2023
SAMPLE SIZE: 2.974 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ZACHARY SMITH



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

METALS TESTED

HME.1: HEAVY METALS BY ICP-MS PREPARATION: JAN 12, 2023 // ANALYSIS: JAN 13, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 µg/kg	ND	33.8/101	N/A
ARSENIC	1500 µg/kg	ND	33.8/84.6	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
CADMIUM	500 µg/kg	ND	33.8/84.6	N/A
MERCURY	3000 µg/kg	ND	33.8/67.7	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
JAN 13, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
JAN 13, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
JAN 13, 2023

https://lims.tagleaf.com/coa_/ZYtDbft0UC

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT