



Healer Products Certificates of Analysis (COA)

Dear Healer Patron,

We are committed to producing high quality, clean, and accurately labeled cannabis products to help you feel your best. As you'll see in the following pages, we invest in the most thorough testing available in our region, not just for the content of medicinal components, but also for the absence of pesticides, toxic solvents, heavy metals, and microbiological contaminants.

To be transparent and earn your trust, our third-party laboratory certificates of analysis are attached.

Having previously owned and participated in a cannabis analytic laboratory for several years, I understand the inherent challenges related to reproducibility, calibration, and validation with peer laboratories. In the cannabis analytic industry, potency results are considered accurate within 10% deviation from the actual value. That's why after Healer performs its own internal analytics, we send samples of our bulk extracts and final products to at least one third-party lab, and sometimes two.

If you have any questions about the data on the following pages, we'd love to hear from you. Thank you for choosing Healer and taking a powerful step for your good health.

Sincerely,

Dr. Dustin Sulak

CANNABINOIDS

Cannabinoid	Concentration mg/ml
TOTAL	51.89
CBC	1.70
CBCA	0.30
CBD	39.40
CBDA	7.00
CBDV	0.21
CBDVA	
CBG	1.64
CBGA	0.16
CBL	
CBLA	
CBN	
CBNA	
Δ^8 -THC	
Δ^9 -THC	1.24
Δ^{10} -THC	
EXO-THC	
THCA	0.24
THCV	
THCVA	
3 rd Party Tested By:	Nova Analytic Lab
3 rd Party Testing ID:	WPH.T.23.001-Cann NAL-231002-043

*<LOQ = Compound present in detectable amounts below the limit of quantitation for data reporting.

Product Type:

6:1 CBD:CBDA Tincture

Product Expiration Date:

October 15, 2025

COA Issue Date:

October 16, 2023

Ingredients:

Organic MCT Coconut Oil,
Organic Maine Hemp <0.3%
THC, Traces of Ethyl Alcohol
(Ethanol).

Strains:

Forbidden V, Suver Haze, Sour
Space Candy, Hawaiian Haze,
Sour Hawaiian Haze, Lifter,
Sour Elektra, Cake Berry

Whole Plant CBD Drops

Batch ID: WPH.T.23.001



RESIDUAL SOLVENTS

TEST	RESULTS
Ethanol	Pass-6630µg/g
No limit for Tinctures	Detected (6.63mg/g)
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	WPH.T.23.001-Solv NAL-231006-057

*See attached for full list of solvents

MICROBIOLOGICAL CONTAMINANTS

TEST	RESULTS
Enterobacter	Pass-None Detected
Coliform	Pass-None Detected
Aerobic Bacteria	Pass-None Detected
Yeast and Mold	Pass-None Detected
Salmonella	Pass-None Detected
E.Coli	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	WPH.T.23.001-Micro NAL-231006-056

HEAVY METALS

TEST	RESULTS
Arsenic	Pass-None Detected
Cadmium	Pass-None Detected
Lead	Pass-None Detected
Mercury	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	H.22.CBDA.Bulk-Metals NAL-230302-002 H.22.009.D-Metals NAL-230328-038 H.23.002.A-BCT-Metal NAL-230421-009 H.23.007.D-Cont NAL-230815-084

PESTICIDES

TEST	RESULT
Bifenthrin	Pass-None Detected
Cyfluthrin	Pass-None Detected
Daminozide	Pass-None Detected
Etoxazole	Pass-None Detected
Imazalil	Pass-None Detected
Myclobutanil	Pass-None Detected
Spiromesifen	Pass-None Detected
Trifloxystrobin	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	H.22.CBDA.Bulk-Pest NAL-230302-003 H.22.009.D-Pest NAL-230328-039 H.23.002.A-BCT-Pest NAL-230421-008 H.23.007.D-Cont NAL-230815-084

TERPENES

Terpene	Concentration mg/ml**
TOTAL	3.069
PERCENT BY Wt	0.326%
β-Caryophyllene	0.907
α-Humulene	0.362
D-Limonene	<LOQ
α-Pinene	<LOQ
β-Myrcene	1.469
β-Pinene	<LOQ
Linalool	
Camphene	
α-Bisabolol	0.335
γ-Terpinene	
Terpinolene	
P-Cymene	
Isopulegol	
Geraniol	<LOQ
Cis-Nerolidol	
Guaiol	<LOQ
Δ^3 -Carene	
Caryophyllene Oxide	
β-Ocimene	
α-Terpinene	
α-Ocimene	
Trans-Nerolidol	
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	WPH.T.23.001-Terps NAL-231006-54

** Results converted from mg/g to mg/ml
using density 0.9414 from Cannabinoid
Analysis WPH.T.23.001-Cann NAL-231002-043

MYCOTOXINS

TEST	RESULTS
Aflatoxins B1, B2, G1, G2	Pass- None Detected
Ochratoxin A	Pass- None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	WPH.T.23.001-Myco NAL-231006-055

**3rd Party
Lab Results
Attached**




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

WPH.T.23.001-CANN (TINCTURE) // PRODUCED: OCT 04, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: WPH.T.23.001 ¹
MATRIX: TINCTURE ¹
DENSITY: 0.9414 g/ml ²
SAMPLE ID: NAL-231002-043
COLLECTED ON: OCT 02, 2023
RECEIVED ON: OCT 02, 2023
SAMPLE SIZE: 1.965 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: DYLAN ARRIGO

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

CANNABINOID OVERVIEW

CBD:	4.18 %
CBDA:	0.744 %
TOTAL CANNABINOIDS:	5.51 %

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011

LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: OCT 03, 2023 // ANALYSIS: OCT 04, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC		0.181 %	1.70 mg/ml	0.0500/0.0998	N/A
CBCA		0.0315 %	0.297 mg/ml	0.0500/0.0998	N/A
CBD		4.18 %	39.4 mg/ml	0.0500/0.0998	N/A
CBDA		0.744 %	7.00 mg/ml	0.0500/0.0998	N/A
CBDV		0.0222 %	0.209 mg/ml	0.0500/0.0998	N/A
CBDVA		ND	ND	0.0500/0.0998	N/A
CBG		0.174 %	1.64 mg/ml	0.0500/0.0998	N/A
CBGA		0.0168 %	0.158 mg/ml	0.0500/0.0998	N/A
CBL		ND	ND	0.0998/0.0998	N/A
CBLA		ND	ND	0.0500/0.0998	N/A
CBN		ND	ND	0.0500/0.0998	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBNA		ND	ND	0.0500/0.0998	N/A
Δ ⁸ -THC		ND	ND	0.0998/0.0998	N/A
Δ ⁸ -THCA		ND	ND	0.0998/0.0998	N/A
Δ ⁹ -THC	0.132 %	1.24 mg/ml		0.0500/0.0998	N/A
Δ ¹⁰ -THC		ND	ND	0.0500/0.0998	N/A
EXO-THC		ND	ND	0.0998/0.0998	N/A
THCA	0.0250 %	0.235 mg/ml		0.0998/0.0998	N/A
THCV		ND	ND	0.0500/0.0998	N/A
THCVA		ND	ND	0.0500/0.0998	N/A
TOTAL THC**	0.154 %	1.45 mg/ml			N/A
TOTAL CBD**	4.83 %	45.5 mg/ml			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD
 ** TOTAL THC = (THCA X 0.877) + THC
 Reported on an as received basis
 1000 µg/g = 1 mg/g



AUTHORIZED BY:

ALEX ERAMO
 SCIENTIST II, NOVA ANALYTIC LABS
 OCT 04, 2023



https://lims.tagleaf.com/coa/_9NuuzFJJGp

NOTES

ALEX ERAMO
 OCT 04, 2023

POTENCY & CANNABINOID PROFILE BY HPLC-UV
 THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT



CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

WPH.T.23.001-TERPS (TINCTURE) // PRODUCED: OCT 13, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: WPH.T.23.001 ¹
MATRIX: TINCTURE ¹
SAMPLE ID: NAL-231006-054
COLLECTED ON: OCT 06, 2023
RECEIVED ON: OCT 06, 2023
SAMPLE SIZE: 1.909 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ALEX ERAMO

¹ ENTERED BY CLIENT



NOVA ANALYTIC LABS
 Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011

LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

TERPENES TESTED

TRP.2: TERPENES BY LIQUID INJECT GCMS PREPARATION: OCT 10, 2023 // ANALYSIS: OCT 12, 2023

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
TOTAL TERPENES	0.326 %	3.26 mg/g		N/A
NEROL	ND	ND	0.152/0.303	N/A
CEDROL	ND	ND	0.152/0.303	N/A
CITRAL	ND	ND	0.152/0.303	N/A
GUAJOL	< LOQ	< LOQ	0.152/0.303	N/A
THYMOL	ND	ND	0.152/0.303	N/A
BORNEOL	ND	ND	0.152/0.303	N/A
CAMPHOR	ND	ND	0.152/0.303	N/A
MENTHOL	ND	ND	0.152/0.303	N/A
PHYTANE	ND	ND	0.152/0.303	N/A
CAMPHENE	ND	ND	0.152/0.303	N/A
FARNESOL	ND	ND	0.152/0.303	N/A
FENCHONE	ND	ND	0.152/0.303	N/A
GERANIOL	< LOQ	< LOQ	0.152/0.303	N/A
LINALOOL	ND	ND	0.152/0.303	N/A
MENTHONE	ND	ND	0.152/0.303	N/A
PULEGONE	ND	ND	0.152/0.303	N/A
SABINENE	ND	ND	0.152/0.303	N/A
SAFRANAL	ND	ND	0.152/0.303	N/A
M-CYMENE	ND	ND	0.152/0.303	N/A
O-CYMENE	ND	ND	0.152/0.303	N/A
P-CYMENE	ND	ND	0.152/0.303	N/A
CARVACROL	ND	ND	0.152/0.303	N/A
FARNESENE	ND	ND	0.152/0.303	N/A
TERPINEOL	ND	ND	0.152/0.303	N/A
VALENCENE	ND	ND	0.152/0.303	N/A
D-CARVONE	ND	ND	0.152/0.303	N/A
EUCALYPTOL	ND	ND	0.152/0.303	N/A
ISOBORNEOL	ND	ND	0.152/0.303	N/A
ISOPULEGOL	ND	ND	0.152/0.303	N/A

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
PIPERITONE	ND	ND	0.152/0.303	N/A
D-LIMONENE	< LOQ	< LOQ	0.152/0.303	N/A
CITRONELLOL	ND	ND	0.152/0.303	N/A
E-NEROLIDOL	ND	ND	0.152/0.303	N/A
TERPINOLENE	ND	ND	0.152/0.303	N/A
Z-NEROLIDOL	ND	ND	0.152/0.303	N/A
β-PINENE	< LOQ	< LOQ	0.152/0.303	N/A
2-PIPERIDONE	ND	ND	0.152/0.303	N/A
α-PINENE	< LOQ	< LOQ	0.152/0.303	N/A
β-MYRCENE	0.156 %	1.56 mg/g	0.152/0.303	N/A
(-)-VERBENONE	ND	ND	0.152/0.303	N/A
OCTYL ACETATE	ND	ND	0.152/0.303	N/A
TERPINEN-4-OL	ND	ND	0.152/0.303	N/A
α-CEDRENE	ND	ND	0.152/0.303	N/A
α-THUJONE	ND	ND	0.152/0.303	N/A
Δ ³ -CARENE	ND	ND	0.152/0.303	N/A
α-HUMULENE	0.0385 %	0.385 mg/g	0.152/0.303	N/A
GERANYL ACETATE	ND	ND	0.152/0.303	N/A
α-BISABOLOL	0.0356 %	0.356 mg/g	0.152/0.303	N/A
α-TERPINENE	ND	ND	0.152/0.303	N/A
γ-TERPINENE	ND	ND	0.152/0.303	N/A
SABINENE HYDRATE	ND	ND	0.152/0.303	N/A
CIS-β-OCIMENE	ND	ND	0.152/0.303	N/A
ISOBORNYL ACETATE	ND	ND	0.152/0.303	N/A
α-PHELLANDRENE	ND	ND	0.152/0.303	N/A
β-CARYOPHYLLENE	0.0963 %	0.963 mg/g	0.152/0.303	N/A
TRANS-β-OCIMENE	ND	ND	0.152/0.303	N/A
CARYOPHYLLENE OXIDE	ND	ND	0.152/0.303	N/A
ENDO FENCHYL ALCOHOL	ND	ND	0.152/0.303	N/A



https://lims.tagleaf.com/coa_/BCIunfqYR1

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

WPH.T.23.001-MICRO (TINCTURE) // PRODUCED: OCT 10, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: WPH.T.23.001 ¹
MATRIX: TINCTURE ¹
SAMPLE ID: NAL-231006-056
COLLECTED ON: OCT 06, 2023
RECEIVED ON: OCT 06, 2023
SAMPLE SIZE: 1.33 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ALEX ERAMO

¹ ENTERED BY CLIENT



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

MICROBIAL TESTED



AUTHORIZED BY:

ALEX ERAMO
SCIENTIST II, NOVA ANALYTIC LABS
OCT 10, 2023



https://lims.tagleaf.com/coa_/IV4cRURddN

MIC.5: SALMONELLA BY PCR
PREPARATION: OCT 06, 2023 // ANALYSIS: OCT 07, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
SALMONELLA SPP.	Any amt in 1 gram	ND	1.0/1.0	N/A

MIC.4: PATHOGENIC E. COLI BY PCR
PREPARATION: OCT 06, 2023 // ANALYSIS: OCT 07, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	1.0/1.0	N/A

MIC.3: TOTAL COLIFORM BY MOST PROBABLE NUMBER
PREPARATION: OCT 06, 2023 // ANALYSIS: OCT 07, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
COLIFORMS	1000 CFU/g	ND	100/100	N/A

MIC.6: TOTAL ENTEROBACTER BY MOST PROBABLE NUMBER
PREPARATION: OCT 06, 2023 // ANALYSIS: OCT 07, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
ENTEROBACTERIACEAE	1000 CFU/g	ND	100/100	N/A

TOTAL AEROBIC BACTERIA BY MOST PROBABLE NUMBER
PREPARATION: OCT 06, 2023 // ANALYSIS: OCT 07, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
AEROBIC BACTERIA	100000 CFU/g	ND	100/100	N/A

TOTAL YEAST AND MOLD BY MOST PROBABLE NUMBER
PREPARATION: OCT 06, 2023 // ANALYSIS: OCT 09, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
YEAST & MOLD	10000 CFU/g	ND	100/100	N/A

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

WPH.T.23.001-MYCO (TINCTURE) // PRODUCED: OCT 11, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: WPH.T.23.001 ¹
MATRIX: TINCTURE ¹
SAMPLE ID: NAL-231006-055
COLLECTED ON: OCT 06, 2023
RECEIVED ON: OCT 06, 2023
SAMPLE SIZE: 1.43 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ALEX ERAMO

¹ ENTERED BY CLIENT



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

MYCOTOXINS TESTED

MYC.1: MYCOTOXINS BY LC-HRMS
PREPARATION: OCT 10, 2023 // ANALYSIS: OCT 10, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.106/0.317	N/A
AFLATOXIN B2		ND	0.317/0.528	N/A
AFLATOXIN G1		ND	0.106/0.317	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN G2		ND	0.106/0.528	N/A
OCHRATOXIN A		ND	0.211/0.634	N/A



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
OCT 11, 2023

https://lims.tagleaf.com/coa_/apDwj1EMzB

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

WPH.T.23.001-SOLV (TINCTURE) // PRODUCED: OCT 12, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: WPH.T.23.001 ¹
MATRIX: TINCTURE ¹
SAMPLE ID: NAL-231006-057
COLLECTED ON: OCT 06, 2023
RECEIVED ON: OCT 06, 2023
SAMPLE SIZE: 1.481 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ALEX ERAMO

¹ ENTERED BY CLIENT



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

SOLVENTS TESTED

RSOL.1: RESIDUAL SOLVENTS, POISONS AND TOXINS BY HEADSPACE GC-MS PREPARATION: OCT 11, 2023, OCT 10, 2023 // ANALYSIS: OCT 11, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
BUTANE	5000 µg/g	ND	0.901/2.25	N/A	CHLOROFORM	1 µg/g	ND	0.451/0.901	N/A
HEXANE	290 µg/g	ND	0.901/2.25	N/A	ETHYL ETHER	5000 µg/g	ND	9.01/18.0	N/A
ACETONE	5000 µg/g	ND	45.1/90.1	N/A	ACETONITRILE	410 µg/g	ND	9.01/18.0	N/A
BENZENE	1 µg/g	ND	0.451/0.901	N/A	ETHYL ACETATE	5000 µg/g	ND	9.01/18.0	N/A
ETHANOL	5000 µg/g	6630	76.5/191	N/A	ETHYLENE OXIDE	1 µg/g	ND	0.451/0.901	N/A
HEPTANE	5000 µg/g	ND	9.01/18.0	N/A	P- AND M-XYLENE	2170 µg/g	ND	18.0/36.1	N/A
PENTANE	5000 µg/g	ND	9.01/18.0	N/A	ISOPROPYL ALCOHOL	5000 µg/g	ND	45.1/90.1	N/A
PROPANE	5000 µg/g	ND	18.0/36.1	N/A	TRICHLOROETHY- LENE	1 µg/g	ND	0.451/0.901	N/A
TOLUENE	890 µg/g	ND	4.51/9.01	N/A	1,2- DICHLOROETHANE	1 µg/g	ND	0.451/0.901	N/A
METHANOL	3000 µg/g	ND	45.1/90.1	N/A	METHYLENE CHLORIDE	1 µg/g	ND	0.451/0.901	N/A
O-XYLENE	2170 µg/g	ND	9.01/18.0	N/A					



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
OCT 12, 2023

https://lims.tagleaf.com/coa/_XSySelm6ao

NOTES

ZACHARY SMITH
OCT 12, 2023

ETHANOL

THE RESULT ON THIS CERTIFICATE OF ANALYSIS IS AN ESTIMATED RESULT CALCULATED FROM A GREATER THAN THE UPPER LIMIT OF QUANTITATION RESULT THAT WAS DETERMINED AT THE GREATEST DILUTION THAT CAN BE ACHIEVED. THE ACTUAL CONCENTRATION MAY BE SIGNIFICANTLY HIGHER THAN THAT REPORTED.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.22.CBDA.BULK-METALS (TINCTURE) // PRODUCED: MAR 03, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.22.CBDA.BULK
MATRIX: TINCTURE
SAMPLE ID: NAL-230302-002
COLLECTED ON: MAR 02, 2023
RECEIVED ON: MAR 02, 2023
SAMPLE SIZE: 3.821 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: CLARA ELIZABETH LUND



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

METALS TESTED

HME.1: HEAVY METALS BY ICP-MS PREPARATION: MAR 02, 2023 // ANALYSIS: MAR 03, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 µg/kg	ND	32.3/97.0	N/A
ARSENIC	1500 µg/kg	ND	32.3/80.8	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
CADMIUM	500 µg/kg	ND	32.3/80.8	N/A
MERCURY	3000 µg/kg	ND	32.3/64.6	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 03, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 03, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 03, 2023

https://lims.tagleaf.com/coa_/eNVQ34h7e8

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.22.CBDA.BULK-PEST (TINCTURE) // PRODUCED: MAR 03, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.22.CBDA.BULK
MATRIX: TINCTURE
SAMPLE ID: NAL-230302-003
COLLECTED ON: MAR 02, 2023
RECEIVED ON: MAR 02, 2023
SAMPLE SIZE: 2.962 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: CLARA ELIZABETH LUND



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

PESTICIDES TESTED

: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS
PREPARATION: MAR 02, 2023 // ANALYSIS: MAR 02, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
NALED	500 µg/kg	ND	145/194	N/A
OXAMYL	1000 µg/kg	ND	145/485	N/A
PHOSMET	200 µg/kg	ND	145/145	N/A
ACEPHATE	400 µg/kg	ND	145/194	N/A
ALDICARB	400 µg/kg	ND	145/194	N/A
BOSCALID	400 µg/kg	ND	145/194	N/A
CARBARYL	200 µg/kg	ND	145/145	N/A
DIAZINON	200 µg/kg	ND	145/145	N/A
FIPRONIL	400 µg/kg	ND	145/194	N/A
IMAZALIL	200 µg/kg	ND	145/145	N/A
METHOMYL	400 µg/kg	ND	145/194	N/A
PROPOXUR	200 µg/kg	ND	145/145	N/A
SPINOSAD	200 µg/kg	ND	145/145	N/A
ABAMECTIN	500 µg/kg	ND	145/194	N/A
ETOXAZOLE	200 µg/kg	ND	145/145	N/A
MGK-264 I		ND	88.7/88.7	N/A
MALATHION	200 µg/kg	ND	145/145	N/A
METALAXYL	200 µg/kg	ND	145/145	N/A
PYRIDABEN	200 µg/kg	ND	145/145	N/A
BIFENAZATE	200 µg/kg	ND	145/145	N/A
BIFENTHRIN	200 µg/kg	ND	145/145	N/A
CARBOFURAN	200 µg/kg	ND	145/145	N/A
CYFLUTHRIN	1000 µg/kg	ND	145/485	N/A
DAMINOZIDE	1000 µg/kg	ND	145/485	N/A
DICHLORVOS	1000 µg/kg	ND	145/485	N/A
DIMETHOATE	200 µg/kg	ND	145/145	N/A
ETOXENPROX	400 µg/kg	ND	145/194	N/A
FENOXYCARB	200 µg/kg	ND	145/145	N/A
FLONICAMID	1000 µg/kg	ND	145/485	N/A
MGK-264 II		ND	56.7/56.7	N/A
METHIOCARB	200 µg/kg	ND	145/145	N/A
ACEQUINOCYL	2000 µg/kg	ND	145/969	N/A
ACETAMIPRID	200 µg/kg	ND	145/145	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
ETHOPROPHOS	200 µg/kg	ND	145/145	N/A
FLUDIOXONIL	400 µg/kg	ND	145/194	N/A
HEXYTHIAZOX	1000 µg/kg	ND	145/485	N/A
PRALLETHRIN	200 µg/kg	ND	145/145	N/A
SPIROXAMINE	400 µg/kg	ND	145/194	N/A
THIACLOPRID	200 µg/kg	ND	145/145	N/A
AZOXYSTROBIN	200 µg/kg	ND	145/145	N/A
CHLORFENAPYR	1000 µg/kg	ND	145/485	N/A
CHLORPYRIFOS	200 µg/kg	ND	145/145	N/A
CLOFENTEZINE	200 µg/kg	ND	145/145	N/A
CYPERMETHRIN	1000 µg/kg	ND	145/485	N/A
IMIDACLOPRID	400 µg/kg	ND	145/194	N/A
MYCLOBUTANIL	200 µg/kg	ND	145/145	N/A
SPIROMESIFEN	200 µg/kg	ND	145/145	N/A
TEBUCONAZOLE	400 µg/kg	ND	145/194	N/A
THIAMETHOXAM	200 µg/kg	ND	145/145	N/A
FENPYROXIMATE	400 µg/kg	ND	145/194	N/A
PACLOBUTRAZOL	400 µg/kg	ND	145/194	N/A
PROPICONAZOLE	400 µg/kg	ND	145/194	N/A
SPIROTETRAMAT	200 µg/kg	ND	145/145	N/A
PERMETHRIN CIS		ND	62.5/62.5	N/A
KRESOXIM-METHYL	400 µg/kg	ND	145/194	N/A
TRIFLOXYSTROBIN	200 µg/kg	ND	145/145	N/A
PARATHION-METHYL	200 µg/kg	ND	145/145	N/A
PERMETHRIN TRANS		ND	82.8/82.8	N/A
PIPERONYLBUTOXIDE	2000 µg/kg	ND	145/969	N/A

CHLORANTRANIL-IPROLE	200 µg/kg	ND	145/145	N/A
PYRETHRINS CINERIN I		ND	96.8/96.8	N/A
PYRETHRINS CINERIN II		ND	98.8/98.8	N/A
PYRETHRINS JASMOLIN I		ND	78.5/78.5	N/A
PYRETHRINS JASMOLIN II		ND	61.0/61.0	N/A
PYRETHRINS PYRETHRIN I		ND	451/451	N/A
PYRETHRINS PYRETHRIN II		ND	266/266	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 03, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 03, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 03, 2023

https://lims.tagleaf.com/coa_/1y2Lvs5fXK

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.22.009.D-METALS (TINCTURE) // PRODUCED: MAR 30, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.22.009.D
MATRIX: TINCTURE
SAMPLE ID: NAL-230328-038
COLLECTED ON: MAR 28, 2023
RECEIVED ON: MAR 28, 2023
SAMPLE SIZE: 2.108 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: CLARA ELIZABETH LUND



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

METALS TESTED

HME.1: HEAVY METALS BY ICP-MS PREPARATION: MAR 29, 2023 // ANALYSIS: MAR 30, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 µg/kg	ND	34.5/104	N/A
ARSENIC	1500 µg/kg	ND	34.5/86.3	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
CADMIUM	500 µg/kg	ND	34.5/86.3	N/A
MERCURY	3000 µg/kg	ND	34.5/69.1	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 30, 2023



RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 30, 2023



RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 30, 2023



https://lims.tagleaf.com/coa_/OmJPuf1Xui

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.22.009.D-PEST (TINCTURE) // PRODUCED: MAR 31, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.22.009.D
MATRIX: TINCTURE
SAMPLE ID: NAL-230328-039
COLLECTED ON: MAR 28, 2023
RECEIVED ON: MAR 28, 2023
SAMPLE SIZE: 1.67 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: CLARA ELIZABETH LUND



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

PESTICIDES TESTED

: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS
PREPARATION: MAR 29, 2023 // ANALYSIS: MAR 29, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
NALED	500 µg/kg	ND	134/179	N/A
OXAMYL	1000 µg/kg	ND	134/448	N/A
PHOSMET	200 µg/kg	ND	134/134	N/A
ACEPHATE	400 µg/kg	ND	134/179	N/A
ALDICARB	400 µg/kg	ND	134/179	N/A
BOSCALID	400 µg/kg	ND	134/179	N/A
CARBARYL	200 µg/kg	ND	134/134	N/A
DIAZINON	200 µg/kg	ND	134/134	N/A
FIPRONIL	400 µg/kg	ND	134/179	N/A
IMAZALIL	200 µg/kg	ND	134/134	N/A
METHOMYL	400 µg/kg	ND	134/179	N/A
PROPOXUR	200 µg/kg	ND	134/134	N/A
SPINOSAD	200 µg/kg	ND	134/134	N/A
ABAMECTIN	500 µg/kg	ND	134/179	N/A
ETOXAZOLE	200 µg/kg	ND	134/134	N/A
MGK-264 I		ND	81.9/81.9	N/A
MALATHION	200 µg/kg	ND	134/134	N/A
METALAXYL	200 µg/kg	ND	134/134	N/A
PYRIDABEN	200 µg/kg	ND	134/134	N/A
BIFENAZATE	200 µg/kg	ND	134/134	N/A
BIFENTHRIN	200 µg/kg	ND	134/134	N/A
CARBOFURAN	200 µg/kg	ND	134/134	N/A
CYFLUTHRIN	1000 µg/kg	ND	134/448	N/A
DAMINOZIDE	1000 µg/kg	ND	134/448	N/A
DICHLORVOS	1000 µg/kg	ND	134/448	N/A
DIMETHOATE	200 µg/kg	ND	134/134	N/A
ETOXENPROX	400 µg/kg	ND	134/179	N/A
FENOXYCARB	200 µg/kg	ND	134/134	N/A
FLONICAMID	1000 µg/kg	ND	134/448	N/A
MGK-264 II		ND	52.4/52.4	N/A
METHIOCARB	200 µg/kg	ND	134/134	N/A
ACEQUINOCYL	2000 µg/kg	ND	134/895	N/A
ACETAMIPRID	200 µg/kg	ND	134/134	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
ETHOPROPHOS	200 µg/kg	ND	134/134	N/A
FLUDIOXONIL	400 µg/kg	ND	134/179	N/A
HEXYTHIAZOX	1000 µg/kg	ND	134/448	N/A
PRALLETHRIN	200 µg/kg	ND	134/134	N/A
SPIROXAMINE	400 µg/kg	ND	134/179	N/A
THIACLOPRID	200 µg/kg	ND	134/134	N/A
AZOXYSTROBIN	200 µg/kg	ND	134/134	N/A
CHLORFENAPYR	1000 µg/kg	ND	134/448	N/A
CHLORPYRIFOS	200 µg/kg	ND	134/134	N/A
CLOFENTEZINE	200 µg/kg	ND	134/134	N/A
CYPERMETHRIN	1000 µg/kg	ND	134/448	N/A
IMIDACLOPRID	400 µg/kg	ND	134/179	N/A
MYCLOBUTANIL	200 µg/kg	ND	134/134	N/A
SPIROMESIFEN	200 µg/kg	ND	134/134	N/A
TEBUCONAZOLE	400 µg/kg	ND	134/179	N/A
THIAMETHOXAM	200 µg/kg	ND	134/134	N/A
FENPYROXIMATE	400 µg/kg	ND	134/179	N/A
PACLOBUTRAZOL	400 µg/kg	ND	134/179	N/A
PROPICONAZOLE	400 µg/kg	ND	134/179	N/A
SPIROTETRAMAT	200 µg/kg	ND	134/134	N/A
PERMETHRIN CIS		ND	57.8/57.8	N/A
KRESOXIM-METHYL	400 µg/kg	ND	134/179	N/A
TRIFLOXYSTROBIN	200 µg/kg	ND	134/134	N/A
PARATHION-METHYL	200 µg/kg	ND	134/134	N/A
PERMETHRIN TRANS		ND	76.6/76.6	N/A
PIPERONYLBUTOXIDE	2000 µg/kg	ND	134/895	N/A

CHLORANTRANIL-IPROLE	200 µg/kg	ND	134/134	N/A
PYRETHRINS CINERIN I		ND	89.5/89.5	N/A
PYRETHRINS CINERIN II		ND	91.3/91.3	N/A
PYRETHRINS JASMOLIN I		ND	72.5/72.5	N/A
PYRETHRINS JASMOLIN II		ND	56.4/56.4	N/A
PYRETHRINS PYRETHRIN I		ND	416/416	N/A
PYRETHRINS PYRETHRIN II		ND	246/246	N/A




RESULTS CERTIFIED BY:
 BARRY CHAFFIN
 COO, NOVA ANALYTIC LABS
 MAR 31, 2023

RESULTS CERTIFIED BY:
 GREG NEWLAND
 CSO, NOVA ANALYTIC LABS
 MAR 31, 2023

RESULTS CERTIFIED BY:
 CHRIS ALTOMARE
 CEO, NOVA ANALYTIC LABS
 MAR 31, 2023

https://lims.tagleaf.com/coa_/g6SySCQvOR

PRODUCT IMAGES



* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.002.A-BCT-METAL (TINCTURE) // PRODUCED: APR 26, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.23.002.A-BCT
MATRIX: TINCTURE
SAMPLE ID: NAL-230421-009
COLLECTED ON: APR 21, 2023
RECEIVED ON: APR 21, 2023
SAMPLE SIZE: 2.97 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ALEX ERAMO



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

METALS TESTED

HME.1: HEAVY METALS BY ICP-MS

PREPARATION: APR 25, 2023 // ANALYSIS: APR 26, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 µg/kg	ND	32.8/98.4	N/A
ARSENIC	1500 µg/kg	ND	32.8/82.0	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
CADMIUM	500 µg/kg	ND	32.8/82.0	N/A
MERCURY	3000 µg/kg	ND	32.8/65.6	N/A



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
APR 26, 2023

https://lims.tagleaf.com/coa/_Joo9qHSzDj

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.002.A-BCT-PEST (TINCTURE) // PRODUCED: APR 25, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.23.002.A-BCT
MATRIX: TINCTURE
SAMPLE ID: NAL-230421-008
COLLECTED ON: APR 21, 2023
RECEIVED ON: APR 21, 2023
SAMPLE SIZE: 3.228 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ALEX ERAMO



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

PESTICIDES TESTED

: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS
PREPARATION: APR 24, 2023 // ANALYSIS: APR 24, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
NALED	500 µg/kg	ND	137/183	N/A	ETHOPROPHOS	200 µg/kg	ND	137/137	N/A
OXAMYL	1000 µg/kg	ND	137/457	N/A	FLUDIOXONIL	400 µg/kg	ND	137/183	N/A
PHOSMET	200 µg/kg	ND	137/137	N/A	HEXYTHIAZOX	1000 µg/kg	ND	137/457	N/A
ACEPHATE	400 µg/kg	ND	137/183	N/A	PRALLETHRIN	200 µg/kg	ND	137/137	N/A
ALDICARB	400 µg/kg	ND	137/183	N/A	SPIROXAMINE	400 µg/kg	ND	137/183	N/A
BOSCALID	400 µg/kg	ND	137/183	N/A	THIACLOPRID	200 µg/kg	ND	137/137	N/A
CARBARYL	200 µg/kg	ND	137/137	N/A	AZOXYSTROBIN	200 µg/kg	ND	137/137	N/A
DIAZINON	200 µg/kg	ND	137/137	N/A	CHLORFENAPYR	1000 µg/kg	ND	137/457	N/A
FIPRONIL	400 µg/kg	ND	137/183	N/A	CHLORPYRIFOS	200 µg/kg	ND	137/137	N/A
IMAZALIL	200 µg/kg	ND	137/137	N/A	CLOFENTEZINE	200 µg/kg	ND	137/137	N/A
METHOMYL	400 µg/kg	ND	137/183	N/A	CYPERMETHRIN	1000 µg/kg	ND	137/457	N/A
PROPOXUR	200 µg/kg	ND	137/137	N/A	IMIDACLOPRID	400 µg/kg	ND	137/183	N/A
SPINOSAD	200 µg/kg	ND	137/137	N/A	MYCLOBUTANIL	200 µg/kg	ND	137/137	N/A
ABAMECTIN	500 µg/kg	ND	137/183	N/A	SPIROMESIFEN	200 µg/kg	ND	137/137	N/A
ETOXAZOLE	200 µg/kg	ND	137/137	N/A	TEBUCONAZOLE	400 µg/kg	ND	137/183	N/A
MGK-264 I		ND	83.5/83.5	N/A	THIAMETHOXAM	200 µg/kg	ND	137/137	N/A
MALATHION	200 µg/kg	ND	137/137	N/A	FENPYROXIMATE	400 µg/kg	ND	137/183	N/A
METALAXYL	200 µg/kg	ND	137/137	N/A	PACLOBUTRAZOL	400 µg/kg	ND	137/183	N/A
PYRIDABEN	200 µg/kg	ND	137/137	N/A	PROPICONAZOLE	400 µg/kg	ND	137/183	N/A
BIFENAZATE	200 µg/kg	ND	137/137	N/A	SPIROTETRAMAT	200 µg/kg	ND	137/137	N/A
BIFENTHRIN	200 µg/kg	ND	137/137	N/A	PERMETHRIN CIS		ND	58.9/58.9	N/A
CARBOFURAN	200 µg/kg	ND	137/137	N/A	KRESOXIM-METHYL	400 µg/kg	ND	137/183	N/A
CYFLUTHRIN	1000 µg/kg	ND	137/457	N/A	TRIFLOXYSTROBIN	200 µg/kg	ND	137/137	N/A
DAMINOZIDE	1000 µg/kg	ND	137/457	N/A	PARATHION-METHYL	200 µg/kg	ND	137/137	N/A
DICHLORVOS	1000 µg/kg	ND	137/457	N/A	PERMETHRIN TRANS		ND	78.1/78.1	N/A
DIMETHOATE	200 µg/kg	ND	137/137	N/A	PIPERONYLBUTOXIDE	2000 µg/kg	ND	137/913	N/A
ETOXENPROX	400 µg/kg	ND	137/183	N/A					
FENOXYCARB	200 µg/kg	ND	137/137	N/A					
FLONICAMID	1000 µg/kg	ND	137/457	N/A					
MGK-264 II		ND	53.4/53.4	N/A					
METHIOCARB	200 µg/kg	ND	137/137	N/A					
ACEQUINOCYL	2000 µg/kg	ND	137/913	N/A					
ACETAMIPRID	200 µg/kg	ND	137/137	N/A					

CHLORANTRANIL-IPROLE	200 µg/kg	ND	137/137	N/A
PYRETHRINS CINERIN I		ND	91.2/91.2	N/A
PYRETHRINS CINERIN II		ND	93.1/93.1	N/A
PYRETHRINS JASMOLIN I		ND	74.0/74.0	N/A
PYRETHRINS JASMOLIN II		ND	57.5/57.5	N/A
PYRETHRINS PYRETHRIN I		ND	425/425	N/A
PYRETHRINS PYRETHRIN II		ND	251/251	N/A



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
APR 25, 2023

https://lims.tagleaf.com/coa_/4kFDbn6u0Z

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.007.D-CONT (CONCENTRATE) // PRODUCED: AUG 18, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.23.007.D ¹
MATRIX: CONCENTRATE ¹
SAMPLE ID: NAL-230815-084
COLLECTED ON: AUG 15, 2023
RECEIVED ON: AUG 15, 2023
SAMPLE SIZE: 3.743 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: CJ LANGLEY

¹ ENTERED BY CLIENT



NOVA ANALYTIC LABS
 Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011

LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

METALS TESTED

PESTICIDES TESTED

PST.2: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS PREPARATION: AUG 16, 2023 // ANALYSIS: AUG 16, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
NALED	500 µg/kg	ND	142/190	N/A
OXAMYL	1000 µg/kg	ND	142/474	N/A
PHOSMET	200 µg/kg	ND	142/142	N/A
ACEPHATE	400 µg/kg	ND	142/190	N/A
ALDICARB	400 µg/kg	ND	142/190	N/A
BOSCALID	400 µg/kg	ND	142/190	N/A
CARBARYL	200 µg/kg	ND	142/142	N/A
DIAZINON	200 µg/kg	ND	142/142	N/A
FIPRONIL	400 µg/kg	ND	142/190	N/A
IMAZALIL	200 µg/kg	ND	142/142	N/A
METHOMYL	400 µg/kg	ND	142/190	N/A
PROPOXUR	200 µg/kg	ND	142/142	N/A
SPINOSAD	200 µg/kg	ND	142/142	N/A
ABAMECTIN	500 µg/kg	ND	142/190	N/A
ETOXAZOLE	200 µg/kg	ND	142/142	N/A
MGK-264 I		ND	86.8/86.8	N/A
MALATHION	200 µg/kg	ND	142/142	N/A
METALAXYL	200 µg/kg	ND	142/142	N/A
PYRIDABEN	200 µg/kg	ND	142/142	N/A
BIFENAZATE	200 µg/kg	ND	142/142	N/A
BIFENTHRIN	200 µg/kg	ND	142/142	N/A
CARBOFURAN	200 µg/kg	ND	142/142	N/A
CYFLUTHRIN	1000 µg/kg	ND	142/474	N/A
DAMINOZIDE	1000 µg/kg	ND	142/474	N/A
DICHLORVOS	1000 µg/kg	ND	142/474	N/A
DIMETHOATE	200 µg/kg	ND	142/142	N/A
ETOFENPROX	400 µg/kg	ND	142/190	N/A
FENOXICARB	200 µg/kg	ND	142/142	N/A
FLONICAMID	1000 µg/kg	ND	142/474	N/A
MGK-264 II		ND	55.5/55.5	N/A
METHIOCARB	200 µg/kg	ND	142/142	N/A
ACEQUINOCYL	2000 µg/kg	ND	142/949	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
ETHOPROPHOS	200 µg/kg	ND	142/142	N/A
FLUDIOXONIL	400 µg/kg	ND	142/190	N/A
HEXYTHIAZOX	1000 µg/kg	ND	142/474	N/A
PRALLETHRIN	200 µg/kg	ND	142/142	N/A
SPIROXAMINE	400 µg/kg	ND	142/190	N/A
THIACLOPRID	200 µg/kg	ND	142/142	N/A
AZOXYSTROBIN	200 µg/kg	ND	142/142	N/A
CHLORFENAPYR	1000 µg/kg	ND	142/474	N/A
CHLORPYRIFOS	200 µg/kg	ND	142/142	N/A
CLOFENTEZINE	200 µg/kg	ND	142/142	N/A
CYPERMETHRIN	1000 µg/kg	ND	142/474	N/A
IMIDACLOPRID	400 µg/kg	ND	142/190	N/A
MYCLOBUTANIL	200 µg/kg	ND	142/142	N/A
SPIROMESIFEN	200 µg/kg	ND	142/142	N/A
TEBUCONAZOLE	400 µg/kg	ND	142/190	N/A
THIAMETHOXAM	200 µg/kg	ND	142/142	N/A
FENPYROXIMATE	400 µg/kg	ND	142/190	N/A
PACLOBUTRAZOL	400 µg/kg	ND	142/190	N/A
PROPICONAZOLE	400 µg/kg	ND	142/190	N/A
SPIROTETRAMAT	200 µg/kg	ND	142/142	N/A
PERMETHRIN CIS		ND	61.2/61.2	N/A
KRESOXIM-METHYL	400 µg/kg	ND	142/190	N/A
TRIFLOXYSTROB-IN	200 µg/kg	ND	142/142	N/A
PARATHION-METHYL	200 µg/kg	ND	142/142	N/A
PERMETHRIN TRANS		ND	81.1/81.1	N/A
PIPERONYLBUTO-XIDE	2000 µg/kg	ND	142/949	N/A

ACETAMIPRID	200 µg/kg	ND	142/142	N/A	CHLORANTRANIL-IPROLE	200 µg/kg	ND	142/142	N/A
					PYRETHRINS CINERIN I		ND	94.8/94.8	N/A
					PYRETHRINS CINERIN II		ND	96.8/96.8	N/A
					PYRETHRINS JASMOLIN I		ND	76.9/76.9	N/A
					PYRETHRINS JASMOLIN II		ND	59.8/59.8	N/A
					PYRETHRINS PYRETHRIN I		ND	441/441	N/A
					PYRETHRINS PYRETHRIN II		ND	260/260	N/A



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
AUG 18, 2023

https://lims.tagleaf.com/coa_/ENoEZr7yAa



ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 µg/kg	ND	4.52/98.4	N/A	CADMIUM	200 µg/kg	ND	4.23/82.0	N/A
ARSENIC	200 µg/kg	ND	9.77/82.0	N/A	MERCURY	100 µg/kg	ND	15.1/65.6	N/A

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

