



Healer Products Certificates of Analysis (COA)

Dear Healer Patron,

We are committed to producing high quality, clean, and accurately labeled cannabis products to help you feel your best. As you'll see in the following pages, we invest in the most thorough testing available in our region, not just for the content of medicinal components, but also for the absence of pesticides, toxic solvents, heavy metals, and microbiological contaminants.

To be transparent and earn your trust, our third-party laboratory certificates of analysis are attached.

Having previously owned and participated in a cannabis analytic laboratory for several years, I understand the inherent challenges related to reproducibility, calibration, and validation with peer laboratories. In the cannabis analytic industry, potency results are considered accurate within 10% deviation from the actual value. That's why after Healer performs its own internal analytics, we send samples of our bulk extracts and final products to at least one third-party lab, and sometimes two.

If you have any questions about the data on the following pages, we'd love to hear from you. Thank you for choosing Healer and taking a powerful step for your good health.

Sincerely,

Dr. Dustin Sulak

CANNABINOIDS

Cannabinoid	Concentration mg/ml
TOTAL	51.55
CBC	2.87
CBCA	0.36
CBD	1.03
CBDA	2.40
CBDV	
CBDVA	
CBG	37.7
CBGA	6.71
CBL	
CBLA	
CBN	
CBNA	
Δ^8 -THC	
Δ^8 -THCA	
Δ^9 -THC	0.48
Δ^{10} -THC	
EXO-THC	
THCA	
THCV	
THCVA	
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	CBG.T.23.003-CANN NAL-231113-001

HEAVY METALS

TEST	RESULTS
Arsenic	Pass- None Detected
Cadmium	Pass-None Detected
Lead	Pass-None Detected
Mercury	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	H.23.006.Bin-Metals NAL-230721-019
Concentrated	H.23.001-Metals NAL-230224-056
Formula Tested	H.23.002.A.BCT-Metal NAL-230421-009

PESTICIDES

TEST	RESULT
Bifenthrin	Pass-None Detected
Cyfluthrin	Pass-None Detected
Etoazole	Pass-None Detected
Imazalil	Pass-None Detected
Myclobutanil	Pass-None Detected
Spiromesifen	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	H.23.006.Bin-Pest NAL-230721-019
Concentrated	H.23.001-Pest NAL-230224-055
Formula Tested	H.23.002.A.BCT-Pest NAL-230421-008
**	



Whole Plant Hemp CBG Drops



Product Type:
6:1 CBG:CBGA Tincture

Batch ID:
CBG.T.23.003

Product Expiration Date:
November 26, 2025

COA Issue Date:
November 27, 2023

Ingredients:

Organic MCT Coconut Oil,
Organic Maine Hemp <0.3%
THC, Traces of Ethyl Alcohol
(Ethanol)

Strains:
Sour G

MICROBIOLOGICAL CONTAMINANTS

TEST	RESULTS
Enterobacter	Pass-None Detected
Coliform	Pass-None Detected
Aerobic Bacteria	Pass-None Detected
Yeast and Mold	Pass-None Detected
Salmonella	Pass-None Detected
E.Coli	Pass-None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	CBG.T.23.003-Micro NAL-231115-073

*<LOQ = Compound present in detectable
amounts below the limit of quantitation
for data reporting.

**See attached for a full listing of Pesticides
and Solvents tested

TERPENES

Terpene	Concentration mg/ml
TOTAL	3.051
PERCENT BY Wt	0.330%
β -Caryophyllene	1.386
α -Humulene	0.477
D-Limonene	
α -Pinene	
β -Myrcene	
β -Pinene	
Linalool	
Camphene	
α -Bisabolol	0.767
γ -Terpinene	
Terpinolene	
P-Cymene	
Isopulegol	
Guaiol	0.421
Cis-Nerolidol	
Eucalyptol	
Δ^3 -Carene	
Caryophyllene Oxide	
β -Ocimene	
α -Terpinene	
α -Ocimene	
Trans-Nerolidol	
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	CBG.T.23.003=Terps NAL-231115-070

*Results converted from mg/g to mg/ml using
density 0.9242 g/ml from Cannabinoid Analysis
CBG.T.23.003 NAL-231113-001

MYCOTOXINS

TEST	RESULTS
Aflatoxins B1, B2, G1, G2	Pass-None Detected
Ochratoxin A	Pass- None Detected
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	CBG.T.23.003-Myco NAL-231115-072

RESIDUAL SOLVENTS

TEST	RESULTS
Ethanol**	Pass- 6030 μ g/g Detected (6.03 mg/g)
3 rd Party Tested By:	Nova Analytic Labs
3 rd Party Testing ID:	CBG.T.23.003-Solv NAL-231115-071

3rd Party Lab

Results Attached


Farm License # 113, Sheepscot General, LLC,
98 Townhouse Rd. Whitefield, ME 04341

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

CBG.T.23.003-CANN (TINCTURE) // PRODUCED: NOV 14, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: CBG.T.23.003 ¹
MATRIX: TINCTURE ¹
DENSITY: 0.9242 g/ml ²
SAMPLE ID: NAL-231113-001
COLLECTED ON: NOV 13, 2023
RECEIVED ON: NOV 13, 2023
SAMPLE SIZE: 2.218 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: DYLAN ARRIGO

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

CANNABINOID OVERVIEW

CBG:	4.08 %
CBGA:	0.726 %
TOTAL CANNABINOIDS:	5.58 %

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011

LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: NOV 13, 2023 // ANALYSIS: NOV 14, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBG	0.310 %	2.87 mg/ml		0.0500/0.0998	N/A
CBGA	0.0384 %	0.355 mg/ml		0.0500/0.0998	N/A
CBD	0.111 %	1.03 mg/ml		0.0500/0.0998	N/A
CBDA	0.260 %	2.40 mg/ml		0.0500/0.0998	N/A
 CBDV	ND	ND		0.0500/0.0998	N/A
 CBDVA	ND	ND		0.0500/0.0998	N/A
CBG	4.08 %	37.7 mg/ml		0.500/0.998	N/A
CBGA	0.726 %	6.71 mg/ml		0.0500/0.0998	N/A
CBL	ND	ND		0.0998/0.0998	N/A
CBLA	ND	ND		0.0500/0.0998	N/A
CBN	ND	ND		0.0500/0.0998	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBNA		ND	ND	0.0500/0.0998	N/A
Δ⁸-THC		ND	ND	0.0998/0.0998	N/A
Δ⁸-THCA		ND	ND	0.0998/0.0998	N/A
Δ⁹-THC	0.0522 %	0.482 mg/ml		0.0500/0.0998	N/A
Δ¹⁰-THC		ND	ND	0.0500/0.0998	N/A
EXO-THC		ND	ND	0.0998/0.0998	N/A
THCA		ND	ND	0.0998/0.0998	N/A
THCV		ND	ND	0.0500/0.0998	N/A
THCVA		ND	ND	0.0500/0.0998	N/A
TOTAL THC**	0.0522 %	0.482 mg/ml			N/A
TOTAL CBD**	0.339 %	3.13 mg/ml			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD
 ** TOTAL THC = (THCA X 0.877) + THC
 Reported on an as received basis
 1000 µg/g = 1 mg/g



AUTHORIZED BY:
 ZACHARY SMITH
 LABORATORY MANAGER, NOVA
 ANALYTIC LABS
 NOV 14, 2023



https://lims.tagleaf.com/coa/_99AkPjJmuc

NOTES

ZACHARY SMITH
 NOV 14, 2023

POTENCY & CANNABINOID PROFILE BY HPLC-UV
 THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

CBG.T.23.003=TERPS (TINCTURE) // PRODUCED: NOV 20, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: CBG.T.23.003 ¹
MATRIX: TINCTURE ¹
SAMPLE ID: NAL-231115-070
COLLECTED ON: NOV 15, 2023
RECEIVED ON: NOV 15, 2023
SAMPLE SIZE: 1.405 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ZACHARY SMITH

¹ ENTERED BY CLIENT



NOVA ANALYTIC LABS
 Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011

LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

TERPENES TESTED

TRP.2: TERPENES BY LIQUID INJECT GCMS PREPARATION: NOV 18, 2023 // ANALYSIS: NOV 20, 2023

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
TOTAL TERPENES	0.330 %	3.30 mg/g		N/A
NEROL	ND	ND	0.169/0.338	N/A
CEDROL	ND	ND	0.169/0.338	N/A
CITRAL	ND	ND	0.169/0.338	N/A
GUAJOL	0.0455 %	0.455 mg/g	0.169/0.338	N/A
THYMOL	ND	ND	0.169/0.338	N/A
BORNEOL	ND	ND	0.169/0.338	N/A
CAMPHOR	ND	ND	0.169/0.338	N/A
MENTHOL	ND	ND	0.169/0.338	N/A
PHYTANE	ND	ND	0.169/0.338	N/A
CAMPHERE	ND	ND	0.169/0.338	N/A
FARNESOL	ND	ND	0.169/0.338	N/A
FENCHONE	ND	ND	0.169/0.338	N/A
GERANIOL	ND	ND	0.169/0.338	N/A
LINALOOL	ND	ND	0.169/0.338	N/A
MENTHONE	ND	ND	0.169/0.338	N/A
PULEGONE	ND	ND	0.169/0.338	N/A
SABINENE	ND	ND	0.169/0.338	N/A
SAFRANAL	ND	ND	0.169/0.338	N/A
M-CYMENE	ND	ND	0.169/0.338	N/A
O-CYMENE	ND	ND	0.169/0.338	N/A
P-CYMENE	ND	ND	0.169/0.338	N/A
CARVACROL	ND	ND	0.169/0.338	N/A
FARNESENE	ND	ND	0.169/0.338	N/A
TERPINEOL	ND	ND	0.169/0.338	N/A
VALENCENE	ND	ND	0.169/0.338	N/A
D-CARVONE	ND	ND	0.169/0.338	N/A
EUCALYPTOL	ND	ND	0.169/0.338	N/A
ISOBORNEOL	ND	ND	0.169/0.338	N/A
ISOPULEGOL	ND	ND	0.169/0.338	N/A

ANALYTE	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
PIPERITONE	ND	ND	0.169/0.338	N/A
D-LIMONENE	ND	ND	0.169/0.338	N/A
CITRONELLOL	ND	ND	0.169/0.338	N/A
E-NEROLIDOL	ND	ND	0.169/0.338	N/A
TERPINOLENE	ND	ND	0.169/0.338	N/A
Z-NEROLIDOL	ND	ND	0.169/0.338	N/A
β-PINENE	ND	ND	0.169/0.338	N/A
2-PIPERIDONE	ND	ND	0.169/0.338	N/A
α-PINENE	ND	ND	0.169/0.338	N/A
β-MYRCENE	ND	ND	0.169/0.338	N/A
(-)-VERBENONE	ND	ND	0.169/0.338	N/A
OCTYL ACETATE	ND	ND	0.169/0.338	N/A
TERPINEN-4-OL	ND	ND	0.169/0.338	N/A
α-CEDRENE	ND	ND	0.169/0.338	N/A
α-THUJONE	ND	ND	0.169/0.338	N/A
Δ³-CARENE	ND	ND	0.169/0.338	N/A
α-HUMULENE	0.0516 %	0.516 mg/g	0.169/0.338	N/A
GERANYL ACETATE	ND	ND	0.169/0.338	N/A
α-BISABOLOL	0.0830 %	0.830 mg/g	0.169/0.338	N/A
α-TERPINENE	ND	ND	0.169/0.338	N/A
γ-TERPINENE	ND	ND	0.169/0.338	N/A
SABINENE HYDRATE	ND	ND	0.169/0.338	N/A
CIS-β-OCIMENE	ND	ND	0.169/0.338	N/A
ISOBORNYL ACETATE	ND	ND	0.169/0.338	N/A
α-PHELLANDRENE	ND	ND	0.169/0.338	N/A
β-CARYOPHYLLENE	0.150 %	1.50 mg/g	0.169/0.338	N/A
TRANS-β-OCIMENE	ND	ND	0.169/0.338	N/A
CARYOPHYLLENE OXIDE	ND	ND	0.169/0.338	N/A
ENDO FENCHYL ALCOHOL	ND	ND	0.169/0.338	N/A



https://lims.tagleaf.com/coa_/PnwLMtp3N3

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

CBG.T.23.003-SOLV (TINCTURE) // PRODUCED: NOV 24, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: CBG.T.23.003 ¹
MATRIX: TINCTURE ¹
SAMPLE ID: NAL-231115-071
COLLECTED ON: NOV 15, 2023
RECEIVED ON: NOV 15, 2023
SAMPLE SIZE: 1.585 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ZACHARY SMITH

¹ ENTERED BY CLIENT



NOVA ANALYTIC LABS
 Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011

LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

SOLVENTS TESTED

RSOL.1: RESIDUAL SOLVENTS, POISONS AND TOXINS BY HEADSPACE GC-MS
PREPARATION: NOV 22, 2023, NOV 18, 2023 // ANALYSIS: NOV 22, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
BUTANE	5000 µg/g	ND	0.884/2.21	N/A	CHLOROFORM	1 µg/g	ND	0.442/0.884	N/A
HEXANE	290 µg/g	ND	0.884/2.21	N/A	ETHYL ETHER	5000 µg/g	ND	8.84/17.7	N/A
ACETONE	5000 µg/g	ND	44.2/88.4	N/A	ACETONITRILE	410 µg/g	ND	44.2/88.4	N/A
BENZENE	1 µg/g	ND	0.442/0.884	N/A	ETHYL ACETATE	5000 µg/g	< LOQ	8.84/17.7	N/A
ETHANOL	5000 µg/g	6030	187/373	N/A	ETHYLENE OXIDE	1 µg/g	ND	0.442/0.884	N/A
HEPTANE	5000 µg/g	ND	8.84/17.7	N/A	P- AND M-XYLENE	2170 µg/g	ND	17.7/35.4	N/A
PENTANE	5000 µg/g	ND	8.84/17.7	N/A	ISOPROPYL ALCOHOL	5000 µg/g	ND	44.2/88.4	N/A
PROPANE	5000 µg/g	ND	17.7/35.4	N/A	TRICHLOROETHYLENE	1 µg/g	ND	0.442/0.884	N/A
TOLUENE	890 µg/g	ND	4.42/8.84	N/A	1,2-DICHLOROETHANE	1 µg/g	ND	0.442/0.884	N/A
METHANOL	3000 µg/g	ND	44.2/88.4	N/A	METHYLENE CHLORIDE	1 µg/g	ND	0.442/0.884	N/A
O-XYLENE	2170 µg/g	ND	8.84/17.7	N/A					



AUTHORIZED BY:
 ALEX ERAMO
 SCIENTIST II, NOVA ANALYTIC LABS
 NOV 24, 2023



https://lims.tagleaf.com/coa_m81nKMCMGW

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

CBG.T.23.003-MYCO (TINCTURE) // PRODUCED: NOV 20, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: CBG.T.23.003 ¹
MATRIX: TINCTURE ¹
SAMPLE ID: NAL-231115-072
COLLECTED ON: NOV 15, 2023
RECEIVED ON: NOV 15, 2023
SAMPLE SIZE: 2.401 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ZACHARY SMITH

¹ ENTERED BY CLIENT



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

MYCOTOXINS TESTED

MYC.1: MYCOTOXINS BY LC-HRMS PREPARATION: NOV 17, 2023 // ANALYSIS: NOV 17, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	0.0975/0.292	N/A
AFLATOXIN B2		ND	0.292/0.487	N/A
AFLATOXIN G1		ND	0.0975/0.292	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN G2		ND	0.0975/0.487	N/A
OCHRATOXIN A		ND	0.195/0.585	N/A



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
NOV 20, 2023

https://lims.tagleaf.com/coa/_OXFGkhvvMR

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

CBG.T.23.003-MICRO (TINCTURE) // PRODUCED: NOV 20, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: CBG.T.23.003 ¹
MATRIX: TINCTURE ¹
SAMPLE ID: NAL-231115-073
COLLECTED ON: NOV 15, 2023
RECEIVED ON: NOV 15, 2023
SAMPLE SIZE: 2.400 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ZACHARY SMITH

¹ ENTERED BY CLIENT



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

MICROBIAL TESTED



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
NOV 20, 2023

https://lims.tagleaf.com/coa/_ldqtrfo07p

MIC.5: SALMONELLA BY PCR
PREPARATION: NOV 15, 2023 // ANALYSIS: NOV 16, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
SALMONELLA SPP.	Any amt in 1 gram	ND	1.0/1.0	N/A

MIC.4: PATHOGENIC E. COLI BY PCR
PREPARATION: NOV 15, 2023 // ANALYSIS: NOV 16, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	1.0/1.0	N/A

MIC.3: TOTAL COLIFORM BY MOST PROBABLE NUMBER
PREPARATION: NOV 15, 2023 // ANALYSIS: NOV 16, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
COLIFORMS	1000 CFU/g	ND	100/100	N/A

MIC.6: TOTAL ENTEROBACTER BY MOST PROBABLE NUMBER
PREPARATION: NOV 15, 2023 // ANALYSIS: NOV 16, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
ENTEROBACTERIACEAE	1000 CFU/g	ND	100/100	N/A

TOTAL AEROBIC BACTERIA BY MOST PROBABLE NUMBER
PREPARATION: NOV 15, 2023 // ANALYSIS: NOV 16, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
AEROBIC BACTERIA	100000 CFU/g	ND	100/100	N/A

TOTAL YEAST AND MOLD BY MOST PROBABLE NUMBER
PREPARATION: NOV 15, 2023 // ANALYSIS: NOV 18, 2023

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
YEAST & MOLD	10000 CFU/g	ND	100/100	N/A

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.006.BIN-METALS (TINCTURE) // PRODUCED: JUL 25, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASS



BATCH NO.: H.23.006 ¹
MATRIX: TINCTURE ¹
SAMPLE ID: NAL-230721-019
COLLECTED ON: JUL 21, 2023
RECEIVED ON: JUL 21, 2023
SAMPLE SIZE: 2.668 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: IAN LEONARD

¹ ENTERED BY CLIENT



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASS

METALS PASS

HME.1: HEAVY METALS BY ICP-MS PREPARATION: JUL 24, 2023 // ANALYSIS: JUL 25, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
ARSENIC	1500 µg/kg	ND	10.0/84.1	PASS
CADMIUM	500 µg/kg	ND	4.34/84.1	PASS

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 µg/kg	ND	4.64/101	PASS
MERCURY	3000 µg/kg	ND	15.5/67.3	PASS



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
JUL 25, 2023

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.006.BIN-PEST (TINCTURE) // PRODUCED: JUL 25, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASS



BATCH NO.: H.23.006 ¹
MATRIX: TINCTURE ¹
SAMPLE ID: NAL-230721-018
COLLECTED ON: JUL 21, 2023
RECEIVED ON: JUL 21, 2023
SAMPLE SIZE: 2.688 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: IAN LEONARD

¹ ENTERED BY CLIENT



NOVA ANALYTIC LABS
 Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011

LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASS

PESTICIDES TESTED

: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS
PREPARATION: JUL 24, 2023 // ANALYSIS: JUL 24, 2023


ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
NALED	500 µg/kg	ND	139/186	N/A
OXAMYL	1000 µg/kg	ND	139/465	N/A
PHOSMET	200 µg/kg	ND	139/139	N/A
ACEPHATE	400 µg/kg	ND	139/186	N/A
ALDICARB	400 µg/kg	ND	139/186	N/A
BOSCALID	400 µg/kg	ND	139/186	N/A
CARBARYL	200 µg/kg	ND	139/139	N/A
DIAZINON	200 µg/kg	ND	139/139	N/A
FIPRONIL	400 µg/kg	ND	139/186	N/A
IMAZALIL	200 µg/kg	ND	139/139	N/A
METHOMYL	400 µg/kg	ND	139/186	N/A
PROPOXUR	200 µg/kg	ND	139/139	N/A
SPINOSAD	200 µg/kg	ND	139/139	N/A
ABAMECTIN	500 µg/kg	ND	139/186	N/A
ETOXAZOLE	200 µg/kg	ND	139/139	N/A
MGK-264 I		ND	85.0/85.0	N/A
MALATHION	200 µg/kg	ND	139/139	N/A
METALAXYL	200 µg/kg	ND	139/139	N/A
PYRIDABEN	200 µg/kg	ND	139/139	N/A
BIFENAZATE	200 µg/kg	ND	139/139	N/A
BIFENTHRIN	200 µg/kg	ND	139/139	N/A
CARBOFURAN	200 µg/kg	ND	139/139	N/A
CYFLUTHRIN	1000 µg/kg	ND	139/465	N/A
DAMINOZIDE	1000 µg/kg	ND	139/465	N/A
DICHLORVOS	1000 µg/kg	ND	139/465	N/A
DIMETHOATE	200 µg/kg	ND	139/139	N/A
ETOFENPROX	400 µg/kg	ND	139/186	N/A
FENOXICARB	200 µg/kg	ND	139/139	N/A
FLONICAMID	1000 µg/kg	ND	139/465	N/A
MGK-264 II		ND	54.3/54.3	N/A
METHIOCARB	200 µg/kg	ND	139/139	N/A
ACEQUINOCYL	2000 µg/kg	ND	139/929	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
ETHOPROPHOS	200 µg/kg	ND	139/139	N/A
FLUDIOXONIL	400 µg/kg	ND	139/186	N/A
HEXYTHIAZOX	1000 µg/kg	ND	139/465	N/A
PRALLETHRIN	200 µg/kg	ND	139/139	N/A
SPIROXAMINE	400 µg/kg	ND	139/186	N/A
THIACLOPRID	200 µg/kg	ND	139/139	N/A
AZOXYSTROBIN	200 µg/kg	ND	139/139	N/A
CHLORFENAPYR	1000 µg/kg	ND	139/465	N/A
CHLORPYRIFOS	200 µg/kg	ND	139/139	N/A
CLOFENTEZINE	200 µg/kg	ND	139/139	N/A
CYPERMETHRIN	1000 µg/kg	ND	139/465	N/A
IMIDACLOPRID	400 µg/kg	ND	139/186	N/A
MYCLOBUTANIL	200 µg/kg	ND	139/139	N/A
SPIROMESIFEN	200 µg/kg	ND	139/139	N/A
TEBUCONAZOLE	400 µg/kg	ND	139/186	N/A
THIAMETHOXAM	200 µg/kg	ND	139/139	N/A
FENPYROXIMATE	400 µg/kg	ND	139/186	N/A
PACLOBUTRAZOL	400 µg/kg	ND	139/186	N/A
PROPICONAZOLE	400 µg/kg	ND	139/186	N/A
SPIROTETRAMAT	200 µg/kg	ND	139/139	N/A
PERMETHRIN CIS		ND	59.9/59.9	N/A
KRESOXIM-METHYL	400 µg/kg	ND	139/186	N/A
TRIFLOXYSTROB-IN	200 µg/kg	ND	139/139	N/A
PARATHION-METHYL	200 µg/kg	ND	139/139	N/A
PERMETHRIN TRANS		ND	79.4/79.4	N/A
PIPERONYLBUTO-XIDE	2000 µg/kg	ND	139/929	N/A

ACETAMIPRID	200 µg/kg	ND	139/139	N/A	CHLORANTRANIL-IPROLE	200 µg/kg	ND	139/139	N/A
					PYRETHRINS CINERIN I		ND	92.8/92.8	N/A
					PYRETHRINS CINERIN II		ND	94.8/94.8	N/A
					PYRETHRINS JASMOLIN I		ND	75.3/75.3	N/A
					PYRETHRINS JASMOLIN II		ND	58.5/58.5	N/A
					PYRETHRINS PYRETHRIN I		ND	432/432	N/A
					PYRETHRINS PYRETHRIN II		ND	255/255	N/A



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
JUL 25, 2023



** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.001-METALS (TINCTURE) // PRODUCED: MAR 01, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.23.001
MATRIX: TINCTURE
SAMPLE ID: NAL-230224-056
COLLECTED ON: FEB 24, 2023
RECEIVED ON: FEB 24, 2023
SAMPLE SIZE: 4.011 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: KAYLIN KEITH



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

METALS TESTED

HME.1: HEAVY METALS BY ICP-MS
PREPARATION: FEB 28, 2023 // ANALYSIS: MAR 01, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 µg/kg	ND	33.3/100	N/A
ARSENIC	1500 µg/kg	ND	33.3/83.3	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
CADMIUM	500 µg/kg	ND	33.3/83.3	N/A
MERCURY	3000 µg/kg	ND	33.3/66.6	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 01, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 01, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 01, 2023

https://lims.tagleaf.com/coa_/7jM0BIsiKW

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.001-PEST (TINCTURE) // PRODUCED: MAR 01, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.23.001
MATRIX: TINCTURE
SAMPLE ID: NAL-230224-055
COLLECTED ON: FEB 24, 2023
RECEIVED ON: FEB 24, 2023
SAMPLE SIZE: 4.016 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: KAYLIN KEITH



NOVA ANALYTIC LABS
 Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011

LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

PESTICIDES TESTED

: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS
PREPARATION: FEB 28, 2023 // ANALYSIS: FEB 28, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
NALED	500 µg/kg	ND	147/196	N/A	ETHOPROPHOS	200 µg/kg	ND	147/147	N/A
OXAMYL	1000 µg/kg	ND	147/490	N/A	FLUDIOXONIL	400 µg/kg	ND	147/196	N/A
PHOSMET	200 µg/kg	ND	147/147	N/A	HEXYTHIAZOX	1000 µg/kg	ND	147/490	N/A
ACEPHATE	400 µg/kg	ND	147/196	N/A	PRALLETHRIN	200 µg/kg	ND	147/147	N/A
ALDICARB	400 µg/kg	ND	147/196	N/A	SPIROXAMINE	400 µg/kg	ND	147/196	N/A
BOSCALID	400 µg/kg	ND	147/196	N/A	THIACLOPRID	200 µg/kg	ND	147/147	N/A
CARBARYL	200 µg/kg	ND	147/147	N/A	AZOXYSTROBIN	200 µg/kg	ND	147/147	N/A
DIAZINON	200 µg/kg	ND	147/147	N/A	CHLORFENAPYR	1000 µg/kg	ND	147/490	N/A
FIPRONIL	400 µg/kg	ND	147/196	N/A	CHLORPYRIFOS	200 µg/kg	ND	147/147	N/A
IMAZALIL	200 µg/kg	ND	147/147	N/A	CLOFENTEZINE	200 µg/kg	ND	147/147	N/A
METHOMYL	400 µg/kg	ND	147/196	N/A	CYPERMETHRIN	1000 µg/kg	ND	147/490	N/A
PROPOXUR	200 µg/kg	ND	147/147	N/A	IMIDACLOPRID	400 µg/kg	ND	147/196	N/A
SPINOSAD	200 µg/kg	ND	147/147	N/A	MYCLOBUTANIL	200 µg/kg	ND	147/147	N/A
ABAMECTIN	500 µg/kg	ND	147/196	N/A	SPIROMESIFEN	200 µg/kg	ND	147/147	N/A
ETOXAZOLE	200 µg/kg	ND	147/147	N/A	TEBUCONAZOLE	400 µg/kg	ND	147/196	N/A
MGK-264 I		ND	89.6/89.6	N/A	THIAMETHOXAM	200 µg/kg	ND	147/147	N/A
MALATHION	200 µg/kg	ND	147/147	N/A	FENPYROXIMATE	400 µg/kg	ND	147/196	N/A
METALAXYL	200 µg/kg	ND	147/147	N/A	PACLOBUTRAZOL	400 µg/kg	ND	147/196	N/A
PYRIDABEN	200 µg/kg	ND	147/147	N/A	PROPICONAZOLE	400 µg/kg	ND	147/196	N/A
BIFENAZATE	200 µg/kg	ND	147/147	N/A	SPIROTETRAMAT	200 µg/kg	ND	147/147	N/A
BIFENTHRIN	200 µg/kg	ND	147/147	N/A	PERMETHRIN CIS		ND	63.2/63.2	N/A
CARBOFURAN	200 µg/kg	ND	147/147	N/A	KRESOXIM-METHYL	400 µg/kg	ND	147/196	N/A
CYFLUTHRIN	1000 µg/kg	ND	147/490	N/A	TRIFLOXYSTROB-IN	200 µg/kg	ND	147/147	N/A
DAMINOZIDE	1000 µg/kg	ND	147/490	N/A	PARATHION-METHYL	200 µg/kg	ND	147/147	N/A
DICHLORVOS	1000 µg/kg	ND	147/490	N/A	PERMETHRIN TRANS		ND	83.7/83.7	N/A
DIMETHOATE	200 µg/kg	ND	147/147	N/A	PIPERONYLBUTO-XIDE	2000 µg/kg	ND	147/979	N/A
ETOXAZOLE	400 µg/kg	ND	147/196	N/A					
FENOCYCARB	200 µg/kg	ND	147/147	N/A					
FLONICAMID	1000 µg/kg	ND	147/490	N/A					
MGK-264 II		ND	57.3/57.3	N/A					
METHIOCARB	200 µg/kg	ND	147/147	N/A					
ACEQUINOCYL	2000 µg/kg	ND	147/979	N/A					
ACETAMIPRID	200 µg/kg	ND	147/147	N/A					

CHLORANTRANIL-IPROLE	200 µg/kg	ND	147/147	N/A
PYRETHRINS CINERIN I		ND	97.8/97.8	N/A
PYRETHRINS CINERIN II		ND	99.9/99.9	N/A
PYRETHRINS JASMOLIN I		ND	79.3/79.3	N/A
PYRETHRINS JASMOLIN II		ND	61.7/61.7	N/A
PYRETHRINS PYRETHRIN I		ND	455/455	N/A
PYRETHRINS PYRETHRIN II		ND	269/269	N/A



RESULTS CERTIFIED BY:
BARRY CHAFFIN
COO, NOVA ANALYTIC LABS
MAR 01, 2023

RESULTS CERTIFIED BY:
GREG NEWLAND
CSO, NOVA ANALYTIC LABS
MAR 01, 2023

RESULTS CERTIFIED BY:
CHRIS ALTOMARE
CEO, NOVA ANALYTIC LABS
MAR 01, 2023

https://lims.tagleaf.com/coa_/r0YEEYzHpOi

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OMP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.002.A-BCT-METAL (TINCTURE) // PRODUCED: APR 26, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.23.002.A-BCT
MATRIX: TINCTURE
SAMPLE ID: NAL-230421-009
COLLECTED ON: APR 21, 2023
RECEIVED ON: APR 21, 2023
SAMPLE SIZE: 2.97 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ALEX ERAMO



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

METALS TESTED

HME.1: HEAVY METALS BY ICP-MS

PREPARATION: APR 25, 2023 // ANALYSIS: APR 26, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 µg/kg	ND	32.8/98.4	N/A
ARSENIC	1500 µg/kg	ND	32.8/82.0	N/A

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
CADMIUM	500 µg/kg	ND	32.8/82.0	N/A
MERCURY	3000 µg/kg	ND	32.8/65.6	N/A



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
APR 26, 2023

https://lims.tagleaf.com/coa/_Joo9qHSzDj

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.


END OF REPORT

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.002.A-BCT-PEST (TINCTURE) // PRODUCED: APR 25, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.23.002.A-BCT
MATRIX: TINCTURE
SAMPLE ID: NAL-230421-008
COLLECTED ON: APR 21, 2023
RECEIVED ON: APR 21, 2023
SAMPLE SIZE: 3.228 G
SAMPLED BY: ANNA KUPEL
RECEIVED BY: ALEX ERAMO



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

PESTICIDES TESTED

: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS
PREPARATION: APR 24, 2023 // ANALYSIS: APR 24, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
NALED	500 µg/kg	ND	137/183	N/A	ETHOPROPHOS	200 µg/kg	ND	137/137	N/A
OXAMYL	1000 µg/kg	ND	137/457	N/A	FLUDIOXONIL	400 µg/kg	ND	137/183	N/A
PHOSMET	200 µg/kg	ND	137/137	N/A	HEXYTHIAZOX	1000 µg/kg	ND	137/457	N/A
ACEPHATE	400 µg/kg	ND	137/183	N/A	PRALLETHRIN	200 µg/kg	ND	137/137	N/A
ALDICARB	400 µg/kg	ND	137/183	N/A	SPIROXAMINE	400 µg/kg	ND	137/183	N/A
BOSCALID	400 µg/kg	ND	137/183	N/A	THIACLOPRID	200 µg/kg	ND	137/137	N/A
CARBARYL	200 µg/kg	ND	137/137	N/A	AZOXYSTROBIN	200 µg/kg	ND	137/137	N/A
DIAZINON	200 µg/kg	ND	137/137	N/A	CHLORFENAPYR	1000 µg/kg	ND	137/457	N/A
FIPRONIL	400 µg/kg	ND	137/183	N/A	CHLORPYRIFOS	200 µg/kg	ND	137/137	N/A
IMAZALIL	200 µg/kg	ND	137/137	N/A	CLOFENTEZINE	200 µg/kg	ND	137/137	N/A
METHOMYL	400 µg/kg	ND	137/183	N/A	CYPERMETHRIN	1000 µg/kg	ND	137/457	N/A
PROPOXUR	200 µg/kg	ND	137/137	N/A	IMIDACLOPRID	400 µg/kg	ND	137/183	N/A
SPINOSAD	200 µg/kg	ND	137/137	N/A	MYCLOBUTANIL	200 µg/kg	ND	137/137	N/A
ABAMECTIN	500 µg/kg	ND	137/183	N/A	SPIROMESIFEN	200 µg/kg	ND	137/137	N/A
ETOXAZOLE	200 µg/kg	ND	137/137	N/A	TEBUCONAZOLE	400 µg/kg	ND	137/183	N/A
MGK-264 I		ND	83.5/83.5	N/A	THIAMETHOXAM	200 µg/kg	ND	137/137	N/A
MALATHION	200 µg/kg	ND	137/137	N/A	FENPYROXIMATE	400 µg/kg	ND	137/183	N/A
METALAXYL	200 µg/kg	ND	137/137	N/A	PACLOBUTRAZOL	400 µg/kg	ND	137/183	N/A
PYRIDABEN	200 µg/kg	ND	137/137	N/A	PROPICONAZOLE	400 µg/kg	ND	137/183	N/A
BIFENAZATE	200 µg/kg	ND	137/137	N/A	SPIROTETRAMAT	200 µg/kg	ND	137/137	N/A
BIFENTHRIN	200 µg/kg	ND	137/137	N/A	PERMETHRIN CIS		ND	58.9/58.9	N/A
CARBOFURAN	200 µg/kg	ND	137/137	N/A	KRESOXIM-METHYL	400 µg/kg	ND	137/183	N/A
CYFLUTHRIN	1000 µg/kg	ND	137/457	N/A	TRIFLOXYSTROBIN	200 µg/kg	ND	137/137	N/A
DAMINOZIDE	1000 µg/kg	ND	137/457	N/A	PARATHION-METHYL	200 µg/kg	ND	137/137	N/A
DICHLORVOS	1000 µg/kg	ND	137/457	N/A	PERMETHRIN TRANS		ND	78.1/78.1	N/A
DIMETHOATE	200 µg/kg	ND	137/137	N/A	PIPERONYLBUTOXIDE	2000 µg/kg	ND	137/913	N/A
ETOXENPROX	400 µg/kg	ND	137/183	N/A					
FENOXYCARB	200 µg/kg	ND	137/137	N/A					
FLONICAMID	1000 µg/kg	ND	137/457	N/A					
MGK-264 II		ND	53.4/53.4	N/A					
METHIOCARB	200 µg/kg	ND	137/137	N/A					
ACEQUINOCYL	2000 µg/kg	ND	137/913	N/A					
ACETAMIPRID	200 µg/kg	ND	137/137	N/A					

CHLORANTRANIL-IPROLE	200 µg/kg	ND	137/137	N/A
PYRETHRINS CINERIN I		ND	91.2/91.2	N/A
PYRETHRINS CINERIN II		ND	93.1/93.1	N/A
PYRETHRINS JASMOLIN I		ND	74.0/74.0	N/A
PYRETHRINS JASMOLIN II		ND	57.5/57.5	N/A
PYRETHRINS PYRETHRIN I		ND	425/425	N/A
PYRETHRINS PYRETHRIN II		ND	251/251	N/A



AUTHORIZED BY:
 ZACHARY SMITH
 LABORATORY MANAGER, NOVA
 ANALYTIC LABS
 APR 25, 2023

https://lims.tagleaf.com/coa_/4kFDbn6u0Z

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

