



Healer Products Certificates of Analysis (COA)

Dear Healer Patron,

We are committed to producing high quality, clean, and accurately labeled cannabis products to help you feel your best. As you'll see in the following pages, we invest in the most thorough testing available in our region, not just for the content of medicinal components, but also for the absence of pesticides, toxic solvents, heavy metals, and microbiological contaminants.

To be transparent and earn your trust, our third-party laboratory certificates of analysis are attached.

Having previously owned and participated in a cannabis analytic laboratory for several years, I understand the inherent challenges related to reproducibility, calibration, and validation with peer laboratories. In the cannabis analytic industry, potency results are considered accurate within 10% deviation from the actual value. That's why after Healer performs its own internal analytics, we send samples of our bulk extracts and final products to at least one third-party lab, and sometimes two.

If you have any questions about the data on the following pages, we'd love to hear from you. Thank you for choosing Healer and taking a powerful step for your good health.

Sincerely,

Dr. Dustin Sulak

CANNABINOIDS

| Cannabinoid | Total Mg | |
|-----------------------------------|-------------------------------------|---------------|
| | Per Pump* | Per Bottle** |
| TOTAL | 21.35 | 907.38 |
| CBC | 0.45 | 19.13 |
| CBCA | 0.38 | 16.15 |
| CBD | 9.74 | 413.95 |
| CBDA | 8.94 | 379.95 |
| CBDV | | |
| CBDVA | 0.22 | 9.35 |
| CBG | 0.35 | 14.88 |
| CBGA | 0.34 | 14.45 |
| CBL | | |
| CBLA | | |
| CBN | | |
| CBNA | | |
| Δ^8 -THC | | |
| Δ^9 -THC | 0.40 | 17.00 |
| Δ^{10} -THC | | |
| EXO-THC | | |
| THCA | 0.33 | 14.03 |
| THCV | | |
| THCVA | 0.20 | 8.50 |
| 3 rd Party Tested By: | Nova Analytic Labs | |
| 3 rd Party Testing ID: | WPH.L.23.003-Cann NAL-231215-004 | |

*one pump \approx 1 gram of topical hydrogel cream

**one bottle \approx 42.5g

HEAVY METALS

| TEST | RESULTS |
|-----------------------------------|--|
| Arsenic | Pass-None Detected |
| Cadmium | Pass-None Detected |
| Lead | Pass-None Detected |
| Mercury | Pass-None Detected |
| 3 rd Party Tested By: | Nova Analytic Labs |
| 3 rd Party Testing ID: | H.23.007.D-Oil-Cont NAL-230815-084 H.23.008.A-Oil-Cont NAL-230907-056 |

PESTICIDES

| TEST | RESULT |
|-----------------------------------|--|
| Bifenthrin | Pass-None Detected |
| Cyfluthrin | Pass-None Detected |
| Daminozide | Pass-None Detected |
| Etoxazole | Pass-None Detected |
| Imazalil | Pass-None Detected |
| Myclobutanil | Pass-None Detected |
| Spiromesifen | Pass-None Detected |
| Trifloxystrobin | Pass-None Detected |
| 3 rd Party Tested By: | Nova Analytic Labs |
| 3 rd Party Testing ID: | H.23.007.D-Oil-Cont NAL-230815-084 H.23.008.A-Oil-Cont NAL-230907-056 |



Healer Topical Hydrogel Cream

Batch ID: WPH.L.23.002

Product Type:

1:1 CBD/CBDA Topical Hydrogel Cream
Whole Plant Hemp

Product Expiration Date:

December 18, 2025

COA Issue Date:

December 19, 2023

Ingredients:

Purified Water, Organic MCT Coconut Oil, Menthol, Copaiba Balsam oil, MOFGA Certified Clean Maine Industrial Hemp <0.3% THC, D-Limonene, gel maker (isohexadecane polysorbate 80 sodium acrylate, acryloyldimethyl taurate copolymer), Traces of Ethyl Alcohol (Ethanol).

Strains:

Lifter, Silver Haze, Sour Space Candy, Hawaiian Haze, Cake Berry

**3rd Party Lab
Results Attached**



CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

WPH.L.23.003-CANN (TOPICAL) // PRODUCED: DEC 19, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: WPH.L.23.003 ¹
MATRIX: TOPICAL ¹
SAMPLE ID: NAL-231215-004
COLLECTED ON: DEC 15, 2023
RECEIVED ON: DEC 15, 2023
SAMPLE SIZE: 5.352 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: IAN LEONARD

¹ ENTERED BY CLIENT

CANNABINOID OVERVIEW

| | |
|----------------------------|----------------|
| CBD: | 0.974 % |
| CBDA: | 0.894 % |
| TOTAL CANNABINOIDS: | 2.14 % |

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011

LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

POTENCY PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: DEC 18, 2023 // ANALYSIS: DEC 19, 2023

| ANALYTE | LIMIT | AMT | AMT | LOD/LOQ (%) | PASS/FAIL |
|---------|-------|----------|------------|----------------|-----------|
| CBC | | 0.0446 % | 0.446 mg/g | 0.00614/0.0123 | N/A |
| CBCA | | 0.0376 % | 0.376 mg/g | 0.00614/0.0123 | N/A |
| CBD | | 0.974 % | 9.74 mg/g | 0.00614/0.0123 | N/A |
| CBDA | | 0.894 % | 8.94 mg/g | 0.00614/0.0123 | N/A |
| CBDV | | ND | ND | 0.00614/0.0123 | N/A |
| CBDVA | | 0.0222 % | 0.222 mg/g | 0.00614/0.0123 | N/A |
| CBG | | 0.0352 % | 0.352 mg/g | 0.00614/0.0123 | N/A |
| CBGA | | 0.0338 % | 0.338 mg/g | 0.00614/0.0123 | N/A |
| CBL | | ND | ND | 0.0123/0.0123 | N/A |
| CBLA | | ND | ND | 0.00614/0.0123 | N/A |
| CBN | | ND | ND | 0.00614/0.0123 | N/A |

** TOTAL CBD = (CBDA X 0.877) + CBD
 ** TOTAL THC = (THCA X 0.877) + THC
 Reported on an as received basis
 1000 µg/g = 1 mg/g

| ANALYTE | LIMIT | AMT | AMT | LOD/LOQ (%) | PASS/FAIL |
|----------------------|----------|------------|----------------|----------------|-----------|
| CBNA | | ND | ND | 0.00614/0.0123 | N/A |
| Δ ⁸ -THC | | ND | ND | 0.0123/0.0123 | N/A |
| Δ ⁸ -THCA | | ND | ND | 0.0123/0.0123 | N/A |
| Δ ⁹ -THC | 0.0404 % | 0.404 mg/g | 0.00614/0.0123 | N/A | |
| Δ ¹⁰ -THC | | ND | ND | 0.00614/0.0123 | N/A |
| EXO-THC | | ND | ND | 0.0123/0.0123 | N/A |
| THCA | 0.0333 % | 0.333 mg/g | 0.0123/0.0123 | N/A | |
| THCV | | ND | ND | 0.00614/0.0123 | N/A |
| THCVA | 0.0202 % | 0.202 mg/g | 0.00614/0.0123 | N/A | |
| TOTAL THC** | 0.0696 % | 0.696 mg/g | | N/A | |
| TOTAL CBD** | 1.76 % | 17.6 mg/g | | N/A | |



AUTHORIZED BY:
 ZACHARY SMITH
 LABORATORY MANAGER, NOVA
 ANALYTIC LABS
 DEC 19, 2023



https://lims.tagleaf.com/coa_qZ065B1vEv

NOTES

ZACHARY SMITH
 DEC 19, 2023

POTENCY & CANNABINOID PROFILE BY HPLC-UV
 THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT




CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.007.D-CONT (CONCENTRATE) // PRODUCED: AUG 18, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.23.007.D ¹
MATRIX: CONCENTRATE ¹
SAMPLE ID: NAL-230815-084
COLLECTED ON: AUG 15, 2023
RECEIVED ON: AUG 15, 2023
SAMPLE SIZE: 3.743 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: CJ LANGLEY

¹ ENTERED BY CLIENT



NOVA ANALYTIC LABS
 Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
 HEALER HEMP LLC
 119 ORION ST
 BRUNSWICK, MAINE 04011

LICENSE
 CGR26424
 MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

METALS TESTED
PESTICIDES TESTED

PST.2: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS PREPARATION: AUG 16, 2023 // ANALYSIS: AUG 16, 2023

| ANALYTE | LIMIT | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL |
|-------------|------------|-------------|-----------------|-----------|
| NALED | 500 µg/kg | ND | 142/190 | N/A |
| OXAMYL | 1000 µg/kg | ND | 142/474 | N/A |
| PHOSMET | 200 µg/kg | ND | 142/142 | N/A |
| ACEPHATE | 400 µg/kg | ND | 142/190 | N/A |
| ALDICARB | 400 µg/kg | ND | 142/190 | N/A |
| BOSCALID | 400 µg/kg | ND | 142/190 | N/A |
| CARBARYL | 200 µg/kg | ND | 142/142 | N/A |
| DIAZINON | 200 µg/kg | ND | 142/142 | N/A |
| FIPRONIL | 400 µg/kg | ND | 142/190 | N/A |
| IMAZALIL | 200 µg/kg | ND | 142/142 | N/A |
| METHOMYL | 400 µg/kg | ND | 142/190 | N/A |
| PROPOXUR | 200 µg/kg | ND | 142/142 | N/A |
| SPINOSAD | 200 µg/kg | ND | 142/142 | N/A |
| ABAMECTIN | 500 µg/kg | ND | 142/190 | N/A |
| ETOXAZOLE | 200 µg/kg | ND | 142/142 | N/A |
| MGK-264 I | | ND | 86.8/86.8 | N/A |
| MALATHION | 200 µg/kg | ND | 142/142 | N/A |
| METALAXYL | 200 µg/kg | ND | 142/142 | N/A |
| PYRIDABEN | 200 µg/kg | ND | 142/142 | N/A |
| BIFENAZATE | 200 µg/kg | ND | 142/142 | N/A |
| BIFENTHRIN | 200 µg/kg | ND | 142/142 | N/A |
| CARBOFURAN | 200 µg/kg | ND | 142/142 | N/A |
| CYFLUTHRIN | 1000 µg/kg | ND | 142/474 | N/A |
| DAMINOZIDE | 1000 µg/kg | ND | 142/474 | N/A |
| DICHLORVOS | 1000 µg/kg | ND | 142/474 | N/A |
| DIMETHOATE | 200 µg/kg | ND | 142/142 | N/A |
| ETOFENPROX | 400 µg/kg | ND | 142/190 | N/A |
| FENOXICARB | 200 µg/kg | ND | 142/142 | N/A |
| FLONICAMID | 1000 µg/kg | ND | 142/474 | N/A |
| MGK-264 II | | ND | 55.5/55.5 | N/A |
| METHIOCARB | 200 µg/kg | ND | 142/142 | N/A |
| ACEQUINOCYL | 2000 µg/kg | ND | 142/949 | N/A |

| ANALYTE | LIMIT | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL |
|--------------------|------------|-------------|-----------------|-----------|
| ETHOPROPHOS | 200 µg/kg | ND | 142/142 | N/A |
| FLUDIOXONIL | 400 µg/kg | ND | 142/190 | N/A |
| HEXYTHIAZOX | 1000 µg/kg | ND | 142/474 | N/A |
| PRALLETHRIN | 200 µg/kg | ND | 142/142 | N/A |
| SPIROXAMINE | 400 µg/kg | ND | 142/190 | N/A |
| THIACLOPRID | 200 µg/kg | ND | 142/142 | N/A |
| AZOXYSTROBIN | 200 µg/kg | ND | 142/142 | N/A |
| CHLORFENAPYR | 1000 µg/kg | ND | 142/474 | N/A |
| CHLORPYRIFOS | 200 µg/kg | ND | 142/142 | N/A |
| CLOFENTEZINE | 200 µg/kg | ND | 142/142 | N/A |
| CYPERMETHRIN | 1000 µg/kg | ND | 142/474 | N/A |
| IMIDACLOPRID | 400 µg/kg | ND | 142/190 | N/A |
| MYCLOBUTANIL | 200 µg/kg | ND | 142/142 | N/A |
| SPIROMESIFEN | 200 µg/kg | ND | 142/142 | N/A |
| TEBUCONAZOLE | 400 µg/kg | ND | 142/190 | N/A |
| THIAMETHOXAM | 200 µg/kg | ND | 142/142 | N/A |
| FENPYROXIMATE | 400 µg/kg | ND | 142/190 | N/A |
| PACLOBUTRAZOL | 400 µg/kg | ND | 142/190 | N/A |
| PROPICONAZOLE | 400 µg/kg | ND | 142/190 | N/A |
| SPIROTETRAMAT | 200 µg/kg | ND | 142/142 | N/A |
| PERMETHRIN CIS | | ND | 61.2/61.2 | N/A |
| KRESOXIM-METHYL | 400 µg/kg | ND | 142/190 | N/A |
| TRIFLOXYSTROB-IN | 200 µg/kg | ND | 142/142 | N/A |
| PARATHION-METHYL | 200 µg/kg | ND | 142/142 | N/A |
| PERMETHRIN TRANS | | ND | 81.1/81.1 | N/A |
| PIPERONYLBUTO-XIDE | 2000 µg/kg | ND | 142/949 | N/A |

| | | | | | | | | | |
|-------------|-----------|----|---------|-----|-------------------------|-----------|----|-----------|-----|
| ACETAMIPRID | 200 µg/kg | ND | 142/142 | N/A | CHLORANTRANIL-IPROLE | 200 µg/kg | ND | 142/142 | N/A |
| | | | | | PYRETHRINS CINERIN I | | ND | 94.8/94.8 | N/A |
| | | | | | PYRETHRINS CINERIN II | | ND | 96.8/96.8 | N/A |
| | | | | | PYRETHRINS JASMOLIN I | | ND | 76.9/76.9 | N/A |
| | | | | | PYRETHRINS JASMOLIN II | | ND | 59.8/59.8 | N/A |
| | | | | | PYRETHRINS PYRETHRIN I | | ND | 441/441 | N/A |
| | | | | | PYRETHRINS PYRETHRIN II | | ND | 260/260 | N/A |



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
AUG 18, 2023

https://lims.tagleaf.com/coa_/ENoEZr7yAa




| ANALYTE | LIMIT | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL | ANALYTE | LIMIT | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL |
|---------|-----------|-------------|-----------------|-----------|---------|-----------|-------------|-----------------|-----------|
| LEAD | 500 µg/kg | ND | 4.52/98.4 | N/A | CADMIUM | 200 µg/kg | ND | 4.23/82.0 | N/A |
| ARSENIC | 200 µg/kg | ND | 9.77/82.0 | N/A | MERCURY | 100 µg/kg | ND | 15.1/65.6 | N/A |

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT



CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.008.A-OIL-CONT (CONCENTRATE) // PRODUCED: SEP 11, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.23.008.A-OIL ¹
MATRIX: CONCENTRATE ¹
SAMPLE ID: NAL-230907-056
COLLECTED ON: SEP 07, 2023
RECEIVED ON: SEP 07, 2023
SAMPLE SIZE: 1.108 G ¹
SAMPLED BY: ANNA KUPEL
RECEIVED BY: CHRISTOPHER COLE

¹ ENTERED BY CLIENT



NOVA ANALYTIC LABS
Tomorrow's Testing, Today.

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE
CGR26424
MEDICINAL - CAREGIVER

BATCH RESULT: PASSED

METALS TESTED

PESTICIDES TESTED

PST.2: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS PREPARATION: SEP 08, 2023 // ANALYSIS: SEP 08, 2023

| ANALYTE | LIMIT | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL | ANALYTE | LIMIT | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL |
|-------------|------------|-------------|-----------------|-----------|--------------------|------------|-------------|-----------------|-----------|
| NALED | 500 µg/kg | ND | 148/197 | N/A | ETHOPROPHOS | 200 µg/kg | ND | 148/148 | N/A |
| OXAMYL | 1000 µg/kg | ND | 148/492 | N/A | FLUDIOXONIL | 400 µg/kg | ND | 148/197 | N/A |
| PHOSMET | 200 µg/kg | ND | 148/148 | N/A | HEXYTHIAZOX | 1000 µg/kg | ND | 148/492 | N/A |
| ACEPHATE | 400 µg/kg | ND | 148/197 | N/A | PRALLETHRIN | 200 µg/kg | ND | 148/148 | N/A |
| ALDICARB | 400 µg/kg | ND | 148/197 | N/A | SPIROXAMINE | 400 µg/kg | ND | 148/197 | N/A |
| BOSCALID | 400 µg/kg | ND | 148/197 | N/A | THIACLOPRID | 200 µg/kg | ND | 148/148 | N/A |
| CARBARYL | 200 µg/kg | ND | 148/148 | N/A | AZOXYSTROBIN | 200 µg/kg | ND | 148/148 | N/A |
| DIAZINON | 200 µg/kg | ND | 148/148 | N/A | CHLORFENAPYR | 1000 µg/kg | ND | 148/492 | N/A |
| FIPRONIL | 400 µg/kg | ND | 148/197 | N/A | CHLORPYRIFOS | 200 µg/kg | ND | 148/148 | N/A |
| IMAZALIL | 200 µg/kg | ND | 148/148 | N/A | CLOFENTEZINE | 200 µg/kg | ND | 148/148 | N/A |
| METHOMYL | 400 µg/kg | ND | 148/197 | N/A | CYPERMETHRIN | 1000 µg/kg | ND | 148/492 | N/A |
| PROPOXUR | 200 µg/kg | ND | 148/148 | N/A | IMIDACLOPRID | 400 µg/kg | ND | 148/197 | N/A |
| SPINOSAD | 200 µg/kg | ND | 148/148 | N/A | MYCLOBUTANIL | 200 µg/kg | ND | 148/148 | N/A |
| ABAMECTIN | 500 µg/kg | ND | 148/197 | N/A | SPIROMESIFEN | 200 µg/kg | ND | 148/148 | N/A |
| ETOXAZOLE | 200 µg/kg | ND | 148/148 | N/A | TEBUCONAZOLE | 400 µg/kg | ND | 148/197 | N/A |
| MGK-264 I | | ND | 90.1/90.1 | N/A | THIAMETHOXAM | 200 µg/kg | ND | 148/148 | N/A |
| MALATHION | 200 µg/kg | ND | 148/148 | N/A | FENPYROXIMATE | 400 µg/kg | ND | 148/197 | N/A |
| METALAXYL | 200 µg/kg | ND | 148/148 | N/A | PACLOBUTRAZOL | 400 µg/kg | ND | 148/197 | N/A |
| PYRIDABEN | 200 µg/kg | ND | 148/148 | N/A | PROPICONAZOLE | 400 µg/kg | ND | 148/197 | N/A |
| BIFENAZATE | 200 µg/kg | ND | 148/148 | N/A | SPIROTETRAMAT | 200 µg/kg | ND | 148/148 | N/A |
| BIFENTHRIN | 200 µg/kg | ND | 148/148 | N/A | PERMETHRIN CIS | | ND | 63.5/63.5 | N/A |
| CARBOFURAN | 200 µg/kg | ND | 148/148 | N/A | KRESOXIM-METHYL | 400 µg/kg | ND | 148/197 | N/A |
| CYFLUTHRIN | 1000 µg/kg | ND | 148/492 | N/A | TRIFLOXYSTROB-IN | 200 µg/kg | ND | 148/148 | N/A |
| DAMINOZIDE | 1000 µg/kg | ND | 148/492 | N/A | PARATHION-METHYL | 200 µg/kg | ND | 148/148 | N/A |
| DICHLORVOS | 1000 µg/kg | ND | 148/492 | N/A | PERMETHRIN TRANS | | ND | 84.2/84.2 | N/A |
| DIMETHOATE | 200 µg/kg | ND | 148/148 | N/A | PIPERONYLBUTO-XIDE | 2000 µg/kg | ND | 148/985 | N/A |
| ETOFENPROX | 400 µg/kg | ND | 148/197 | N/A | | | | | |
| FENOXYCARB | 200 µg/kg | ND | 148/148 | N/A | | | | | |
| FLONICAMID | 1000 µg/kg | ND | 148/492 | N/A | | | | | |
| MGK-264 II | | ND | 57.6/57.6 | N/A | | | | | |
| METHIOCARB | 200 µg/kg | ND | 148/148 | N/A | | | | | |
| ACEQUINOCYL | 2000 µg/kg | ND | 148/985 | N/A | | | | | |

| | | | | | | | | | |
|-------------|-----------|----|---------|-----|-------------------------|-----------|----|-----------|-----|
| ACETAMIPRID | 200 µg/kg | ND | 148/148 | N/A | CHLORANTRANIL-IPROLE | 200 µg/kg | ND | 148/148 | N/A |
| | | | | | PYRETHRINS CINERIN I | | ND | 98.4/98.4 | N/A |
| | | | | | PYRETHRINS CINERIN II | | ND | 100/100 | N/A |
| | | | | | PYRETHRINS JASMOLIN I | | ND | 79.8/79.8 | N/A |
| | | | | | PYRETHRINS JASMOLIN II | | ND | 62.0/62.0 | N/A |
| | | | | | PYRETHRINS PYRETHRIN I | | ND | 458/458 | N/A |
| | | | | | PYRETHRINS PYRETHRIN II | | ND | 270/270 | N/A |



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
SEP 11, 2023

https://lims.tagleaf.com/coa_/a22K0KEb7J



| ANALYTE | LIMIT | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL | ANALYTE | LIMIT | AMT (µg/kg) | LOD/LOQ (µg/kg) | PASS/FAIL |
|---------|-----------|-------------|-----------------|-----------|---------|-----------|-------------|-----------------|-----------|
| LEAD | 500 µg/kg | < LOQ | 4.81/105 | N/A | CADMIUM | 200 µg/kg | ND | 4.50/87.1 | N/A |
| ARSENIC | 200 µg/kg | < LOQ | 10.4/87.1 | N/A | MERCURY | 100 µg/kg | ND | 16.0/69.7 | N/A |

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

