

### Healer Products Certificates of Analysis (COA)

Dear Healer Patron,

We are committed to producing high quality, clean, and accurately labeled cannabis products to help you feel your best. As you'll see in the following pages, we invest in the most thorough testing available in our region, not just for the content of medicinal components, but also for the absence of pesticides, toxic solvents, heavy metals, and microbiological contaminants.

To be transparent and earn your trust, our third-party laboratory certificates of analysis are attached.

Having previously owned and participated in a cannabis analytic laboratory for several years, I understand the inherent challenges related to reproducibility, calibration, and validation with peer laboratories. In the cannabis analytic industry, potency results are considered accurate within 10% deviation from the actual value. That's why after Healer performs its own internal analytics, we send samples of our bulk extracts and final products to at least one third-party lab, and sometimes two.

If you have any questions about the data on the following pages, we'd love to hear from you. Thank you for choosing Healer and taking a powerful step for your good health.

Sincerely,

Dr. Dustin Sulak

Tusti-Sulle

# **Full Spectrum Gummies**



# **Lemon Ease Gummies**

5mg CBD, 5mg CBDA

Batch ID: L.E.G.24.004

**Expiration Date:** May 8, 2025 **COA Approved**: May 20, 2024

### **CANNABINOIDS**

	וויורי	NADINOIL	<b>7</b> 3		
Cannabinoid	Con	ncentration mg/g	Concentration mg/gummy**		
TOTAL		2.57	12.05		
CBC		0.07	0.33		
CBCA		0.07	0.19		
CBD		1.45	6.80		
CBDA		0.86	4.03		
CBDV					
CBDVA					
CBG	0.05		0.23		
CBGA		0.04	0.19		
CBL					
CBLA					
CBN					
CBNA					
$\Delta^8$ -THC					
$\Delta^9$ -THC		0.06	0.28		
$\Delta^{10}$ -THC					
EXO-THC					
THCA					
THCV					
THCVA					
3 <sup>rd</sup> Party Tested I	Зу:	Nova A	Analytic Labs		
3 <sup>rd</sup> Party Testing	ID:	L.E.G.24.004-Cann NAL-240513-018			

\*<LOQ = Compound present in detectable amounts below the limit of quantitation for data reporting.

\*\* Based on a serving size of 4.69 g

Farm License # 113, Sheepscot General, LLC, 98 Townhouse Rd. Whitefield, ME 04341
Nova Analytic Labs is an accredited ISO/IEC 17025:2017 facility.

## **CONTAMINANTS**

TEST	RESULTS
Heavy Metals (Lead, Arsenic, Cadmium, Mercury)	Pass
Pesticides 59 Pesticides	Pass
3 <sup>rd</sup> Party Tested By:	Nova Analytic Labs
3 <sup>rd</sup> Party Testing IDs: Concentrated formula tested	H.23.008.A-oil NAL-230907-056 H.23.007.D-oil NAL-230831-031

## **Ingredients:**

Organic Tapioca Syrup, Organic Cane Sugar, Water, Pectin; Less than 2% of: Tangerine Oil, Color (Turmeric, Elderberry Juice), Organic Citric Acid, Sodium Citrate, Certified Organic Maine Hemp, Ascorbic Acid, Organic MCT Coconut Oil

#### **Strains:**

Lifter, Suver Haze, Sour Space Candy, Cake Berry, Hawaiian Haze

3<sup>rd</sup> Party Lab Results Attached





ME LICENSE #: TF284

#### **CERTIFICATE OF ANALYSIS**

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

L.E.G.24.004-CANN (EDIBLE SOLID) // PRODUCED: MAY 15, 2024

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: L.E.G.24.004 <sup>1</sup>
MATRIX: EDIBLE SOLID <sup>1</sup>
SAMPLE ID: NAL-240513-018
COLLECTED ON: MAY 13, 2024
RECEIVED ON: MAY 13, 2024
SAMPLE SIZE: 8.551 G <sup>1</sup>
SAMPLED BY: ANNA KUPEL
RECEIVED BY: CHRISTOPHER COLE

SERVING SIZE: 4.69 G 1

CANNABINOID OVERVIEW	
CBD:	6.80 mg/srv
CBDA:	4.04 mg/srv
TOTAL CANNABINOIDS:	12.1 mg/srv

MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

**LICENSE** CGR26424 MEDICINAL - CAREGIVER

### BATCH RESULT: PASSED

POTENCY

DACC

# CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV PREPARATION: MAY 15, 2024 // ANALYSIS: MAY 15, 2024

ANALYTE	LIMIT	AMT		AMT	LOD/LOQ (%)	PASS/FAIL
CBC		0.00708 %	0.0708 1	mg/g	0.000763/0.00153	N/A
CBCA		0.00373 %	0.0373	mg/g	0.000763/0.00153	N/A
CBD		0.145 %	1.45 ı	mg/g	0.000763/0.00153	N/A
CBDA		0.0861 %	0.861 i	mg/g	0.000763/0.00153	N/A
CBDV		ND		ND	0.000763/0.00153	N/A
CBDVA		ND		ND	0.000763/0.00153	N/A
CBG		0.00494 %	0.0494 ı	mg/g	0.000763/0.00153	N/A
CBGA		0.00380 %	0.0380 ı	mg/g	0.000763/0.00153	N/A
CBL		ND		ND	0.00153/0.00153	N/A
CBLA		ND		ND	0.000763/0.00153	N/A
CBN		ND		ND	0.000763/0.00153	N/A
CBNA		ND		ND	0.000763/0.00153	N/A
Δ8-THC		ND		ND	0.00153/0.00153	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (%)	PASS/FAIL
Δ8-THCA		ND	ND 0.0	0153/0.00153	N/A
Δ <sup>9</sup> -THC	0.0	0638 % 0.0	638 mg/g0.00	0763/0.00153	N/A
Δ <sup>10</sup> -THC		ND	ND0.00	0763/0.00153	N/A
EXO-THC		ND	ND 0.0	0153/0.00153	N/A
THCA		ND	ND 0.0	0153/0.00153	N/A
THCV		ND	ND0.00	0763/0.00153	N/A
THCVA		ND	ND0.00	0763/0.00153	N/A
TOTAL THC**	0.0	0638 % 0.0	638 mg/g		N/A
TOTAL CBD**		0.221 % 2	2.21 mg/g		N/A
CBD/SRV	(	5.80 mg			N/A
Δ9-THC/SRV	0.	299 mg			N/A
TOTAL THC/SRV**	0.	299 mg			N/A
TOTAL CBD/SRV**	٠,	10.4 mg			N/A

\*\* TOTAL CBD = (CBDA X 0.877) + CBD

\*\* TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

 $1000 \, \mu g/g = 1 \, mg/g$ 



AUTHORIZED BY: ZACHARY SMITH LABORATORY MANAGER, NOVA ANALYTIC LABS MAY 15, 2024



<sup>1</sup> ENTERED BY CLIENT

ZACHARY SMITH MAY 15, 2024 POTENCY & CANNABINOID PROFILE BY HPLC-UV

THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGISTER OR CAREGISTER OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTEL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

#### **END OF REPORT**







### **CERTIFICATE OF ANALYSIS**

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.008.A-OIL-CONT (CONCENTRATE) // PRODUCED: SEP 11, 2023

CLIENT: HEALER HEMP LLC // BATCH: PASSED



BATCH NO.: H.23.008.A-OIL <sup>1</sup>
MATRIX: CONCENTRATE <sup>1</sup>
SAMPLE ID: NAL-230907-056
COLLECTED ON: SEP 07, 2023
RECEIVED ON: SEP 07, 2023
SAMPLE SIZE: 1.108 G <sup>1</sup>
SAMPLED BY: ANNA KUPEL
RECEIVED BY: CHRISTOPHER COLE

ENTERED BY CLIENT



MANUFACTURER INFO

MANUFACTURER
HEALER HEMP LLC
119 ORION ST
BRUNSWICK, MAINE 04011

LICENSE CGR26424 MEDICINAL - CA

MEDICINAL - CAREGIVER

METALS TESTED
PESTICIDES TESTED

# PST.2: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS PREPARATION: SEP 08, 2023 // ANALYSIS: SEP 08, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
NALED	500 μg/kg	ND	148/197	N/A
OXAMYL	1000 µg/kg	ND	148/492	N/A
PHOSMET	200 µg/kg	ND	148/148	N/A
ACEPHATE	400 µg/kg	ND	148/197	N/A
ALDICARB	400 µg/kg	ND	148/197	N/A
BOSCALID	400 µg/kg	ND	148/197	N/A
CARBARYL	200 µg/kg	ND	148/148	N/A
DIAZINON	200 µg/kg	ND	148/148	N/A
FIPRONIL	400 µg/kg	ND	148/197	N/A
IMAZALIL	200 µg/kg	ND	148/148	N/A
METHOMYL	400 µg/kg	ND	148/197	N/A
PROPOXUR	200 µg/kg	ND	148/148	N/A
SPINOSAD	200 µg/kg	ND	148/148	N/A
ABAMECTIN	500 μg/kg	ND	148/197	N/A
ETOXAZOLE	200 µg/kg	ND	148/148	N/A
MGK-264 I		ND	90.1/90.1	N/A
MALATHION	200 µg/kg	ND	148/148	N/A
METALAXYL	200 µg/kg	ND	148/148	N/A
PYRIDABEN	200 µg/kg	ND	148/148	N/A
BIFENAZATE	200 µg/kg	ND	148/148	N/A
BIFENTHRIN	200 µg/kg	ND	148/148	N/A
CARBOFURAN	200 µg/kg	ND	148/148	N/A
CYFLUTHRIN	1000 µg/kg	ND	148/492	N/A
DAMINOZIDE	1000 µg/kg	ND	148/492	N/A
DICHLORVOS	1000 µg/kg	ND	148/492	N/A
DIMETHOATE	200 µg/kg	ND	148/148	N/A
ETOFENPROX	400 µg/kg	ND	148/197	N/A
FENOXYCARB	200 µg/kg	ND	148/148	N/A
FLONICAMID	1000 µg/kg	ND	148/492	N/A
MGK-264 II		ND	57.6/57.6	N/A
METHIOCARB	200 μg/kg	ND	148/148	N/A
ACEQUINOCYL	2000 μg/kg	ND	148/985	N/A

ANALYTE		LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
ETHOPROPHOS	200	µg/kg	ND	148/148	N/A
FLUDIOXONIL	400	µg/kg	ND	148/197	N/A
HEXYTHIAZOX		1000 µg/kg	ND	148/492	N/A
PRALLETHRIN	200	µg/kg	ND	148/148	N/A
SPIROXAMINE	400	μg/kg	ND	148/197	N/A
THIACLOPRID	200	μg/kg	ND	148/148	N/A
AZOXYSTROBIN	200	µg/kg	ND	148/148	N/A
CHLORFENAPYR		1000 µg/kg	ND	148/492	N/A
CHLORPYRIFOS	200	µg/kg	ND	148/148	N/A
CLOFENTEZINE	200	µg/kg	ND	148/148	N/A
CYPERMETHRIN		1000 µg/kg	ND	148/492	N/A
IMIDACLOPRID	400	µg/kg	ND	148/197	N/A
MYCLOBUTANIL	200	µg/kg	ND	148/148	N/A
SPIROMESIFEN	200	µg/kg	ND	148/148	N/A
TEBUCONAZOLE	400	µg/kg	ND	148/197	N/A
THIAMETHOXAM	200	µg/kg	ND	148/148	N/A
FENPYROXIMATE	400	µg/kg	ND	148/197	
PACLOBUTRAZOL		µg/kg	ND	148/197	
PROPICONAZOLE		µg/kg	ND	148/197	
SPIROTETRAMAT	200	µg/kg	ND	148/148	
PERMETHRIN CIS			ND	63.5/63.5	N/A
METHYL	400	µg/kg	ND	148/197	N/A
TRIFLOXYSTROB- IN	200	µg/kg	ND	148/148	N/A
PARATHION- METHYL	200	µg/kg	ND	148/148	N/A
PERMETHRIN TRANS			ND	84.2/84.2	N/A
PIPERONYLBUTO- XIDE		2000 µg/kg	ND	148/985	N/A



AUTHORIZED BY: ZACHARY SMITH LABORATORY MANAGER, NOVA

BORATORY MANAGER, NOVA ANALYTIC LABS SEP 11, 2023



https://lims.tagleaf.com/coa\_/a22KOKEb7J



ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 μg/kg	< LOQ	4.81/105	N/A	CADMIUM	200 µg/kg	ND	4.50/87.1	N/A
ARSENIC	200 µg/kg	< LOQ	10.4/87.1	N/A	MERCURY	100 µg/kg	ND	16.0/69.7	N/A

<sup>\*</sup> FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO RETOROLOUS TEST RESULTS. NOTALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

#### **END OF REPORT**





### **CERTIFICATE OF ANALYSIS**

\* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

H.23.007.D-OIL-CONT (CONCENTRATE) // PRODUCED: SEP 06, 2023

CLIENT: HEALER HEMP LLC // BATCH: FAIL



BATCH NO.: H.23.007.D-OIL <sup>1</sup>
MATRIX: CONCENTRATE <sup>1</sup>
SAMPLE ID: NAL-230831-031
COLLECTED ON: AUG 31, 2023
RECEIVED ON: AUG 31, 2023
SAMPLE SIZE: 1.433 G <sup>1</sup>
SAMPLED BY: ANNA KUPEL
RECEIVED BY: IAN LEONARD

ENTERED BY CLIENT



#### MANUFACTURER INFO

MANUFACTURER HEALER HEMP LLC 119 ORION ST BRUNSWICK, MAINE 04011

CGR26424

MEDICINAL - CAREGIVER

PESTICIDES PASS
PESTICIDES PASS
SOLVENTS FAIL

# RSOL.1: RESIDUAL SOLVENTS, POISONS AND TOXINS BY HEADSPACE GC-MS PREPARATION: SEP 05, 2023 // ANALYSIS: SEP 05, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
1,2-	1 μg/g	ND	0.472/0.944	PASS
DICHLOROETHANE	ι μ8/8	ND	0.47270.344	1 733
ACETONE	5000 µg/g	ND	47.2/94.4	PASS
ACETONITRILE	410 µg/g	ND	9.44/18.9	PASS
BENZENE	1 μg/g	ND	0.472/0.944	PASS
BUTANE	5000 µg/g	ND	0.944/2.36	PASS
CHLOROFORM	1 μg/g	ND	0.472/0.944	PASS
ETHANOL	5000 µg/g	37500	18.9/47.2	FAIL
ETHYL ACETATE	5000 µg/g	ND	9.44/18.9	PASS
ETHYLENE OXIDE	1 μg/g	ND	0.472/0.944	PASS
ETHYL ETHER	5000 µg/g	ND	9.44/18.9	PASS
HEPTANE	5000 µg/g	ND	9.44/18.9	PASS

LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
290 μg/g	ND	0.944/2.36	PASS
5000 µg/g	ND	47.2/94.4	PASS
3000 µg/g	ND	47.2/94.4	PASS
1 μg/g	ND	0.472/0.944	PASS
5000 µg/g	ND	9.44/18.9	PASS
5000 µg/g	ND	18.9/37.8	PASS
890 µg/g	ND	4.72/9.44	PASS
1 μg/g	ND	0.472/0.944	PASS
2170 µg/g	ND	9.44/18.9	PASS
2170 µg/g	ND	18.9/37.8	PASS
2170 µg/g	ND		PASS
	290 µg/g 5000 µg/g 3000 µg/g 1 µg/g 5000 µg/g 5000 µg/g 890 µg/g 1 µg/g 2170 µg/g 2170 µg/g	290 µg/g ND 5000 µg/g ND 3000 µg/g ND 1 µg/g ND 5000 µg/g ND 5000 µg/g ND 890 µg/g ND 1 µg/g ND 2170 µg/g ND 2170 µg/g ND	290 μg/g ND 0.944/2.36 5000 μg/g ND 47.2/94.4 3000 μg/g ND 47.2/94.4 1 μg/g ND 0.472/0.944 5000 μg/g ND 9.44/18.9 5000 μg/g ND 18.9/37.8 890 μg/g ND 4.72/9.44 1 μg/g ND 0.472/0.944 2170 μg/g ND 9.44/18.9 2170 μg/g ND 9.44/18.9



AUTHORIZED BY: ZACHARY SMITH LABORATORY MANAGER, NOVA ANALYTIC LABS SEP 06, 2023



# PST.2: PESTICIDES, INSECTICIDES, FUNGICIDES AND GROWTH REGULATORS BY LC-HRMS PREPARATION: SEP 01, 2023 // ANALYSIS: SEP 01, 2023

ANALYTE	L	IMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
ABAMECTIN	500 μ	g/kg	ND	148/198	PASS
ACEPHATE	400 μ	g/kg	ND	148/198	PASS
ACEQUINOCYL	2000 μ	g/kg	ND	148/988	PASS
ACETAMIPRID	200 μ	g/kg	ND	148/148	PASS
ALDICARB	400 μ	g/kg	ND	148/198	PASS
AZOXYSTROBIN	200 μ	g/kg	ND	148/148	PASS
BIFENAZATE	200 μ	g/kg	ND	148/148	PASS
BIFENTHRIN	200 μ	g/kg	ND	148/148	PASS
BOSCALID	400 μ	g/kg	ND	148/198	PASS
CARBARYL	200 μ	g/kg	ND	148/148	PASS
CARBOFURAN	200 μ	g/kg	ND	148/148	PASS
CHLORANTRANIL- IPROLE	200 μ	g/kg	ND	148/148	PASS
CHLORFENAPYR	1000 μ	g/kg	ND	148/494	PASS
CHLORPYRIFOS	200 μ	g/kg	ND	148/148	PASS
CLOFENTEZINE	200 μ	g/kg	ND	148/148	PASS
CYFLUTHRIN	1000 μ	g/kg	ND	148/494	PASS
CYPERMETHRIN	1000 μ	g/kg	ND	148/494	PASS
DAMINOZIDE	1000 μ	g/kg	ND	148/494	PASS
DIAZINON	200 μ	g/kg	ND	148/148	PASS
DICHLORVOS	1000 μ	g/kg	ND	148/494	PASS
DIMETHOATE	200 μ	g/kg	ND	148/148	PASS
ETHOPROPHOS	200 μ	g/kg	ND	148/148	PASS
ETOFENPROX	400 µ	g/kg	ND	148/198	PASS
ETOXAZOLE	200 μ	g/kg	ND	148/148	PASS
FENOXYCARB	200 μ	g/kg	ND	148/148	PASS
FENPYROXIMATE	400 μ	g/kg	ND	148/198	PASS
FIPRONIL	400 μ	g/kg	ND	148/198	PASS
FLONICAMID	1000 μ	g/kg	ND	148/494	PASS
FLUDIOXONIL	400 µ	g/kg	ND	148/198	PASS
HEXYTHIAZOX	1000 μ	g/kg	ND	148/494	PASS
IMAZALIL	200 μ	g/kg	ND	148/148	PASS
IMIDACLOPRID	400 μ	g/kg	ND	148/198	PASS
KRESOXIM- METHYL	400 μ	g/kg	ND	148/198	PASS
MALATHION	200 μ	g/kg	ND	148/148	PASS
METALAXYL	200 μ	g/kg	ND	148/148	PASS

	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
200	μg/kg	ND	148/148	PASS
400	µg/kg	ND	148/198	PASS
200	µg/kg	ND		PASS
		ND	90.4/90.4	N/A
		ND	57.8/57.8	N/A
		ND	148/148	
500		ND	148/198	PASS
		ND	148/494	PASS
400		ND	148/198	PASS
200	µg/kg	ND	148/148	PASS
200	μg/kg	ND		PASS
		ND	63.7/63.7	N/A
		ND	84.5/84.5	N/A
200		ND	148/148	PASS
		ND	148/988	PASS
200		ND	148/148	PASS
		ND	148/198	PASS
	µg/kg	ND	148/148	PASS
	1000 µg/kg	ND		PASS
		ND	98.7/98.7	N/A
		ND	101/101	N/A
		ND	80.0/80.0	N/A
		ND	62.3/62.3	N/A
		ND	459/459	N/A
		ND	271/271	N/A
200	µg/kg	ND	148/148	PASS
200	µg/kg	ND	148/148	PASS
200	µg/kg	ND	148/148	PASS
		ND	148/148	PASS
400	µg/kg	ND	148/198	PASS
400	µg/kg	ND	148/198	PASS
		ND	148/148	PASS
200	µg/kg	ND	148/148	PASS
200	ug/kg	ND	148/148	PASS
	100			
	2000 2000 2000 2000 2000 2000 2000 200	200 µg/kg 200 µg/kg 200 µg/kg 500 µg/kg 1000 µg/kg 400 µg/kg 200 µg/kg 200 µg/kg 200 µg/kg 200 µg/kg 200 µg/kg 200 µg/kg 200 µg/kg 400 µg/kg 400 µg/kg	200 μg/kg ND 200 μg/kg ND 200 μg/kg ND 200 μg/kg ND 500 μg/kg ND 1000 ND 200 μg/kg ND	400 μg/kg ND 148/198 200 μg/kg ND 90.4/90.4 ND 57.8/57.8 200 μg/kg ND 148/148 500 μg/kg ND 148/148 500 μg/kg ND 148/148 400 μg/kg ND 148/148 200 μg/kg ND 148/148

# HME.1: HEAVY METALS BY ICP-MS PREPARATION: SEP 01, 2023 // ANALYSIS: SEP 05, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
ARSENIC	200 µg/kg	< LOQ	9.51/79.8	PASS
CADMIUM	200 µg/kg	ND	4.12/79.8	PASS

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
LEAD	500 μg/kg	< LOQ	4.41/95.8	PASS
MERCURY	100 μg/kg	ND	14.7/63.8	PASS

#### NOTES

#### ZACHARY SMITH

SEP 06, 2023

#### ETHANOL

THE RESULT REPORTED ON THIS CERTIFICATE OF ANALYSIS IS AN ESTIMATED RESULT. THE RELATIVE CONCENTRATION IN THIS SAMPLE SATURATED THE DETECTOR ON THE ANALYTICAL INSTRUMENT AND THUS REPRESENTS A MUCH-GREATER-THAN THE UPPER LIMIT OF QUANTITATION RESULT. THIS SAMPLE CANNOT BE REANALYZED AT A LOWER MASS APPROPRIATE TO THE ESTIMATED CONCENTRATION IN ORDER TO BRING THE DETECTED RESPONSE INTO THE INSTRUMENT'S LINEAR CALIBRATION RANGE.

#### \* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSE REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HEAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

#### **END OF REPORT**

